

Image Management Service User Guide

Image Management Service User Guide

Issue 01
Date 2023-04-04



Copyright © Huawei Cloud Computing Technologies Co., Ltd. 2024. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Cloud Computing Technologies Co., Ltd.

Trademarks and Permissions



HUAWEI and other Huawei trademarks are the property of Huawei Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei Cloud and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Huawei Cloud Computing Technologies Co., Ltd.

Address: Huawei Cloud Data Center Jiaoxinggong Road
Qianzhong Avenue
Gui'an New District
Gui Zhou 550029
People's Republic of China

Website: <https://www.huaweicloud.com/intl/en-us/>

Contents

1 Preparations.....	1
2 Creating a Private Image.....	3
3 Scenario 1: Creating a System Disk Image from a Windows ECS.....	5
4 Scenario 2: Creating a Linux System Disk Image from an External Image File.....	7

1 Preparations

Before using the IMS service, you need to make the following preparations:

- [Signing Up with Huawei Cloud and Complete Real-Name Authentication](#)
- [Create an IAM User](#)

Signing Up with Huawei Cloud and Complete Real-Name Authentication

If you already have a Huawei Cloud account, skip this part. Otherwise, perform the following steps to create one:

1. Visit <https://www.huaweicloud.com/eu/> and click **Sign Up**.
2. On the displayed page, sign up for an account.
After you have successfully signed up, the system automatically redirects you to your personal information page.
3. Complete real-name authentication by following the instructions in [Individual Real-Name Authentication](#).

Create an IAM User

If you want to allow multiple users to manage your resources without sharing your password or key, you can create users using IAM and grant permissions to the users. These users can use specified login links and their own accounts to access the public cloud and help you efficiently manage resources. You can also set account security policies to ensure the security of these accounts and reduce enterprise information security risks.

If you have registered on the public cloud platform but have no IAM user, you can create one on the IAM console. For example, to create an IMS administrator, perform the following steps:

1. Enter your username and password to log in to the management console.
2. In the upper right corner of the page, click the username and select **Identity and Access Management**.
3. In the navigation pane, choose **Users**. In the right pane, click **Create User**.
4. Enter the user information on the **Create User** page.
 - **Username:** Enter a username, for example, **ims_administrator**.

- **Email Address:** Email address bound to the IAM user. This parameter is mandatory if the access type is specified as **Set by user**.
 - (Optional) **Mobile Number:** Mobile number bound to the IAM user.
 - (Optional) **Description:** Enter description of the IAM user, for example, **IMS administrator**.
5. In the **Access Type** area on the **Create User** page, select **Management console access**, select **Set now** for **Console Password**, enter a password, and click **Next**.

 **NOTE**

An IMS administrator can log in to the management console and manage users. You are advised to select **Set now** for **Console Password** when you create an IMS administrator for your domain. If you create an IMS administrator for another user, you are advised to select **Set by user** for **Console Password** instead so that the user can set their own password.

6. (Optional) Click **Next** to add the user to the **admin** user group.
- User group **admin** has all the operation permissions. If you want to grant fine-grained permissions to IAM users, see [Creating a User and Granting Permissions](#).
- After being created successfully, the IAM user is displayed in the user list. You can click the IAM user login link above the list and use the created user to log in to the console.

2 Creating a Private Image

IMS provides full-lifecycle management for private images, including creating, replicating, sharing, and exporting private images. You can choose a proper method to migrate services to the cloud or on the cloud with the cooperation of other services, such as ECS and OBS.

Private images include system disk images, data disk images, and full-ECS images. Private images are created from ECSs or external image files. A private image is available only to the user who created it and the user with whom it has been shared.

Table 2-1 Methods of creating private images

Private Image Type	Description	Method
System disk image	A system disk image contains an OS and applications for running services. You can use a system disk image to create ECSs and migrate your services to the cloud.	<ul style="list-style-type: none">• Creating a System Disk Image from a Windows ECS/Creating a System Disk Image from a Linux ECS• Creating a Windows System Disk Image from an External Image File/Creating a Linux System Disk Image from an External Image File• Creating a Windows System Disk Image from an ISO File/Creating a Linux System Disk Image from an ISO File
Data disk image	A data disk image contains only service data. You can use a data disk image to create EVS disks and migrate your service data to the cloud.	<ul style="list-style-type: none">• Creating a Data Disk Image from an ECS• Creating a Data Disk Image from an External Image File

Private Image Type	Description	Method
Full-ECS image	A full-ECS image contains an OS, applications, and service data for running services.	<ul style="list-style-type: none">• Creating a Full-ECS Image from an ECS• Creating a Full-ECS Image from a CSBS Backup• Creating a Full-ECS Image from a CBR Backup

The following sections use examples to describe how to create a system disk image.

- [Scenario 1: Creating a System Disk Image from a Windows ECS](#)
- [Scenario 2: Creating a Linux System Disk Image from an External Image File](#)

3 Scenario 1: Creating a System Disk Image from a Windows ECS

If you have created and configured an ECS based on your service requirements (such as installing software and deploying an application environment), you can create a system disk image from the configured ECS. Then, any new ECSs created from this image will come with all the same software and other details preconfigured.

This guide describes how to create a system disk image from a Windows ECS.

Step 1: Preparations

1. Log in to the management console. In the service list, choose **Compute > Elastic Cloud Server**.
2. Locate the target ECS and click **Remote Login**.
3. Perform the following operations on the ECS:
 - Delete sensitive data from the ECS to prevent data leaks.
 - Check the network configuration of the ECS and ensure that DHCP is configured for the ECS NICs. Enable remote desktop connection if needed. For details, see [Setting the NIC to DHCP](#) and [Enabling Remote Desktop Connection](#).
 - Check whether Cloudbase-Init has been installed in the ECS. After Cloudbase-Init is installed, user data can be injected into the new ECSs created from the image of this ECS. For example, you can use data injection to set the password of a new ECS. For details, see [Installing and Configuring Cloudbase-Init](#).
 - Check and install PV and VirtIO drivers in the ECS so that the new ECSs created from the image of this ECS support both KVM and XEN virtualization and that the network performance will be improved. For details, see [Installing PV Drivers](#) and [Installing VirtIO Drivers](#).
 - Run Sysprep on the ECS so that each of the new ECSs created from the image of this ECS has a unique SID in a domain. In a cluster, each ECS must have a unique SID. For details, see [Running Sysprep](#).

Step 2: Create a Windows System Disk Image

1. Select the ECS and in the **Operation** column choose **More > Manage Image > Create Image**.
2. In the **Image Type and Source** area, select **Create Image** for **Type** and **System disk image** for **Image Type**.
3. In the **Image Information** area, enter basic information about the image, such as the image name, enterprise project, and any tags you want to add.
4. Read and agree to the image disclaimer. Click **Next**.
5. Confirm the parameter settings and click **Submit**.
6. Go back to the private image list and view the image status.

NOTE

The time required for creating an image depends on the image file size, network status, and number of concurrent tasks. When the image status changes to **Normal**, the image is created successfully.

Follow-up Procedure

After a system disk image is created, you can use it to create an ECS or change the OS of an existing ECS. This way, you can migrate data from a server to another. For details, see:

- [Creating an ECS from an Image](#)
- [Changing the OS](#)

For more information, see [Creating a System Disk Image from a Windows ECS](#).

4 Scenario 2: Creating a Linux System Disk Image from an External Image File

You can import a local image or a system disk image from another cloud platform. After an image is imported, you can use it to create an ECS or reinstall the OS of an existing ECS.

This guide describes how to create a Linux system disk image from an external image file.

Step1: Prepare an Image File

You need to prepare an image file that meets the following requirements:

- OS: SUSE, Oracle Linux, Red Hat, Ubuntu, etc. (32-bit or 64-bit)
- Image format: VMDK, VHD, QCOW2, RAW, VHDX, QED, VDI, QCOW, ZVHD2, or ZVHD
- Image size: no larger than 128 GB. If the image size is between 128 GB and 1 TB, convert the image file into RAW or ZVHD2 and import it using fast import.
- Network: Files in the network rule directory are deleted and DHCP is configured for the NICs.
- Tools: Cloud-Init has been installed.
- Drivers: Native Xen and KVM drivers have been installed.
- File system: The disk identifier in the GRUB configuration file and fstab file are set to UUID.

NOTE


Click [here](#) to learn more about the file restrictions and how to check and configure an image file.

Step 2: Upload the Image File

You are advised to use OBS Browser+ to upload external image files to an OBS bucket. For details, see [OBS Browser+ Best Practices](#).

For how to download OBS Browser+, see [Downloading OBS Browser+](#).

Figure 4-1 Uploading an image file



Step 3: Register the Image File as a Private Image

1. Log in to the management console. In the service list, choose **Compute > Elastic Cloud Server**.
2. In the upper right corner of the page, click **Create Image**. Configure the parameters.
3. Read and agree to the image disclaimer. Click **Next**.
4. Confirm the parameter settings and click **Submit**.
5. Go back to the private image list. When the image status changes to **Normal**, the image is created successfully.

Follow-up Procedure

After a system disk image is created, you can use it to create an ECS or change the OS of an existing ECS. This way, you can migrate data from a server to another. For details, see:

- [Creating an ECS from an Image](#)
- [Changing the OS](#)

For more information, see [Creating a Linux System Disk Image from an External Image File](#).