Domain Name Service

User Guide

Issue 01

Date 2024-04-30





Copyright © Huawei Cloud Computing Technologies Co., Ltd. 2024. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Cloud Computing Technologies Co., Ltd.

Trademarks and Permissions

HUAWEI and other Huawei trademarks are the property of Huawei Technologies Co., Ltd. All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei Cloud and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, quarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Contents

1 Public Zones	1
1.1 Overview	1
1.2 Creating a Public Zone	2
1.3 Managing Public Zones	5
1.4 Regaining a Domain Name	6
2 Private Zones	8
2.1 Overview	8
2.2 Creating a Private Zone	g
2.3 Managing Private Zones	12
2.4 Associating a VPC with a Private Zone	13
2.5 Disassociating a VPC from a Private Zone	14
3 Record Sets	15
3.1 Record Set Overview	15
3.2 Adding Record Sets	17
3.2.1 Record Set Types and Configuration Rules	17
3.2.2 Adding an A Record Set	23
3.2.3 Adding a CNAME Record Set	26
3.2.4 Adding an MX Record Set	29
3.2.5 Adding an AAAA Record Set	32
3.2.6 Adding a TXT Record Set	35
3.2.7 Adding an SRV Record Set	39
3.2.8 Adding an NS Record Set	42
3.2.9 Adding a CAA Record Set	45
3.2.10 Adding a PTR Record Set	49
3.3 Disabling or Enabling Record Sets	52
3.4 Managing Record Sets	53
3.5 Configuring a Wildcard DNS Record Set	54
3.6 Searching for Record Sets	57
3.7 Importing Record Sets	
3.8 Exporting Record Sets	
3.9 Migrating to Huawei Cloud DNS for Domain Name Resolution	59
4 PTR Records	62

4.1 Overview	
4.2 Creating a PTR Record	
4.3 Managing PTR Records	65
5 Intelligent Resolution	67
5.1 Overview	67
5.2 Configuring ISP Lines	68
5.3 Configuring Region Lines	72
5.4 Configuring Custom Lines	79
5.5 Configuring Weighted Routing	83
6 Permissions Management	86
6.1 Creating a User and Granting DNS Permissions	86
6.2 Creating Custom Policies	87
7 Key Operations Recorded by CTS	90
7.1 DNS Operations Recorded by CTS	90
7.2 Viewing Traces	93
8 Quota Adjustment	95
A Change History	96

1 Public Zones

1.1 Overview

A public zone provides information to translate a domain name and its subdomains into IP addresses required for network communications over the Internet. Visitors can access your website by entering a domain name in the address box of a browser. To use Huawei Cloud DNS for public domain name resolution, create a public zone for your domain name, and add record sets to map your domain name to one or more IP addresses.

Table 1-1 describes the operations required for creating and managing public zones.

Table 1-1 Public zone operations

Operation	Scenario	Constraints
Creating a Public Zone	Create a zone for your domain name.	 Public zones are global resources. You do not need to select a region or project.
		 Each account can have up to 50 public zones.
		 The domain name can be a second-level domain name (for example, example.com) or one of its subdomains (for example, abc.example.com).

Operation	Scenario	Constraints
Managing Public Zones	Modify, delete, enable, disable, and view public zones.	The domain name of a created public zone cannot be modified.
		 If a public zone is deleted, all its record sets will also be deleted.
		If a public zone is disabled, all its record sets will not take effect.
Regaining a Domain Name	Regain a domain name by proving your ownership of this domain name to Huawei Cloud when message "The zone has already been created by another user" is displayed when you create a public zone.	 The domain name has already been registered with a third party registrar. Only the domain name holder can regain the domain name.

1.2 Creating a Public Zone

Scenarios

Create a public zone for your domain name on the DNS console.

Prerequisites

You have registered a domain name.

Procedure

If your domain name is registered with a third-party registrar, create a public zone and add record sets to it on the DNS console.

- 1. Go to the **Public Zones** page.
- 2. Click Create Public Zone.
- 3. Configure the parameters.

Table 1-2 describes the parameters.

Table 1-2 Parameters for creating a public zone

Parameter	Description	Example Value
Domain Name	Domain name you registered. The domain name can be a second-level domain name or one of its subdomains. The following are two examples. Subdomain name of example.com: abc.example.com Subdomain name of example.com.cn: abc.example.com.cn: abc.example.com.cn For details about the domain name format, see Domain Name Format and DNS Hierarchy.	example.com
Email	(Optional) Email address of the administrator managing the public zone. Recommended email address: HOSTMASTER@Domain name For more information about the email address, see Why Was the Email Address Format Changed in the SOA Record?	HOSTMASTER@exam ple.com
Enterprise Project	Enterprise project associated with the public zone. You can manage public zones by enterprise project. NOTE This parameter is available and mandatory only when Account Type is set to Enterprise Account. When setting this parameter, note the following: If you do not manage zones by enterprise project, select the default enterprise project. If you manage zones by enterprise project, select an existing enterprise project. Before you set this parameter, create an enterprise project.	default

Parameter	Description	Example Value
Tag	(Optional) Identifier of the domain name. Each tag contains a key and a value. You can add a maximum of 10 tags to a zone. For details about tag key and value requirements, see Table 1-3.	example_key1 example_value1
Description	(Optional) Supplementary information about the zone. You can enter a maximum of 255 characters.	This is a zone example.

Table 1-3 Tag key and value requirements

Parameter	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value1

4. Click OK.

You can view the created public zone on the **Public Zones** page.

If a message is displayed indicating that the public zone has already been created by another user, handle the issue by performing the operations in **Regaining a Domain Name**.

 Click the domain name or click Manage Record Set under Operation.
 On the Record Sets page, click Add Record Set. For detailed operations, see Record Set Overview.

□ NOTE

Click the domain name to view SOA and NS record sets automatically generated for the zone.

- The SOA record set identifies the base DNS information about the domain name.
- The NS record set defines authoritative DNS servers for the domain name.
 You can modify the NS record set based on the region of the domain name. For more information about DNS servers, see What Are Huawei Cloud DNS Servers??

Follow-up Operations

After a public zone is created, you can perform the following operations:

- Add record sets for it. For details, see Record Set Overview.
- Modify or delete it, or view its details. For details, see Managing Public Zones.

1.3 Managing Public Zones

Scenarios

You can modify a public zone, delete a public zone, batch delete public zones, enable or disable a public zone, or view details about a public zone.

Modifying a Public Zone

Change the domain name administrator's email address and description of the public zone.

Ⅲ NOTE

For more information about the email, see Why Was the Email Address Format Changed in the SOA Record?

- 1. Go to the **Public Zones** page.
- Locate the public zone you want to modify and choose More > Modify under Operation.

The **Modify Public Zone** dialog box is displayed.

- 3. Change the email address or description of the zone as required.
- 4. Click OK.

Deleting a Public Zone

Delete a public zone when you no longer need it. After a public zone is deleted, the domain name and its subdomains cannot be resolved by the DNS service.

NOTICE

Before you delete a public zone, back up all its record sets.

- 1. Go to the **Public Zones** page.
- Locate the public zone you want to delete and click **Delete** under **Operation**.
 The **Delete Public Zone** dialog box is displayed.
- 3. Click Yes.

Disabling or Enabling a Public Zone

Disable a public zone to stop all record sets in the public zone. When you want to restore the resolution of the domain name, enable the public zone.

- 1. Go to the **Public Zones** page.
- 2. Select the public zone you want to disable or enable and click **Disable** or **Enable** under **Operation**.
 - The **Disable Public Zone** or **Enable Public Zone** dialog box is displayed.
- 3. Click OK.

Viewing Details About a Public Zone

View details about a public zone, such as zone ID, operation time, tag, and TTL, on the **Public Zones** page.

- 1. Go to the **Dashboard** page.
- 2. On the **Dashboard** page, click **Public Zones** under **My Resources**.
- 3. In the public zone list, click the name of the public zone to view its details.

1.4 Regaining a Domain Name

Prerequisites

- You have registered the domain name with a domain name registrar.
- You are the holder of the domain name.

Retrieving the Domain Name from Third-Party Registrar

You have registered a domain name example.com and want to use Huawei Cloud DNS to resolve the domain name. When you create a public zone for the domain name, a message is displayed indicating that the public zone has been created by another user.

In this case, you can configure a TXT record for the domain name in the third-party DNS service. The domain name will be retrieved after you verify that the TXT record has taken effect.

Obtain the TXT record.

- 1. Go to the **Public Zones** page.
- 2. Click Create Public Zone.
- 3. Set **Domain Name** to your domain name, configure the other parameters, and click **OK**.

If the zone has already been created by another user, a message is displayed.

4. Click **Regain domain name** in the message.

The **Regain Domain Name** dialog box is displayed, where you can view the TXT record used to verify the domain name holder.

Configure a TXT record for the domain name.

Configure a TXT record for the domain name in the third-party DNS service.

□ NOTE

The following operations are for reference only. For details, see the documentation provided by the DNS service provider.

- 1. Log in to the management console of the DNS service provider, locate the domain name in the domain name list, and then go to the page that displays the records of the domain name.
- 2. Configure a TXT record.
 - Select the TXT record type.
 - Set the record name or host name to huaweiyunRetrieval.
 - Set the value to 4924e0ee8e914f0f8e99ac9052565627.
- 3. Confirm the configuration and submit your request.

If the status of the record becomes **Normal**, the TXT record has taken effect.

Verify the TXT record.

1. Go back to the dialog box shown in 4 and click **Verify**.

The TXT record will be verified. If the verification is successful, the public zone will be created for your domain name.

2 Private Zones

2.1 Overview

A private zone contains information about how to map a domain name and its subdomains used within one or more VPCs to private IP addresses. With private domain names, your ECSs can communicate with each other within the VPCs without having to connect to the Internet.

- You can create any domain names without registering them.
- One private zone can be associated with multiple VPCs, and domain names are valid only in VPCs.

To use private domain names, you must first create a private zone and associate VPCs with it.

Table 2-1 describes the operations that you can perform on private zones.

Table 2-1 Private zone operations

Operation	Scenario	Constraints
Creating a Private Zone	Create a private zone for your domain name.	Private zones are project-level resources. When you create a private zone, select a region and project.
		Each account can create up to 50 private zones.
		 Private domain names must meet the following requirements:
		 Domain name labels are separated by dot (.), and each label does not exceed 63 characters.
		 A domain name label can contain letters, digits, and hyphens (-) and cannot start or end with a hyphen.
		 The total length of a domain name cannot exceed 254 characters.
Managing Private	Modify, delete, batch delete, and	The domain name of a created private zone cannot be modified.
Zones	view private zones.	If a private zone is deleted, all its record sets will also be deleted.
Associating a VPC with a Private Zone	Associate a VPC with a private zone.	 You can only associate VPCs that you have created using your own account. Each VPC can be associated only with one private zone. However, a private zone can have more than one VPC associated with it.
Disassociati ng a VPC from a Private Zone	Disassociate a VPC from a private zone.	 After the disassociation, private domain names will not take effect in the VPC. If a private zone is only associated with one VPC, you cannot disassociate it.

2.2 Creating a Private Zone

Scenarios

Create a private zone to map a private domain name to a private IP address within a VPC.

Prerequisites

- You have created a VPC.
- You have created an ECS in the VPC and planned to use a private domain name (example.com) for the ECS.

Procedure

- 1. Go to the **Private Zones** page.
- 2. Click Create Private Zone.
- 3. Configure the parameters.

Table 2-2 describes the parameters.

Table 2-2 Parameters for creating a private zone

Parameter	Description	Example Value
Domain Name	Domain name you have planned for the ECS.	example.com
	You can enter a top-level domain that complies with the domain naming rules.	
	For details about the domain name format, see Domain Name Format and DNS Hierarchy .	
VPC	VPC to be associated with the private zone. NOTE This VPC must be the same as the VPC where your other cloud resources are deployed. If the VPC is different, the domain name cannot be resolved.	N/A
Email	(Optional) Email address of the administrator managing the private zone. Recommended email address:	HOSTMASTER@exam ple.com
	HOSTMASTER@Domain name	
	For more information about the email, see Why Was the Email Address Format Changed in the SOA Record?	

Parameter	Description	Example Value
Enterprise Project	Enterprise project associated with the private zone.	default
	You can manage private zones by enterprise project.	
	NOTE This parameter is available and mandatory only when Account Type is set to Enterprise Account.	
	When setting this parameter, note the following:	
	 If you do not manage zones by enterprise project, select the default enterprise project. 	
	 If you manage zones by enterprise project, select an existing enterprise project. Before you set this parameter, create an enterprise project. 	
Tag	(Optional) Identifier of the domain name.	example_key1 example_value1
	Each tag contains a key and a value. You can add a maximum of 10 tags to a zone.	chample_ratae
	For details about tag key and value requirements, see Table 2-3 .	
Description	(Optional) Supplementary information about the zone.	This is a zone example.
	You can enter a maximum of 255 characters.	

Table 2-3 Tag key and value requirements

Parameter	Requirements	Example Value
Key	Cannot be left blank.Must be unique for each resource.	example_key1
	 Can contain a maximum of 36 characters. 	
	 Cannot start or end with a space nor contain special characters =*<> / 	

Parameter	Requirements	Example Value
Value	 Cannot be left blank. Can contain a maximum of 43 characters. 	example_value1
	 Cannot start or end with a space nor contain special characters =*<> / 	

- 4. Click OK.
- 5. Switch back to the **Private Zones** page.

You can view the created private zone in the zone list.

6. Click the domain name to add a record set.

On the **Record Sets** page, click **Manage Record Set**. For detailed operations, see **Record Set Overview**.

∩ NOTE

Click the domain name to view SOA and NS record sets automatically generated for the zone.

- The SOA record set identifies the base DNS information about the domain name.
- The NS record set defines authoritative DNS servers for the domain name.

Follow-up Operations

After a private zone is created, you can perform the following operations:

- Add record sets for it. For details, see **Record Set Overview**.
- Modify or delete it, or view its details. For details, see Managing Private Zones.

2.3 Managing Private Zones

Scenarios

You can modify a private zone, delete a private zone, batch delete private zones, or view details about a private zone.

Modifying a Private Zone

Change the domain name administrator's email address and description of the private zone.

□ NOTE

For more information about the email, see Why Was the Email Address Format Changed in the SOA Record?

- 1. Go to the **Private Zones** page.
- 2. Locate the private zone you want to modify and choose **More** > **Modify** under **Operation**.

The **Modify Private Zone** dialog box is displayed.

- 3. Change the email address or description of the zone as required.
- 4. Click OK.

Deleting a Private Zone

Delete a private zone when you no longer need it. After a private zone is deleted, the domain name and its subdomains cannot be resolved by the DNS service.

NOTICE

Before you delete a private zone, back up all record sets in the private zone.

- 1. Go to the **Private Zones** page.
- Locate the private zone you want to delete and choose More > Delete in the Operation column
- 3. Click Yes.

Deleting Private Zones

Delete multiple private zones at a time. After the private zones are deleted, domain names and their subdomains cannot be resolved by the DNS service.

NOTICE

Before you delete private zones, back up all record sets in the private zones.

- 1. Go to the **Private Zones** page.
- 2. Select the private zones you want to delete and click **Delete**.
- 3. In the **Delete Private Zone** dialog box, click **Yes**.

Viewing Details About a Private Zone

View details about a private zone, such as zone ID, operation time, tag, and TTL, on the **Private Zones** page.

- 1. Go to the **Private Zones** page.
- 2. In the private zone list, click the name of the private zone to view its details.

2.4 Associating a VPC with a Private Zone

Scenarios

Associate a VPC with a private zone so that the private domain name can be resolved within this VPC.

□ NOTE

This VPC must be the same as the VPC where your other cloud resources are deployed. If the VPC is different, the domain name cannot be resolved.

Procedure

- 1. Go to the **Private Zones** page.
- 2. Click 🔍 in the upper left corner and select the desired region and project.
- 3. Locate the private zone with which you want to associate the VPC and click **Associate VPC** under **Operation**.
- 4. Select the VPC you want to associate.

If no VPCs are available, create one on the VPC console and then associate the private zone with it.

Click OK.

The VPC is displayed under Associated VPC.

2.5 Disassociating a VPC from a Private Zone

Scenarios

Disassociate a VPC from a private zone if you do not want the private domain name to be resolved in this VPC. If a private zone has only one VPC associated, you cannot disassociate the VPC.



If you do not intend to use private domain names, delete the private zone configured for it.

Procedure

- Go to the Private Zones page.
- 2. Click \bigcirc in the upper left corner and select the desired region and project.
- 3. Locate the private zone from which a VPC is to be disassociated, select the VPC to be disassociated under **Associated VPC**, and click on the right of the VPC.
- 4. In the **Disassociate VPC** dialog box, click **Yes**.

3 Record Sets

3.1 Record Set Overview

A record set is a collection of resource records that belong to the same domain name. A record set defines DNS record types and values.


Table 3-1 Record set management

Operation	Scenario	Constraints
Adding Record Sets	View record set types supported by the DNS service and their configuration rules. Add record sets to a domain name. For details, see Table 3-2.	 After a zone is created for a domain name, the system automatically creates the SOA and NS record sets. A maximum of 500 record sets can be added in an account.
Managing Record Sets	Modify, delete, and view record sets.	 After a record set is added, its resolution line cannot be modified. You can modify the TTL, value, and description of the NS record set that is automatically generated. You cannot modify the value of the SOA record set that is automatically generated. You cannot delete or disable SOA and NS record sets that are automatically generated.
Configuring a Wildcard DNS Record Set	Add a record set that matches all subdomains.	Wildcard DNS resolution does not support NS and SOA record sets.

Operation	Scenario	Constraints
Searching for Record Sets	Search for, modify, disable, and delete record sets on the Dashboard > Record Set page.	None
Importing Record Sets	Batch import record sets.	 Record sets are listed in .xlsx files, and each file cannot exceed 2 MB. A maximum of 500 record sets can be imported at a time.
Exporting Record Sets	Batch export record sets.	None
Migrating to Huawei Cloud DNS for Domain Name Resolution	Migrate an in-use domain name to Huawei Cloud.	 Before the migration, obtain all record sets from your current DNS service provider. After the migration, change the DNS servers of the domain name to those provided by Huawei Cloud DNS in the domain name registrar's system.

Figure 3-1 shows the process for configuring a record set on the DNS console.

Figure 3-1 Process for configuring a record set



□ NOTE

Either a public or private zone can be created. For details, see the following:

- Creating a Public Zone
- Creating a Private Zone

3.2 Adding Record Sets

3.2.1 Record Set Types and Configuration Rules

Record Set Types

Table 3-2 describes the record set types.

- Record set types in public zones: A, CNAME, MX, AAAA, TXT, SRV, NS, SOA, and CAA
- Record set types in private zones: A, CNAME, MX, AAAA, TXT, SRV, SOA, and PTR

Table 3-2 Record set types

Record Set Type	Description	Value	Example
A	Maps domains to IPv4 addresses.	IPv4 addresses mapped to the domain name You can enter a maximum of 50 record values, each on a separate line.	192.168.12.2 192.168.12.3
CNAME	Maps one domain name to another domain name or multiple domain names to one domain name.	Domain name alias. You can enter only one domain name.	www.example.com

Record Set Type	Description	Value	Example
MX	Maps domain names to email servers.	Email server address You can enter a maximum of 50 record values, each on a separate line. The format is [priority][mail server host name].	10 mailserver.example.c om. 20 mailserver2.example. com.
		Configuration rules: • priority: priority for an email server to receive emails. A smaller value indicates a higher priority.	
		mail server host name: domain name provided by the email service provider	
AAAA	Maps domain names to IPv6 addresses.	IPv6 addresses mapped to the domain name You can enter a maximum of 50 record values, each on a separate line.	ff03:0db8:85a3:0:0:8 a2e:0370:7334

Record Set Type	Description	Value	Example
TXT	Creates text records for domain names. It is usually used in the following scenarios: To record DKIM public keys to prevent email fraud. To record the identity of domain name owners to facilitate domain name retrieval.	Text content Configuration rules: Text record values must be enclosed in double quotation marks. One or more text record values are supported, each on a separate line. A maximum of 50 text record values can be entered. A single text record value can contain multiple character strings, each of which is double quoted and separated from others using a space. One character string cannot exceed 255 characters. A value must not exceed 4096 characters. The value cannot be left blank. The text cannot contain a backslash (\).	 Single text record: "aaa" Multiple text records: "bbb" "ccc" A text record that contains multiple strings: "ddd" "eee" "fff" Text record in SPF format: "v=spf1 a mx -all" This value indicates that only IP addresses in the A and MX record sets are allowed to send emails using this domain name.

Record Set Type	Description	Value	Example
SRV	Records servers providing specific services.	Server address You can enter a maximum of 50 record values, each on a separate line.	2 1 2355 example_server.test.c om
		The value format is [priority] [weight] [port number] [server address].	
		Configuration rules:	
		• The priority, weight, and port number range from 0 to 65535.	
		A smaller value indicates a higher priority.	
		 A larger value indicates a larger weight. 	
		The server address is the domain name of the target server. Ensure that the domain name can be resolved.	
		NOTE If the record set values have the same priority, requests to the domain name will be routed based on weights.	

Record Set Type	Description	Value	Example
NS	Delegates subdomains to other name servers. For public zones, an NS record set is automatically created, and you can add NS record sets for subdomains. For private zones, an NS record set is automatically created, and you cannot add other NS record sets.	DNS server address You can enter a maximum of 50 record values, each on a separate line.	ns1.example.net ns2.example.net
SOA	Identifies the base information about a domain name. The SOA record set is automatically generated by the DNS service and cannot be added manually.	This type of record set is created by default and cannot be added manually.	This type of record set is created by default and cannot be added manually.

Record Set Type	Description	Value	Example
CAA	Grants certificate issuing permissions to certificate authorities (CAs). CAA record sets can prevent the issuance of unauthorized HTTPS certificates.	CA to be authorized to issue certificates for a domain name or its subdomains You can enter a maximum of 50 record values, each on a separate line. The format is [flag] [tag] [value]. Configuration rules: • flag: CA identifier, an unsigned character ranging from 0 to 255. Usually, the value is set to 0. • tag: You can enter 1 to 15 characters, consisting of letters and digits from 0 to 9. The tag can be one of the following: - issue: authorizes a CA to issue all types of certificates. - issuewild: authorizes a CA to issue wildcard certificates. - iodef: requests notifications	0 issue "ca.abc.com" 0 issuewild "ca.def.com" 0 iodef "mailto:admin@dom ain.com" 0 iodef "http:// domain.com/log/"

Record Set Type	Description	Value	Example
		once a CA receives invalid certificate requests.	
		• value: authorized CA or email address/URL required for notification once the CA receives invalid certificate requests. The value depends on the value of tag and must be enclosed in quotation marks (""). The value can contain a maximum of 255 characters, consisting of letters, digits, spaces, and special characters -#*? &_~=:;.@+^/!%	
PTR	Maps IP addresses to domain names.	Private domain name mapped to the private IP address. You can enter only one domain name.	www.example.com

3.2.2 Adding an A Record Set

Scenarios

If you want end users to access your website, web application, or cloud server configured with an IPv4 address via its domain name, add an A record set for this domain name.

For more information about the types of record sets, see **Record Set Types and Configuration Rules**.

Prerequisites

You have a website, web application, or cloud server and obtained an IPv4 address.

Procedure

- 1. Go to the **DNS console**.
- In the navigation pane, choose Public Zones or Private Zones.
 The zone list is displayed.
- 3. (Optional) If you have selected **Private Zones**, click on the upper left corner to select the region and project.
- 4. Click the domain name.
- Click Add Record Set.
 The Add Record Set dialog box is displayed.
- 6. Configure the parameters based on Table 3-3.

Table 3-3 Parameters for adding an A record set

Paramete r	Description	Example Value
Name	Prefix of the domain name to be resolved.	www
	For example, if the domain name is example.com , the prefix can be as follows:	
	www: The domain name is www.example.com, which is usually used for a website.	
	 Left blank: The domain name is example.com. The Name field cannot be set to an at sign (@). Just leave it blank. 	
	• abc : The domain name is abc.example.com, a subdomain of example.com.	
	mail: The domain name is mail.example.com, which is typically used for email servers.	
	*: The domain name is *.example.com, which is a wildcard domain name, indicating all subdomains of example.com.	

Paramete r	Description	Example Value
Туре	Type of the record set. A message may be displayed indicating that the record set you are trying to add conflicts with an existing record set. For details, see Why Is a Message Indicating Conflict with an Existing Record Set Displayed When I Add a Record Set?	A – Map domains to IPv4 addresses
Line	Resolution line. The DNS server will return the IP address of the specific line, depending on where the visitors come from. This parameter is only designated for public domain names. • Default: returns the default resolution result irrespective of where the visitors come from. • ISP: returns the resolution result based on visitors' carrier networks. For details, see Configuring ISP Lines. • Region: returns the resolution result based on visitors' geographical locations. For details, see Configuring Region Lines.	Default
TTL (s)	Cache duration of the record set on a local DNS server, in seconds. The value ranges from 1 to 2147483647, and the default is 300. If your service address changes frequently, set TTL to a smaller value. Learn more about TTL.	300
Value	IPv4 addresses mapped to the domain name. You can enter a maximum of 50 record values, each on a separate line.	192.168.12.2 192.168.12.3
Weight	(Optional) Weight of a record set. The value ranges from 0 to 1000 , and the default value is 1 . This parameter is only designated for public domain names. If a resolution line in a zone contains multiple record sets of the same type, you can set different weights to each record set. For details, see Configuring Weighted Routing .	1

Paramete r	Description	Example Value
Tag	(Optional) Identifier of a record set. Each tag contains a key and a value. You can add a maximum of 10 tags to a record set. For details about tag key and value requirements, see Table 3-4.	example_key1 example_valu e1
Descriptio n	(Optional) Supplementary information about the record set. You can enter a maximum of 255 characters.	N/A

Table 3-4 Tag key and value requirements

Paramete r	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1

- 7. Click **OK**.
- Switch back to the **Record Sets** tab.
 You can view the added record set in the **Normal** state.

Related Operations

For details about how to configure A record sets, see **Routing Internet Traffic to a Website**.

3.2.3 Adding a CNAME Record Set

Scenarios

If you want to map one domain name to another, add a CNAME record set for the domain name.

For more details, see **Record Set Types and Configuration Rules**.

Constraints

- You can leave the **Name** parameter blank when adding a CNAME record set.
- You cannot create a CNAME record set with the same name and resolution line as an NS record set.

Procedure

- 1. Go to the **DNS console**.
- 2. In the navigation pane, choose **Public Zones** or **Private Zones**. The zone list is displayed.
- 3. (Optional) If you have selected **Private Zones**, click on the upper left corner to select the region and project.
- 4. Click the domain name.
- 5. Click **Add Record Set**.
 - The **Add Record Set** dialog box is displayed.
- 6. Configure the parameters based on **Table 3-5**.

Table 3-5 Parameters for adding a CNAME record set

Parameter	Description	Example Value
Name	Prefix of the domain name to be resolved.	Left blank
	For example, if the domain name is example.com , the prefix can be as follows:	
	 www: The domain name is www.example.com, which is usually used for a website. 	
	Left blank: The domain name is	
	example.com. The Name field cannot be set to an at sign (@). Just leave it blank.	
	 abc: The domain name is abc.example.com, a subdomain of example.com. 	
	 mail: The domain name is mail.example.com, which is typically used for email servers. 	
	• *: The domain name is *.example.com, which is a wildcard domain name, indicating all subdomains of example.com.	

Parameter	Description	Example Value
Туре	Type of the record set A message may be displayed indicating that the record set you are trying to add conflicts with an existing record set. For details, see Why Is a Message Indicating Conflict with an Existing Record Set Displayed When I Add a Record Set?	CNAME – Map one domain to another
Line	Resolution line. The DNS server will return the IP address of the specific line, depending on where the visitors come from. This parameter is only designated for public domain names. • Default: returns the default resolution result irrespective of where the visitors come from. • ISP: returns the resolution result based on visitors' carrier networks. For details, see Configuring ISP Lines. • Region: returns the resolution result based on visitors' geographical locations. For details, see Configuring Region Lines.	Default
TTL (s)	Cache duration of the record set on a local DNS server, in seconds. The value ranges from 1 to 2147483647, and the default is 300. If your service address changes frequently, set TTL to a smaller value. Learn more about TTL.	300
Value	Domain name alias. You can enter only one domain name.	webserver01.e xample.com
Weight	(Optional) Weight of a record set. The value ranges from 0 to 1000, and the default value is 1. This parameter is only designated for public domain names. If a resolution line in a zone contains multiple record sets of the same type, you can set different weights to each record set. For details, see Configuring Weighted Routing.	1

Parameter	Description	Example Value
Tag	(Optional) Identifier of a record set. Each tag contains a key and a value. You can add a maximum of 10 tags to a record set. For details about tag key and value requirements, see Table 3-6.	example_key1 example_value 1
Descriptio n	(Optional) Supplementary information about the record set. You can enter a maximum of 255 characters.	-

Table 3-6 Tag key and value requirements

Paramete r	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1

- 7. Click **OK**.
- Switch back to the **Record Sets** tab.
 You can view the added record set in the **Normal** state.

3.2.4 Adding an MX Record Set

Scenarios

If you want to map email servers to a domain name, you can add MX record sets.

For details about other types of record sets, see **Record Set Types and Configuration Rules**.

Prerequisites

You have deployed an email server and obtained its domain name.

Procedure

- 1. Go to the **DNS console**.
- In the navigation pane, choose Public Zones or Private Zones.
 The zone list is displayed.
- 3. (Optional) If you have selected **Private Zones**, click on the upper left corner to select the region and project.
- 4. Click the domain name.
- 5. Click Add Record Set.

The **Add Record Set** dialog box is displayed.

6. Configure the parameters based on Table 3-7.

Table 3-7 Parameters for adding an MX record set

Paramete r	Description	Example Value
Name	Prefix of the domain name to be resolved. For example, if the domain name is example.com, the prefix can be as follows:	Left blank
	www: The domain name is www.example.com, which is usually used for a website.	
	 Left blank: The domain name is example.com. The Name field cannot be set to an at sign (@). Just leave it blank. 	
	abc: The domain name is abc.example.com, a subdomain of example.com.	
	mail: The domain name is mail.example.com, which is typically used for email servers.	
	• *: The domain name is *.example.com, which is a wildcard domain name, indicating all subdomains of example.com.	
Туре	Type of the record set	МХ – Мар
	A message may be displayed indicating that the record set you are trying to add conflicts with an existing record set.	domains to email servers
	For details, see Why Is a Message Indicating Conflict with an Existing Record Set Displayed When I Add a Record Set?	

Paramete r	Description	Example Value
Line	Resolution line. The DNS server will return the IP address of the specific line, depending on where the visitors come from.	Default
	This parameter is only designated for public domain names.	
	Default: returns the default resolution result irrespective of where the visitors come from.	
	 ISP: returns the resolution result based on visitors' carrier networks. For details, see Configuring ISP Lines. 	
	Region: returns the resolution result based on visitors' geographical locations. For details, see Configuring Region Lines.	
TTL (s)	Cache duration of the record set on a local DNS server, in seconds.	300
	The value ranges from 1 to 2147483647 , and the default is 300 .	
	If your service address changes frequently, set TTL to a smaller value.	
	Learn more about TTL.	
Value	Email server address	10
	You can enter a maximum of 50 record values, each on a separate line.	mailserver.exa mple.com.
	The format is [priority][mail server host name] .	
	Configuration rules:	
	 priority: priority for an email server to receive emails. A smaller value indicates a higher priority. 	
	mail server host name: domain name provided by the email service provider	
Weight	(Optional) Weight of a record set. The value ranges from 0 to 1000 , and the default value is 1 .	1
	This parameter is only designated for public domain names.	
	If a resolution line in a zone contains multiple record sets of the same type, you can set different weights to each record set. For details, see Configuring Weighted Routing.	

Paramete r	Description	Example Value
Tag	(Optional) Identifier of a record set. Each tag contains a key and a value. You can add a maximum of 10 tags to a record set.	example_key1 example_value 1
	For details about tag key and value requirements, see Table 3-8 .	
Descriptio n	(Optional) Supplementary information about the record set.	-
	You can enter a maximum of 255 characters.	

Table 3-8 Tag key and value requirements

Paramete r	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1

- 7. Click **OK**.
- Switch back to the **Record Sets** tab.
 You can view the added record set in the **Normal** state.

3.2.5 Adding an AAAA Record Set

Scenarios

If you want end users to access your website, web application, or cloud server configured with an IPv6 address via its domain name, add an AAAA record set for this domain name.

For more details, see **Record Set Types and Configuration Rules**.

Prerequisites

You have a web server and obtained an IPv6 address.

Procedure

- 1. Go to the **DNS console**.
- 2. In the navigation pane, choose **Public Zones** or **Private Zones**. The zone list is displayed.
- 3. (Optional) If you have selected **Private Zones**, click on the upper left corner to select the region and project.
- 4. Click the domain name.
- 5. Click Add Record Set.

The **Add Record Set** dialog box is displayed.

6. Configure the parameters based on Table 3-9.

Table 3-9 Parameters for adding an AAAA record set

Parameter	Description	Example Value
Name	Prefix of the domain name to be resolved. For example, if the domain name is example.com, the prefix can be as follows: • www: The domain name is www.example.com, which is usually used	www
	for a website. • Left blank: The domain name is example.com. The Name field cannot be set to an at sign (@). Just leave it blank.	
	abc: The domain name is abc.example.com, a subdomain of example.com.	
	mail: The domain name is mail.example.com, which is typically used for email servers.	
	*: The domain name is *.example.com, which is a wildcard domain name, indicating all subdomains of example.com.	
Туре	Type of the record set.	АААА – Мар
	A message may be displayed indicating that the record set you are trying to add conflicts with an existing record set.	domains to IPv6 addresses
	For details, see Why Is a Message Indicating Conflict with an Existing Record Set Displayed When I Add a Record Set?	

Parameter	Description	Example Value
Line	Resolution line.	Default
	The DNS server will return the IP address of the specific line, depending on where the visitors come from.	
	This parameter is only designated for public domain names.	
	Default: returns the default resolution result irrespective of where the visitors come from.	
	 ISP: returns the resolution result based on visitors' carrier networks. For details, see Configuring ISP Lines. 	
	Region: returns the resolution result based on visitors' geographical locations. For details, see Configuring Region Lines.	
TTL (s)	Cache duration of the record set on a local DNS server, in seconds.	300
	The value ranges from 1 to 2147483647, and the default is 300.	
	If your service address changes frequently, set TTL to a smaller value.	
	Learn more about TTL.	
Value	IPv6 addresses mapped to the domain name	ff03:0db8:85a
	You can enter a maximum of 50 record values, each on a separate line.	3:0:0:8a2e:037 0:7334
Weight	(Optional) Weight of a record set. The value ranges from 0 to 1000 , and the default value is 1 .	1
	This parameter is only designated for public domain names.	
	If a resolution line in a zone contains multiple record sets of the same type, you can set different weights to each record set. For details, see Configuring Weighted Routing.	
Tag	(Optional) Identifier of a record set. Each tag contains a key and a value. You can add a maximum of 10 tags to a record set.	example_key1 example_valu e1
	For details about tag key and value requirements, see Table 3-10 .	

Parameter	Description	Example Value
Description	(Optional) Supplementary information about the record set.	-
	You can enter a maximum of 255 characters.	

Table 3-10 Tag key and value requirements

Paramete r	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1

- 7. Click **OK**.
- Switch back to the **Record Sets** tab.
 You can view the added record set in the **Normal** state.

3.2.6 Adding a TXT Record Set

Scenarios

A TXT record set provides description for a domain name. It is usually used in the following scenarios:

- To record DKIM public keys to prevent email fraud.
- To record the identity of domain name owners to facilitate domain name retrieval.

For details about other record set types, see **Record Set Types and Configuration Rules**.

Procedure

- 1. Go to the **DNS console**.
- 2. In the navigation pane, choose **Public Zones** or **Private Zones**. The zone list is displayed.
- 3. (Optional) If you have selected **Private Zones**, click on the upper left corner to select the region and project.

- 4. Click the domain name.
- Click Add Record Set.
 The Add Record Set dialog box is displayed.
- 6. Configure the parameters based on **Table 3-11**.

Table 3-11 Parameters for adding a TXT record set

Parameter	Description	Example Value
Name	Prefix of the domain name to be resolved. For example, if the domain name is example.com, the prefix can be as follows:	Left blank
	www: The domain name is www.example.com, which is usually used for a website.	
	 Left blank: The domain name is example.com. The Name field cannot be set to an at sign (@). Just leave it blank. 	
	abc: The domain name is abc.example.com, a subdomain of example.com.	
	mail: The domain name is mail.example.com, which is typically used for email servers.	
	• *: The domain name is *.example.com, which is a wildcard domain name, indicating all subdomains of example.com.	
Туре	Type of the record set	TXT – Specify
	A message may be displayed indicating that the record set you are trying to add conflicts with an existing record set.	text records
	For details, see Why Is a Message Indicating Conflict with an Existing Record Set Displayed When I Add a Record Set?	

Parameter	Description	Example Value
Line	Resolution line.	Default
	The DNS server will return the IP address of the specific line, depending on where the visitors come from.	
	This parameter is only designated for public domain names.	
	Default: returns the default resolution result irrespective of where the visitors come from.	
	 ISP: returns the resolution result based on visitors' carrier networks. For details, see Configuring ISP Lines. 	
	Region: returns the resolution result based on visitors' geographical locations. For details, see Configuring Region Lines.	
TTL (s)	Cache duration of the record set on a local DNS server, in seconds.	300
	The value ranges from 1 to 2147483647 , and the default is 300 .	
	If your service address changes frequently, set TTL to a smaller value.	
	Learn more about TTL.	

Parameter	Description	Example Value
Value	Text content Configuration rules: Text record values must be enclosed in double quotation marks. One or more text record values are supported, each on a separate line. A maximum of 50 text record values can be entered. A single text record value can contain multiple character strings, each of which is double quoted and separated from others using a space. One character string cannot exceed 255 characters. A value must not exceed 4096 characters. The value cannot be left blank. The text cannot contain a backslash (\).	 Single text record: "aaa" Multiple text records: "bbb" "ccc" A text record that contains multiple strings: "ddd" "eee" "fff" Text record in SPF format: "v=spf1 a mx -all" This value indicates that only IP addresses in the A and MX record sets are allowed to send emails using this domain name.
Weight	(Optional) Weight of a record set. The value ranges from 0 to 1000, and the default value is 1. This parameter is only designated for public domain names. If a resolution line in a zone contains multiple record sets of the same type, you can set different weights to each record set. For details, see Configuring Weighted Routing.	1

Parameter	Description	Example Value
Tag	(Optional) Identifier of a record set. Each tag contains a key and a value. You can add a maximum of 10 tags to a record set. For details about tag key and value requirements, see Table 3-12.	example_key1 example_value 1
Descriptio n	(Optional) Supplementary information about the record set. You can enter a maximum of 255 characters.	-

Table 3-12 Tag key and value requirements

Paramete r	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1

- 7. Click **OK**.
- 8. Switch back to the **Record Sets** tab.

You can view the added record set in the Normal state.

Related Operations

For more information about TXT record sets, see **Regaining a Domain Name**.

3.2.7 Adding an SRV Record Set

Scenarios

To tag a server to show what services it provides, you can add SRV record sets for a domain name.

For details about other record set types, see **Record Set Types and Configuration Rules**.

Procedure

- 1. Go to the **DNS console**.
- In the navigation pane, choose Public Zones or Private Zones.
 The zone list is displayed.
- 3. (Optional) If you have selected **Private Zones**, click on the upper left corner to select the region and project.
- 4. Click the domain name.
- Click Add Record Set.
 The Add Record Set dialog box is displayed.
- 6. Configure the parameters based on Table 3-13.

Table 3-13 Parameters for adding an SRV record set

Paramete r	Description	Example Value
Name	Service (for example, FTP, SSH, or SIP) provided over the specified protocol (for example, TCP or UDP) on a host The format is _Service nameProtocol.	_ftptcp _ftptcp indicates that the host provides the FTP service over TCP.
Туре	Type of the record set A message may be displayed indicating that the record set you are trying to add conflicts with an existing record set. For details, see Why Is a Message Indicating Conflict with an Existing Record Set Displayed When I Add a Record Set?	SRV – Record servers providing specific services
Line	Resolution line. The DNS server will return the IP address of the specific line, depending on where the visitors come from. This parameter is only designated for public domain names. • Default: returns the default resolution result irrespective of where the visitors come from. • ISP: returns the resolution result based on visitors' carrier networks. For details, see Configuring ISP Lines. • Region: returns the resolution result based on visitors' geographical locations. For details, see Configuring Region Lines.	Default

Paramete r	Description	Example Value
TTL (s)	Cache duration of the record set on a local DNS server, in seconds.	300
	The value ranges from 1 to 2147483647, and the default is 300.	
	If your service address changes frequently, set TTL to a smaller value.	
	Learn more about TTL.	
Value	Server address	2 1 2355
	You can enter a maximum of 50 record values, each on a separate line.	example_serve r.test.com
	The value format is [priority] [weight] [port number] [server address] .	
	Configuration rules:	
	• The priority, weight, and port number range from 0 to 65535.	
	A smaller value indicates a higher priority.	
	A larger value indicates a larger weight.	
	 The server address is the domain name of the target server. Ensure that the domain name can be resolved. 	
	NOTE If the record set values have the same priority, requests to the domain name will be routed based on weights.	
Weight	(Optional) Weight of a record set. The value ranges from 0 to 1000 , and the default value is 1 .	1
	This parameter is only designated for public domain names.	
	If a resolution line in a zone contains multiple record sets of the same type, you can set different weights to each record set. For details, see Configuring Weighted Routing .	
Tag	(Optional) Identifier of a record set. Each tag contains a key and a value. You can add a maximum of 10 tags to a record set. For details about tag key and value	example_key1 example_value 1
	requirements, see Table 3-14 .	
Descriptio n	(Optional) Supplementary information about the record set.	-
	You can enter a maximum of 255 characters.	

Paramete r	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1

Table 3-14 Tag key and value requirements

- 7. Click **OK**.
- Switch back to the **Record Sets** tab.
 You can view the added record set in the **Normal** state.

3.2.8 Adding an NS Record Set

Scenarios

If you want to specify authoritative DNS servers for a domain name, you can add NS record sets.

For more details, see **Record Set Types and Configuration Rules**.

Constraints

- You can create NS record sets only in public zones.
- After a public zone is created, an NS record set is automatically created for this zone and cannot be deleted. You can add NS record sets only in the following scenarios:
 - The Name parameter is not left blank. This means that you can add NS record sets for subdomains of a domain name.
 - The value of the **Line** parameter is not set to **Default**. This means that you can add NS record sets for the domain name with other resolution lines.

Procedure

- 1. Go to the **Public Zones** page.
- 2. Click the domain name.
- 3. Click Add Record Set.

The **Add Record Set** dialog box is displayed.

4. Configure the parameters based on **Table 3-15**.

 Table 3-15 Parameters for adding an NS record set

Paramete r	Description	Example Value
Name	Prefix of the domain name to be resolved.	abc
	For example, if the domain name is example.com , the prefix can be as follows:	
	www: The domain name is www.example.com, which is usually used for a website.	
	 Left blank: The domain name is example.com. The Name field cannot be set to an at sign (@). Just leave it blank. 	
	abc: The domain name is abc.example.com, a subdomain of example.com.	
	mail: The domain name is mail.example.com, which is typically used for email servers.	
	*: The domain name is *.example.com, which is a wildcard domain name, indicating all subdomains of example.com.	
Туре	Type of the record set	NS – Delegate
	A message may be displayed indicating that the record set you are trying to add conflicts with an existing record set.	subdomains to other name servers
	For details, see Why Is a Message Indicating Conflict with an Existing Record Set Displayed When I Add a Record Set?	

Paramete r	Description	Example Value
Line	Resolution line. The DNS server will return the IP address of	Default
	the specific line, depending on where the visitors come from.	
	This parameter is only designated for public domain names.	
	Default: returns the default resolution result irrespective of where the visitors come from.	
	 ISP: returns the resolution result based on visitors' carrier networks. For details, see Configuring ISP Lines. 	
	Region: returns the resolution result based on visitors' geographical locations. For details, see Configuring Region Lines.	
TTL (s)	Cache duration of the record set on a local DNS server, in seconds.	300
	The value ranges from 1 to 2147483647, and the default is 300.	
	If your service address changes frequently, set TTL to a smaller value.	
	Learn more about TTL.	
Value	DNS server address	ns1.example.n et
	You can enter a maximum of 50 record values, each on a separate line.	ns2.example.n
Weight	(Optional) Weight of a record set. The value ranges from 0 to 1000 , and the default value is 1 .	1
	This parameter is only designated for public domain names.	
	If a resolution line in a zone contains multiple record sets of the same type, you can set different weights to each record set. For details, see Configuring Weighted Routing .	
Tag	(Optional) Identifier of a record set. Each tag contains a key and a value. You can add a maximum of 10 tags to a record set.	example_key1 example_value 1
	For details about tag key and value requirements, see Table 3-16 .	

Paramete r	Description	Example Value
Descriptio n	(Optional) Supplementary information about the record set.	-
	You can enter a maximum of 255 characters.	

Table 3-16 Tag key and value requirements

Paramete r	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1

5. Switch back to the **Record Sets** tab.

You can view the added record set in the Normal state.

3.2.9 Adding a CAA Record Set

Scenarios

If you want to specify CAs authorized to issue HTTPS certificates for your domain name, add CAA record sets for the domain name.

CAA record sets are used to prevent HTTPS certificates from being incorrectly issued.

For details about other record set types, see **Record Set Types and Configuration Rules**.

Constraints

CAA record sets can be added only to public zones.

Procedure

- 1. Go to the **Public Zones** page.
- 2. Click the domain name.
- 3. Click Add Record Set.

The **Add Record Set** dialog box is displayed.

4. Configure the parameters based on **Table 3-17**.

Table 3-17 Parameters for adding a CAA record set

Paramete r	Description	Example Value
Name	Prefix of the domain name to be resolved.	Left blank
	For example, if the domain name is example.com , the prefix can be as follows:	
	www: The domain name is www.example.com, which is usually used for a website.	
	 Left blank: The domain name is example.com. The Name field cannot be set to an at sign (@). Just leave it blank. 	
	abc: The domain name is abc.example.com, a subdomain of example.com.	
	mail: The domain name is mail.example.com, which is typically used for email servers.	
	*: The domain name is *.example.com, which is a wildcard domain name, indicating all subdomains of example.com.	
Туре	Type of the record set	CAA – Grant
	A message may be displayed indicating that the record set you are trying to add conflicts with an existing record set.	certificate issuing permissions to CAs
	For details, see Why Is a Message Indicating Conflict with an Existing Record Set Displayed When I Add a Record Set?	CAS

Paramete r	Description	Example Value
Line	Resolution line.	Default
	The DNS server will return the IP address of the specific line, depending on where the visitors come from.	
	This parameter is only designated for public domain names.	
	 Default: returns the default resolution result irrespective of where the visitors come from. 	
	 ISP: returns the resolution result based on visitors' carrier networks. For details, see Configuring ISP Lines. 	
	Region: returns the resolution result based on visitors' geographical locations. For details, see Configuring Region Lines.	
TTL (s)	Cache duration of the record set on a local DNS server, in seconds.	300
	The value ranges from 1 to 2147483647 , and the default is 300 .	
	If your service address changes frequently, set TTL to a smaller value.	
	Learn more about TTL.	

Paramete r	Description	Example Value
Value	CA to be authorized to issue certificates for a domain name or its subdomains	0 issue "ca.abc.com"
	You can enter a maximum of 50 record values, each on a separate line.	0 issuewild "ca.def.com"
	 The format is [flag] [tag] [value]. Configuration rules: flag: CA identifier, an unsigned character ranging from 0 to 255. Usually, the value is set to 0. tag: You can enter 1 to 15 characters, consisting of letters and digits from 0 to 9. The tag can be one of the following: issue: authorizes a CA to issue all types of certificates. issuewild: authorizes a CA to issue wildcard certificates. iodef: requests notifications once a CA receives invalid certificate requests. value: authorized CA or email address/URL required for notification once the CA receives invalid certificate requests. The value depends on the value of tag and must be enclosed in quotation marks (""). The value can contain a maximum of 255 characters, consisting of letters, digits, spaces, and special characters -#*?&_~=:;.@ +^/!% 	0 iodef "mailto:admin @domain.com " 0 iodef "http:// domain.com/l og/"
Weight	(Optional) Weight of a record set. The value ranges from 0 to 1000 , and the default value is 1 . This parameter is only designated for public domain names. If a resolution line in a zone contains multiple record sets of the same type, you can set different weights to each record set. For details, see Configuring Weighted Routing .	1
Tag	(Optional) Identifier of a record set. Each tag contains a key and a value. You can add a maximum of 10 tags to a record set. For details about tag key and value requirements, see Table 3-18.	example_key1 example_value 1

Paramete r	Description	Example Value
Descriptio n	(Optional) Supplementary information about the record set.	-
	You can enter a maximum of 255 characters.	

Table 3-18 Tag key and value requirements

Paramete r	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1

5. Switch back to the **Record Sets** tab.

You can view the added record set in the Normal state.

Related Operations

For more information about CAA record sets, see **Setting CAA Record Sets to Prevent Unauthorized HTTPS Certificate Issuing**.

3.2.10 Adding a PTR Record Set

Scenarios

You can create PTR record sets to map private IP addresses to domain names.

For details about other record set types, see **Record Set Types and Configuration Rules**.

Constraints

- You can create PTR record sets only in private zones.
- PTR record sets can only be added to private zones whose domain name suffix is in-addr.arpa.

For details about how to create a PTR record for a public domain name, see **Creating a PTR Record**.

Procedure

- 1. Go to the **Private Zones** page.
- 2. Click \bigcirc in the upper left corner and select the desired region and project.
- 3. Click the domain name.
- 4. Click Add Record Set.

The Add Record Set dialog box is displayed.

5. Configure the parameters based on **Table 3-19**.

Table 3-19 Parameters for adding a PTR record set

Paramet er	Description	Example Value
Name	Name of the PTR record set	10.1.168 For example, if the IP address is 192.168.1.10, the domain name in the PTR record is 10.1.168.192.in-addr.arpa. If the private zone is 192.in-addr.arpa, enter 10.1.168 in the box. If the private zone is 1.168.192.in-addr.arpa, enter 10 in the box.
Туре	Type of the record set A message may be displayed indicating that the record set you are trying to add conflicts with an existing record set. For details, see Why Is a Message Indicating Conflict with an Existing Record Set Displayed When I Add a Record Set?	PTR – Map IP addresses to domains
TTL (s)	Cache duration of the record set on a local DNS server, in seconds. The value ranges from 1 to 2147483647, and the default is 300. If your service address changes frequently, set TTL to a smaller value. Learn more about TTL.	300

Paramet er	Description	Example Value
Value	Private domain name mapped to the private IP address. You can enter only one domain name.	host.example.com.
Tag	(Optional) Identifier of a record set. Each tag contains a key and a value. You can add a maximum of 10 tags to a record set. For details about tag key and value requirements, see Table 3-20.	example_key1 example_value1
Descripti on	(Optional) Supplementary information about the record set. You can enter a maximum of 255 characters.	-

Table 3-20 Tag key and value requirements

Paramete r	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1

- 6. Click **OK**.
- 7. Switch back to the **Record Sets** tab.

 You can view the added record set in the **Normal** state.

Related Operations

For more information, see How Can I Configure a PTR Record to Map the IP Address of an ECS to a Domain Name?

3.3 Disabling or Enabling Record Sets

Scenarios

The domain name registry reviews the legitimacy of the website and requires that the website cannot be accessed during the domain name licensing period. If you have added record sets for the website on the DNS console, you need to disable those record sets. After the licensing is complete, enable the record sets.

This topic describes how to disable or enable record sets.

The operations described in this topic are for public zones only.

Disabling a Record Set

A disabled record set is still displayed in the record set lit but will not take effect in DNS queries.

You can disable record sets to suspend domain name resolution during website licensing.

SOA and NS record sets are automatically generated and cannot be disabled.

- 1. Go to the **Public Zones** page.
- 2. Disable record sets.
 - To disable all record sets in a zone: Locate the zone, click **Disable** under **Operation**.
 - To disable one or more record sets: Click the domain name to go to the Record Sets page. Locate each record set you want to disable and click Disable under Operation.
- 3. Click Yes.

Enabling Record Sets

You can enable disabled record sets after the website licensing is complete.

- 1. Go to the **Public Zones** page.
- 2. Enable record sets.
 - To enable all record sets of a zone: Locate the zone, click Enable under Operation column.
 - To enable one or more record sets: Click the domain name to go to the Record Sets page. Locate each record set you want to enable and click Enable under Operation column.
- 3. Click Yes.

3.4 Managing Record Sets

Scenarios

You can modify or delete record sets, and view their details.

Modifying a Record Set

Change the TTL, value, and description of a record set to better address your service requirements.

□ NOTE

- You can modify the TTL, value, and description of the NS record set.
- SOA and NS record sets are automatically generated and cannot be modified.
- 1. Go to the **DNS console**.
- In the navigation pane, choose Public Zones or Private Zones.
 The zone list is displayed.
- 3. (Optional) If you have selected **Private Zones**, click on the upper left corner to select the region and project.
- 4. Click the domain name.

The **Record Sets** page is displayed.

- Locate the record set you want to modify and click Modify under Operation.
 The Modify Record Set dialog box is displayed.
- Modify the parameters.
 You can change only the TTL, value, and description of a record set.
- 7. Click OK.

Deleting a Record Set

□ NOTE

SOA and NS record sets are automatically generated and cannot be deleted.

Record sets that are no longer required can be deleted. After a record set is deleted, it will become unavailable. For example, if an A record set is deleted, the domain name cannot be resolved into the IPv4 address specified in the record set. If a CNAME record set is deleted, the domain alias cannot be mapped to the domain name.

- 1. Go to the **DNS console**.
- On the Dashboard page, click Public Zones or Private Zones.
 The zone list is displayed.
- 3. (Optional) If you have selected **Private Zones**, click on the upper left corner to select the region and project.
- 4. Click the domain name.

The **Record Sets** page is displayed.

- 5. Locate the record set you want to delete and click **Delete** under **Operation**.
- In the Delete Record Set dialog box, click Yes.

Deleting Record Sets

Delete multiple record sets at a time. Deleted record sets cannot be recovered, and domain name queries will fail.

□ NOTE

SOA and NS record sets are automatically generated and cannot be deleted.

- 1. Go to the **DNS console**.
- 2. In the navigation pane, choose **Public Zones** or **Private Zones**. The zone list is displayed.
- 3. (Optional) If you have selected **Private Zones**, click on the upper left corner to select the region and project.
- 4. Select the record sets you want to delete and click **Delete**.
- 5. In the **Delete Record Set** dialog box, click **Yes**.

Viewing Details About a Record Set

- Go to the DNS console.
- In the navigation pane, choose Public Zones or Private Zones.
 The zone list is displayed.
- 3. (Optional) If you have selected **Private Zones**, click on the upper left corner to select the region and project.
- 4. Click the domain name.

The **Record Sets** page is displayed.

5. Locate the record set you want to view and click its name to view the details.

3.5 Configuring a Wildcard DNS Record Set

Scenarios

A wildcard record set with its name set to an asterisk (*) can map all subdomains of the domain name to the same value. During domain name resolution, fuzzy match is used.

Ⅲ NOTE

Exact match has a higher priority than fuzzy match.

Constraints

Wildcard DNS resolution does not support NS and SOA record sets.

Procedure

- 1. Go to the **DNS console**.
- 2. In the navigation pane, choose **Public Zones** or **Private Zones**. The zone list is displayed.
- 3. (Optional) If you have selected **Private Zones**, click on the upper left corner to select the region and project.
- 4. Click the name of the zone to which you want to add a wildcard DNS record set.
- 5. Click Add Record Set.
- 6. Configure the parameters based on **Table 3-21**.

Table 3-21 Parameters for adding a wildcard DNS record set

Paramete r	Description	Example Value
Name	Public (or private) domain name Enter an asterisk (*) as the leftmost label of the domain name, for example, *.example.com. NOTE Only the leftmost asterisk is considered as a wildcard character. Other asterisks in the domain name are common text characters.	*.abc
Туре	Record set type Wildcard DNS resolution does not support NS and SOA record sets.	A – Map domains to IPv4 addresses
Line	The DNS server will return the IP address of the specific line, depending on where the visitors come from. This parameter is only designated for public domain names.	Default
	Default: returns the default resolution result irrespective of where the visitors come from.	
	ISP: returns the resolution result based on visitors' carrier networks. For details, see Configuring ISP Lines.	
	Region: returns the resolution result based on visitors' geographical locations. For details, see Configuring Region Lines.	

Paramete r	Description	Example Value
TTL (s)	Cache duration of the record set on a local DNS server, in seconds.	300
	The value ranges from 1 to 2147483647, and the default is 300.	
	If your service address changes frequently, set TTL to a smaller value.	
	Learn more about TTL.	
Value	Record set value	Take an A record set for example, Value is set to IPv4 addresses mapped to the domain name. Example: 192.168.12.2
)A/-:	(Outional) Wainburg and out The	
Weight	(Optional) Weight of a record set. The value ranges from 0 to 1000 , and the default value is 1 .	1
	This parameter is only designated for public domain names.	
	If a resolution line in a zone contains multiple record sets of the same type, you can set different weights to each record set. For details, see Configuring Weighted Routing.	
Tag	(Optional) Identifier of a record set. Each tag contains a key and a value. You can add a maximum of 10 tags to a record set.	example_key1 example_value1
	For details about tag key and value requirements, see Table 3-22 .	
Descriptio n	(Optional) Supplementary information about the record set. You can enter a maximum of 255 characters.	This is a wildcard DNS record set.

Paramete r	Requirements	Example Value		
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1		
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1		

Table 3-22 Tag key and value requirements

- 7. Click **OK**.
- 8. Switch back to the **Record Sets** tab.

You can view the wildcard DNS record set in the **Normal** state.

How Do I Check Whether a Record Set Has Taken Effect?

3.6 Searching for Record Sets

Scenarios

The DNS service allows you to centrally manage record sets in both public and private zones.

You can quickly search for record sets by its status, type, name, value, tag, or ID.

In the following operations, record sets of a private zone are used as an example.

Procedure

- 1. Go to the **DNS console**.
- On the **Dashboard** page, click **Record Sets**.The record set list is displayed.
- 3. Click Private Zone Record Sets.
- 4. Set search criteria to search for record sets.

The following search criteria are available:

- **Domain Name**: Search for record sets by domain name.
- Value: Search for record sets based on their values.
- ID: Search for record sets based on their IDs.
- **Status**: Search for record sets in a specified state.
- Type: Search for record sets of a specified type.
- **Tag**: Search for record sets using predefined tags.

5. Click **Modify** or **Delete** to perform desired record set operations.

3.7 Importing Record Sets

Scenarios

If you want to transfer your domain name from another cloud server provider to the DNS service for hosting, you can import existing record sets configured for the domain name in batches. This feature is available for both public and private zones.

You can import a maximum of 500 record sets at a time.

■ NOTE

Before importing record sets, you have created public or private zones on the DNS console. For details, see **Creating a Public Zone** or **Creating a Private Zone**.

Procedure

- 1. Go to the **DNS console**.
- In the navigation pane, choose Public Zones or Private Zones.
 The zone list is displayed.
- 3. (Optional) If you have selected **Private Zones**, click on the upper left corner to select the region and project.
- 4. In the zone list, click the domain name **example.com** (an example domain name used in this topic).
- 5. Click Export and Import.
 - a. Click **Download template**.
 - b. Enter your record sets in the template as required.

-	\sim			_	_	-
		- 1	v	O	н	н
_	_		•	$\overline{}$		_

Ensure that the content is imported based on the format of the template, or the import will fail.

6. Click **Import Record Set** and select the record set file to import.

After the import is complete, you can check whether record sets are successfully imported or not.

- Successful Import: The number of successfully imported record sets are displayed.
- Failed Import: All failed record sets are listed. You can resolve the problems based on the failure causes.

3.8 Exporting Record Sets

Scenarios

If you want to transfer your domain name to another cloud service provider for hosting, you can export all the record sets configured for the domain name in batches. This feature is available for both public and private zones.

Domain name example.com is used as an example to describe how you can export all its record sets.

Procedure

- 1. Go to the **DNS console**.
- 2. In the navigation pane, choose **Public Zones** or **Private Zones**. The zone list is displayed.
- 3. (Optional) If you have selected **Private Zones**, click on the upper left corner to select the region and project.
- 4. In the zone list, click the domain name **example.com**.
- 5. Click **Export and Import**.
- 6. Click Export Record Set.

An **example.com.xlsx** file is exported, which lists all record sets in the zone, including the record set name, type, TTL, and value.

3.9 Migrating to Huawei Cloud DNS for Domain Name Resolution

Scenarios

If you have registered a domain name that is being used on the Internet, you can change the current DNS service provider to Huawei Cloud DNS for domain name resolution.

Process

Figure 3-2 shows the process for changing the DNS service provider of a domain name to Huawei Cloud DNS.




Figure 3-2 Process for changing the DNS service provider to Huawei Cloud DNS

Obtaining DNS Records

Before you use Huawei Cloud DNS for domain name resolution, migrate all its records from the current DNS service provider. It is recommended that you export all records at a time if this function is supported by the current DNS service provider. For details about how to migrate the records, see the documentation of the DNS service provider.

Creating a Public Zone

On the Huawei Cloud DNS console, create a public zone for the domain name.

For details, see **Creating a Public Zone**.

Adding Record Sets

On the Huawei Cloud DNS console, add record sets to the created public zone. You can import all records obtained from the original DNS service provider.

For details, see **Importing Record Sets**.

For details, see How Do I Check Whether Record Sets Have Taken Effect?

Changing DNS Servers for the Domain Name

 Change the DNS servers for the domain name in the system of the original DNS service provider. For details, see the operation guide on the official website of the DNS service provider.

The following are Huawei Cloud DNS server addresses:

For more information about the DNS servers, see What Are Huawei Cloud DNS Servers?

2. Wait for the change to take effect.

Generally, changes to DNS server addresses are quickly updated to top-level DNS servers and take effect on the Internet. However, some DNS service providers set the TTL value of the NS record to 48 hours. In this scenario, if the NS record is cached by a local DNS server, the change will take effect until 48 hours later.

Do not delete the original records until the change takes effect. Your services will continue to be served by the old DNS server before the new DNS server takes effect.

4 PTR Records

4.1 Overview

Reverse resolution means to obtain a domain name based on an IP address. This is typically used to affirm the credibility of email servers.

After a recipient server receives an email, it checks whether the IP address and domain name of the sender server are trustworthy and determines whether the email is spam. If the recipient server fails to obtain the domain name mapped to the sender's IP address, it concludes that the email is sent by a malicious host and rejects it. Therefore, it is necessary to map IP addresses of your email servers to domain names by adding PTR records.

Table 4-1 PTR record description

Operation	Scenario	Constraints
Creating a PTR Record	Create PTR records for cloud resources such as ECS.	PTR records are project-level resources. When you create a PTR record, you need to select a region and project.
		• Each user can add a maximum of 50 PTR records.
Managing PTR	Modify, delete, batch delete, and query PTR	After you created a PTR record, its EIP cannot be changed.
Records	records.	 After you delete a PTR record, the domain name mapped to your EIP will change to the default domain name.

4.2 Creating a PTR Record

Scenarios

PTR records are used to prove credibility of IP addresses and domain names of email servers. To avoid being tracked, most spam senders use email servers whose IP addresses are dynamically allocated or not mapped to registered domain names. If you want to keep the spam out of your recipients' inbox, add a PTR record to map the email server IP address to a domain name. In this way, the email recipients can obtain the domain name by IP address and will know that the email server is trustworthy.

If you use an ECS as an email server, configure a PTR record to map the EIP of the ECS to the domain name.

□ NOTE

PTR records take effect only after the name servers are configured. After you create a PTR record, we will contact CNNIC and APNIC to configure the name servers and allow Huawei Cloud DNS for domain name resolution. This process takes about 1 to 3 working days. In case of urgency, submit a service ticket. We will contact CNNIC and APNIC to speed up the process.

This following are operations for you to add a PTR record for a cloud resource, such as ECS.

Constraints

You can only configure PTR records for IP addresses with a 32-bit subnet mask.

Prerequisites

- You have registered a domain name with Huawei Cloud or a third-party registrar.
- You have created an ECS and bound an EIP to it.

Procedure

- 1. Go to the PTR Records page.
- 2. Click \bigcirc in the upper left corner and select the desired region and project.
- 3. Click Create PTR Record.
- 4. Configure the parameters based on Table 4-2.

Table 4-2 Parameters for creating a PTR record

Parameter	Description	Example Value
EIP	EIP of another cloud resource, for example, ECS. You can select an EIP from the	XX.XX.XX
	drop-down list.	
Domain Name	Domain name mapped to the EIP.	example.com
TTL (s)	Cache duration of the PTR record, in seconds	300
	The default value is 300s.	
Enterprise Project	Enterprise project associated with the PTR record.	default
	You can manage PTR records by enterprise project.	
	NOTE This parameter is available and mandatory only when Account Type is set to Enterprise Account.	
	When setting this parameter, note the following:	
	 If you do not manage PTR records by enterprise project, select the default enterprise project. 	
	 If you manage PTR records by enterprise project, select an existing enterprise project. Before you set this parameter, create an enterprise project 	
Tag	(Optional) Identifier of the PTR record.	example_key1 example_value1
	Each tag contains a key and a value. You can add a maximum of 10 tags to a PTR record.	
	For details about tag key and value requirements, see Table 4-3 .	
Description	(Optional) Supplementary information about the PTR record.	The description of the PTR record

Paramete r	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1

Table 4-3 Tag key and value requirements

5. Click **OK**.

You can view the created PTR record on the PTR Records page.

◯ NOTE

If a domain name is mapped to multiple EIPs, you must create a PTR record for each EIP.

6. Verify that the PTR record has taken effect by running the following command on a PC connected to the Internet:

nslookup -qt=ptr *EIP*

4.3 Managing PTR Records

Scenarios

You can modify a PTR record, delete a PTR record, batch delete PTR records, or view details about a PTR record.

Modifying a PTR Record

Modify the domain name, TTL, or description of a PTR record.

- 1. Go to the PTR Records page.
- 2. Click in the upper left corner and select the desired region and project.
- 3. Locate the PTR record you want to modify and click **Modify** under **Operation**. The **Modify PTR Record** dialog box is displayed.
- 4. Change the domain name, TTL, or description as required.
- 5. Click OK.

Deleting a PTR Record

Delete a PTR record if you no longer need it. After you delete a PTR record, the domain name mapped to your EIP will change to the default domain name.

- 1. Go to the PTR Records page.
- 2. Click \bigcirc in the upper left corner and select the desired region and project.
- 3. Locate the PTR record you want to delete and click **Delete** under **Operation**.
- 4. Click Yes.

Batch Deleting PTR Records

Delete multiple PTR records at a time. After you delete the PTR records, the domain names mapped to your EIPs will change to the default domain names.

- 1. Go to the PTR Records page.
- 2. Click $^{ extstyle ex$
- 3. Select the PTR records and click **Delete**.
- 4. In the **Delete PTR Record** dialog box, click **Yes**.

Viewing Details About a PTR Record

After a PTR record is created, you can view its details, including the zone ID, TTL, tag, and EIP.

- 1. Go to the PTR Records page.
- 2. Click $^{ extstyle ex$
- 3. In the PTR record list, view the record details.

5 Intelligent Resolution

5.1 Overview

Typically, a DNS server returns the same resolution result to visitors from different networks or geographic locations. However, in case of cross-network or cross-region access, this would lead to long latency and poor user experience.

With configurable resolution lines, you can specify that the DNS server return different resolution results for the same domain name based on the networks or geographic locations of visitors' IP addresses.

In addition to ISP and region lines, the DNS service allows you to define resolution lines based on IP address ranges to route visitors to different web servers.

For a website deployed on multiple servers, you can set different weights for the record sets to balance the loads of these servers.

Table 5-1 describes the scenarios and operations for configuring resolution lines.

Table 5-1 Resolution lines

Operation	Scenario	Constraints	
Configuring ISP Lines for Record Sets	Configure ISP lines to distinguish visitors by carrier.	Resolution lines can be configured only for public zones.	
Configuring Region Lines for Record Sets	Configure region lines to distinguish visitors by geographic location.	Resolution lines can be configured only for public zones.	
Configuring Custom Lines	Configure custom lines to distinguish visitors by IP address range.	Resolution lines can be configured only for public zones.	
Configuring Weighted Resolution	Configure weight-based resolution for load balancing based on the proportion of requests to each record set.	Resolution lines can be configured only for public zones.	

5.2 Configuring ISP Lines

Background

Usually, a DNS server returns the same IP address to visitors from different networks. However, in cross-network access, this would lead to high latency and poor user experience.

If you configure ISP lines when you create record sets, the DNS server returns different resolution results or IP addresses to visitors based on their carrier networks.

■ NOTE

ISP lines can be configured only for public zones.

If a resolution line is faulty, you cannot switch to another resolution line.

For example, you have built a website using domain name example.com and hosted the website on three servers, with one in a China Telecom equipment room, one in a China Unicom data center, and one in a China Mobile data center. You need to configure four ISP lines: **Default**, **China Telecom**, **China Unicom**, and **China Mobile**.

ISP Lines

ISP lines are categorized by telecom carriers in China.

Table 5-2 ISP lines

Level 1	Level 2	Level 3
China Telecom, China Mobile, China Unicom,	North China	Beijing, Tianjin, Hebei, Shanxi, and Inner Mongolia
Jiaoyuwang, Pengboshi, and Tietong	Northeast China	Liaoning, Jilin, and Heilongjiang
_	Northwest China	Shaanxi, Gansu, Qinghai, Ningxia, and Xinjiang
	Central China	Henan, Hubei, and Hunan
	East China	Shanghai, Jiangsu, Zhejiang, Anhui, Fujian, Jiangxi, and Shandong
	South China	Guangdong, Hainan, and Guangxi

Level 1	Level 2	Level 3
	Southwest China	Chongqing, Sichuan, Guizhou, Yunnan, and Tibet

For example, you have configured the following resolution lines for record set example.com:

• Default: 1.1.1.1

• China Telecom: 2.2.2.2

• China Telecom_North China: 3.3.3.3

When a China Telecom user in North China requests the domain name example.com, IP address 3.3.3.3 is returned. When a China Telecom user in another region requests this domain name, IP address 2.2.2.2 is returned. When a non-China Telecom user in a region other than North China requests the domain name, IP address 1.1.1.1 is returned.

Procedure

Configure ISP lines for your public domain names hosted on the DNS service.

The following example describes how to configure the record set of the **Default** line to 1.1.1.1 and the record set of the **China Telecom** line to 2.2.2.2 for example.com.

- 1. Go to the **Public Zones** page.
- Click the name (example.com) of the public zone.The Record Sets page is displayed.
- 3. Click Add Record Set.
- 4. Add two A record sets for example.com. Configure the parameters based on **Table 5-3**.

Table 5-3 Parameters for adding an A record set

Paramete r	Description	Line 1	Line 2
Name	Prefix of the domain name to be resolved.	www	www
	For example, if the domain name is example.com , the prefix can be as follows:		
	 www: The domain name is www.example.com, which is usually used for a website. 		
	 Left blank: The domain name is example.com. The Name field cannot be set to an at sign (@). Just leave it blank. 		
	 abc: The domain name is abc.example.com, a subdomain of example.com. 		
	 mail: The domain name is mail.example.com, which is typically used for email servers. 		
	 *: The domain name is *.example.com, which is a wildcard domain name, indicating all subdomains of example.com. 		
Туре	Type of the record set.	A – Map domains to IPv4 addresses	A – Map domains to IPv4 addresses

Paramete r	Description	Line 1	Line 2
Line	Resolution line. The DNS server will return the IP address of the specific line, depending on where the visitors come from. • Default: returns the default resolution result irrespective of where the visitors come from. • ISP: returns the resolution result based on visitors' carrier networks. • Region: returns the resolution result based on visitors' geographical locations. For details, see Configuring Region Lines.	Default	ISP_China Telecom
TTL (s)	Cache duration of the record set on a local DNS server, in seconds. The value ranges from 1 to 2147483647, and the default is 300. If your service address changes frequently, set TTL to a smaller value. Learn more about TTL.	Default value: 300	Default value: 300
Value	IPv4 addresses mapped to the domain name. Enter each IPv4 address on a separate line.	1.1.1.1	2.2.2.2
Weight	(Optional) Weight of a record set. The value ranges from 0 to 1000 , and the default value is 1 . This parameter is only designated for public domain names. If a resolution line in a zone contains multiple record sets of the same type, you can set different weights to each record set. For details, see Configuring Weighted Routing .	1	1

Paramete r	Description	Line 1	Line 2
Tag	(Optional) Identifier of a record set. Each tag contains a key and a value. You can add a maximum of 10 tags to a record set. For details about tag key and value requirements, see Table 5-4.	example_key 1 example_val ue1	example_ke y1 example_val ue1
Descriptio n	(Optional) Supplementary information about the record set. You can enter a maximum of 255 characters.	N/A	N/A

Table 5-4 Tag key and value requirements

Paramete r	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1

5. Click OK.

5.3 Configuring Region Lines

Background

Usually, a DNS server returns the same resolution result to all visitors, irrespective of where they come from. In cross-region access, this would lead to long latency and poor user experience.

If you configure region lines when you create record sets, the DNS server returns different resolution results or IP addresses to visitors based on their locations.

□ NOTE

Region lines can be used only in public zones. You cannot specify region lines in private zones or PTR records.

For example, you have built a website using domain name example.com and hosted the website on two servers, one in Chinese mainland and the other in another region or country. You need to configure three lines: **Default**, **Chinese mainland**, and **Global**.

Region Lines

Region lines are categorized by geographic areas, as shown in Table 5-5.

◯ NOTE

Chinese mainland is an Asia-Pacific region. To facilitate your selection of Chinese Mainland lines, Chinese mainland lines are displayed separately.

Table 5-5 Region lines

Level 1	Level 2	Level 3
Chinese mainland	North China	Beijing, Tianjin, Hebei, Shanxi, and Inner Mongolia
	Northeast China	Liaoning, Jilin, and Heilongjiang
	Northwest China	Shaanxi, Gansu, Qinghai, Ningxia, and Xinjiang
	Central China	Henan, Hubei, and Hunan
	East China Shanghai, Jia Zhejiang, Anl Jiangxi, and S	
	South China	Guangdong, Hainan, and Guangxi
	Southwest China	Chongqing, Sichuan, Guizhou, Yunnan, and Tibet

Level 1	Level 2	Level 3
Global	Asia Pacific	Taiwan (China), Hong Kong (China), Macao (China), Japan, South Korea, India, Türkiye, Indonesia, Vietnam, Singapore, Thailand, Malaysia, Bangladesh, UAE, Armenia, Azerbaijan, Bahrain, Brunei, Bhutan, Christmas Island, Georgia, Iraq, Jordan, Kyrgyzstan, Cambodia, Kuwait, Kazakhstan, Lebanon, Sri Lanka, Myanmar, Mongolia, Maldives, Nepal, Oman, Philippines, Pakistan, Palestine, Qatar, Saudi Arabia, Tajikistan, Timor-Leste, Turkmenistan, Uzbekistan, Yemen, Cyprus, Israel, American Samoa, Cook Islands, Federated States of Micronesia, Guam, Kiribati, Marshall Islands, Northern Mariana Islands, Northern Mariana Islands, New Caledonia, Norfolk Island, Nauru, French Polynesia, Papua New Guinea, Palau, Solomon Islands, Tokelau Islands, Tonga, Tuvalu, Vanuatu, Samoa, Afghanistan, and Laos
	Oceania	Australia, New Zealand, Fiji Islands, Wallis and Futuna, Niue

Level 1	Level 2	Level 3
	Europe	United Kingdom, Germany, France, Italy, Spain, Ukraine, the Netherlands, Sweden, Poland, British Indian Ocean Territory, Belarus, Andorra, Albania, Austria, Aland Islands, Belgium, Bulgaria, Switzerland, Czech Republic, Denmark, Estonia, Finland, Faroe Islands, Guernsey, Gibraltar, Greece, Croatia, Hungary, Ireland, Isle of Man, Iceland, Jersey, Liechtenstein, Lithuania, Luxembourg, Latvia, Monaco, Moldova, Montenegro, North Macedonia, Malta, Norway, Portugal, Romania, Serbia, Slovenia, Slovakia, San Marino, Vatican, Kosovo, and Greenland
	North America	United States, Canada, Mexico, Antigua and Barbuda, Barbados, Bahamas, Belize, Costa Rica, the Commonwealth of Dominica, the Dominican Republic, Grenada, Guatemala, Honduras, Haiti, Jamaica, Saint Kitts and Nevis, Cayman Islands, Saint Lucia, Nicaragua, Panama, Puerto Rico, El Salvador, Turks and Caicos Islands, Trinidad and Tobago, British Virgin Islands, United States Virgin Islands, Saint Vincent and the Grenadines, French Martinique Islands- Martinique, Greenland, Saint Martin, and Sint Maarten

Level 1	Level 2	Level 3
	South America	Brazil, Argentina, Anguilla, Aruba, St. Barthelemy, Bermuda, Guadeloupe, Montserrat, Bolivia, Chile, Colombia, Curaçao, Ecuador, French Guiana, Guyana, Peru, Paraguay Uruguay, Suriname, Uruguay, and Venezuela
	Africa	South Africa, Egypt, Angola, Burkina Faso, Burundi, Benin, Botswana, Congo-Kinshasa, Central African Republic, the Republic of Congo, Ivory Coast, Cameroon, Cape Verde, Djibouti, Algeria, Eritrea, Ethiopia, Gabon, Ghana, Gambia, Guinea, Equatorial Guinea, Guinea-Bissau, Kenya, Comoros, Liberia, Lesotho, Libya, Morocco, Madagascar, Mali, Mauritania, Mauritius, Malawi, Mozambique, Niger, Nigeria, Reunion, Rwanda, Seychelles, Sierra Leone, Senegal, Somalia, South Sudan, Sao Tome and Principe, Eswatini, Chad, Togo, Tunisia, Tanzania, Uganda, Mayotte, Zambia, Zimbabwe, Namibia, and Sudan

For example, you have configured the following resolution lines for record set example.com:

• **Default**: 1.1.1.1

• Chinese mainland: 2.2.2.2

• Global_Hong Kong (China): 3.3.3.3

When a user in Shanghai requests the domain name example.com, IP address 2.2.2.2 is returned. When a user in Hong Kong requests this domain name, IP address 3.3.3.3 is returned. When a user in New Zealand requests this domain name, IP address 1.1.1.1 is returned.

Procedure

Configure region lines for your public domain names hosted on the DNS service.

The following example describes how to configure the record set of the **Default** line to 1.1.1.1 and the record set of the **Global_Hong Kong (China)** line to 2.2.2.2 for example.com.

- 1. Go to the **Public Zones** page.
- 2. On the **Public Zones** page, click the domain name (**example.com**) of the public zone.

The **Record Sets** page is displayed.

- 3. Click **Add Record Set**.
 - The **Add Record Set** dialog box is displayed.
- 4. Add two A record sets for example.com. Configure the parameters based on **Table 5-6**.

Table 5-6 Parameters for adding an A record set

Paramete r	Description	Line 1	Line 2
Name	Prefix of the domain name to be resolved.	www	www
	For example, if the domain name is example.com , the prefix can be as follows:		
	 www: The domain name is www.example.com, which is usually used for a website. 		
	 Left blank: The domain name is example.com. The Name field cannot be set to an at sign (@). Just leave it blank. 		
	abc: The domain name is abc.example.com, a subdomain of example.com.		
	mail: The domain name is mail.example.com, which is typically used for email servers.		
	 *: The domain name is *.example.com, which is a wildcard domain name, indicating all subdomains of example.com. 		

Paramete r	Description	Line 1	Line 2
Туре	Type of the record set	A – Map domains to IPv4 addresses	A – Map domains to IPv4 addresses
Line	The DNS server will return the IP address of the specific line, depending on where the visitors come from. • Default: returns the default resolution result irrespective of where the visitors come from. • ISP: returns the resolution result based on visitors' carrier networks. For details, see Configuring ISP Lines. • Region: returns the resolution	Default	Select Region and Global_Asi a Pacific_Ho ng Kong (China)
	result based on visitors' geographical locations.		
TTL (s)	Cache duration of the record set on a local DNS server, in seconds. The value ranges from 1 to 2147483647, and the default is 300. If your service address changes frequently, set TTL to a smaller value. Learn more about TTL.	Default value: 300	Default value: 300
Value	IPv4 addresses mapped to the domain name Enter each IPv4 address on a separate line.	1.1.1.1	2.2.2.2
Weight	(Optional) Weight of a record set. The value ranges from 0 to 1000, and the default value is 1. This parameter is only designated for public domain names. If a resolution line in a zone contains multiple record sets of the same type, you can set different weights to each record set. For details, see Configuring Weighted Routing.	1	1

Paramete r	Description	Line 1	Line 2
Tag	(Optional) Identifier of a record set. Each tag contains a key and a value. You can add a maximum of 10 tags to a record set. For details about tag key and value requirements, see Table 5-7.	example_ke y1 example_va lue1	example_k ey1 example_v alue1
Descriptio n	(Optional) Supplementary information about the record set. You can enter a maximum of 255 characters.	N/A	N/A

Table 5-7 Tag key and value requirements

Paramete r	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1

5. Click **OK**.

5.4 Configuring Custom Lines

Scenarios

The public zone function provides you with more than 300 carrier and region resolution lines. You can also customize resolution lines based on specific IP address ranges. Usually, a DNS server returns the same IP address to all visitors, irrespective of where they come from. Custom line resolution returns a specific IP address based on the IP address of a visitor.

- If the local DNS server of the broadband service provider used by the visitor does not support the Extension Mechanisms for DNS (EDNS), the authoritative DNS server checks whether the public IP address of the local DNS server matches the configured IP address range of the custom line.
- If the local DNS server of the broadband service provider used by the visitor supports EDNS, the authoritative DNS server checks whether the visitor's public IP address encapsulated in the EDN S matches the configured IP address range of the custom line.

You can configure custom resolution lines to obtain different resolution results based on source IP addresses of visitors.

If your website (example.com) is providing services both for external and internal users, you can configure different resolution lines so that the DNS server can return the external server address (1.1.1.1) to external users and internal server address (2.2.2.2) to internal users.

Add Custom Resolution Lines

- 1. Go to the **Custom Lines** page.
- 2. Click Add Custom Line.
- 3. Configure the parameters based on Table 5-8.

Table 5-8 Parameters for adding a custom resolution line

Parameter	Description	Value 1	Value 2
Line Name	Custom line name	Line 1	Line 2
IP Address Range	Source IP address range Enter a range of 1 to 50 IP addresses and separate the start and end IP addresses with a hyphen (-).	1.0.0.1-1.0. 0.2	1.0.0.3-1.0. 0.4

4. Click OK.

Add Record Sets with Custom Lines

For example, add record sets for example.com with Line 1 (to IP address 1.1.1.1) and Line 2 (to IP address 2.2.2.2).

- 1. Go to the **Public Zones** page.
- 2. On the **Public Zones** page, click the domain name (**example.com**) of the public zone.

The **Record Sets** page is displayed.

3. Click Add Record Set.

The Add Record Set dialog box is displayed.

4. Add two A record sets for example.com. Configure the parameters based on **Table 5-9**.

Table 5-9 Parameters for adding an A record set

Paramete r	Description	Line 1	Line 2
Name	Prefix of the domain name to be resolved. For example, if the domain name is example.com, the prefix can be as follows: • www: The domain name is www.example.com, which is usually used for a website. • Left blank: The domain name is example.com. The Name field cannot be set to an at sign (@). Just leave it blank. • abc: The domain name is abc.example.com, a subdomain of example.com. • mail: The domain name is mail.example.com, which is typically used for email servers. • *: The domain name is *.example.com, which is a wildcard domain name, indicating all subdomains of example.com.	www	www
Туре	Type of the record set	A – Map domains to IPv4 addresses	A - Map domains to IPv4 addresses
Line	The DNS server will return the IP address of the specific line, depending on where the visitors come from. • Default: returns the default resolution result irrespective of where the visitors come from. • ISP: returns the resolution result based on visitors' carrier networks. For details, see Configuring ISP Lines. • Region: returns the resolution result based on visitors' geographical locations. For details, see Configuring Region Lines.	Resolution Lines_Line1	Resolutio n Lines_Line 2

Paramete r	Description	Line 1	Line 2
TTL (s)	Cache duration of the record set on a local DNS server, in seconds.	Default value: 300	Default value: 300
	The value ranges from 1 to 2147483647, and the default is 300.		
	If your service address changes frequently, set TTL to a smaller value.		
Value	IPv4 addresses mapped to the domain name	1.1.1.1	2.2.2.2
	Enter each IPv4 address on a separate line.		
Weight	(Optional) Weight of a record set. The value ranges from 0 to 1000 , and the default value is 1 .	1	1
	This parameter is only designated for public domain names.		
	If a resolution line in a zone contains multiple record sets of the same type, you can set different weights to each record set. For details, see Configuring Weighted Routing.		
Tag	(Optional) Identifier of a record set. Each tag contains a key and a value.	example_ke y1	example_ key1
	You can add a maximum of 10 tags to a record set.	example_va lue1	example_ value1
	For details about tag key and value requirements, see Table 5-10 .		
Descriptio n	(Optional) Supplementary information about the record set.	N/A	N/A
	You can enter a maximum of 255 characters.		

Paramete r	Requirements	Example Value
Key	 Cannot be left blank. Must be unique for each resource. Can contain a maximum of 36 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_key1
Value	 Cannot be left blank. Can contain a maximum of 43 characters. Cannot start or end with a space nor contain special characters =*<> / 	example_value 1

Table 5-10 Tag key and value requirements

5. Click **OK**.

5.5 Configuring Weighted Routing

Scenarios

A large website is generally deployed on multiple servers. To balance the load of each server, you can use weights to control the proportion of requests to each server.

The DNS service allows you to set weights to record sets to route the requests to different servers based on the specified weights.

When your website has multiple servers and each server has an independent IP address, consider weighted routing to distribute requests to different servers proportionally.

For example, you have a website deployed on three servers. The domain name of your website is example.com, and the IP addresses of the three servers are 192.168.1.1, 192.168.1.2, and 192.168.1.3.

If you add an A record set and set its value to the three IP addresses, with no
weights set to the IP addresses, requests are randomly routed to an IP
address.

For details, see **How Is a Domain Name Resolved When a Record Set Has Multiple Values?**

You add three A record sets, with each having an IP address as its value.
 In this case, you can set different weights for the three record sets. In this way, requests are routed to each server based on the specified weight.

Weighted routing can better distribute requests and balance server load. You can perform the operations provided in this section to set the weights.

Constraints

You can configure weights for up to 20 record sets of the same domain name and line.

Preparations

There are three web servers. Three A record sets are required, with the value of each set to the IP address of a web server. You can set different weights to control the proportion of requests to each server.

Table 5-11 Weight setting plans

Plan	Domai n Name	Recor d Set Type	Line Type	Value	Weigh t	Description	
1	exampl e.com	А	Defaul t	192.16 8.1.1	1	Requests are evenly distributed to three	
				192.16 8.1.2	1	servers (the proportion of requests is 1:1:1).	
				192.16 8.1.3	1		
2	exampl e.com	А	Defaul t	192.16 8.1.1	2	Requests are distributed to three servers in a	
				192.16 8.1.2	3	proportion of 2:3:1. For example, if there are six requests, two are	
				192.16 8.1.3	1	routed to the server whose IP address is 192.168.1.1, three are routed to the server whose IP address is 192.168.1.2, and one is routed to the server whose IP address is 192.168.1.3.	

Prerequisites

The domain name of the website has been hosted on the DNS service.

Procedure

The following describes how to add three A record sets to domain name example.com, and the weight ratio of the three record sets is 1:1:1.

- 1. Go to the **Public Zones** page.
- 2. On the **Public Zones** page, click the domain name (**example.com**) of the public zone.

The **Record Sets** page is displayed.

- 3. Click Add Record Set.
- 4. Configure the parameters as follows:
 - Name: Leave this parameter blank. The DNS service automatically considers example.com as the name, and requests are routed to example.com.
 - Type: Set it to A Map domains to IPv4 addresses.
 - Line Type: Select Default.
 - Value: Set it to 192.168.1.1, the IP address of a web server.
 - Weight: Set it to 1.
- 5. Click **OK**.
- 6. Repeat **3** to **5** to add the second and third record sets.

 Set the record set value to 192.168.1.2 and 192.168.1.3, respectively.

 Requests will be evenly distributed to the three servers.

6 Permissions Management

6.1 Creating a User and Granting DNS Permissions

To implement fine-grained permissions control over your DNS resources, IAM is a good choice. With IAM, you can:

- Create IAM users for employees based on your enterprise's organizational structure. Each IAM user will have their own security credentials for accessing DNS resources.
- Grant only the permissions required for users to perform a specific task.
- Entrust another Huawei Cloud account or cloud service to perform efficient O&M on your DNS resources.

Skip this part if your account does not need individual IAM users.


The following describes the procedure for granting permissions (see Figure 6-1).

Prerequisites

You have learned about DNS permissions (see **Permissions**) and have chosen the right policies or roles based on your requirements. For the permission policies of other services, see **System Permissions**.

Process Flow

Figure 6-1 Process for granting permissions



1.

Create a user group on the IAM console and attach the DNS ReadOnlyAccess policy to the group, which grants users read-only permissions to DNS resources.

- 2. Create a user on the IAM console and add the user to the group created in step 1.
- 3.

Log in to the DNS console by using the created user, and verify that the user only has read permissions for DNS.

- Choose Service List > Domain Name Service. On the DNS console, choose Dashboard > Public Zones. On the displayed page, click Create Public Zone. If the public zone cannot be created, the DNS ReadOnlyAccess policy has already taken effect.
- Choose any other service from Service List. If a message appears indicating that you have insufficient permissions to access the service, the DNS ReadOnlyAccess policy has already taken effect.

6.2 Creating Custom Policies

You can create custom policies to supplement system-defined policies and implement more refined access control.

You can create custom policies in either of the following two ways:

- Visual editor: Select cloud services, actions, resources, and request conditions without the need to know policy syntax.
- JSON: Edit JSON policies from scratch or based on an existing policy.

The following describes how to create a custom policy that allows users to modify DNS zones in the visual editor and JSON view.

For details, see **Creating a Custom Policy**. Some examples of common custom DNS policies are provided.

Example Custom Policies

• Example 1: Authorize users to create zones, add record sets, and view the zones and record sets.

```
"Version": "1.1",
   "Statement": [
      {
         "Effect": "Allow",
"Action": [
            "dns:zone:create",
            "dns:recordset:create",
            "dns:zone:list"
      "dns:recordset:list"
         ]
      },
         "Effect": "Allow",
         "Action": [
             "vpc:*:get*
            "vpc:*:list*"
      }
  ]
}
```

• Example 2: Disallow users to delete DNS resources.

A deny policy must be used together with other policies. If the permissions assigned to a user contain both "Allow" and "Deny", the "Deny" permissions take precedence over the "Allow" permissions.

The following method can be used if you need to assign permissions of the **DNS FullAccess** policy to a user but also forbid the user from deleting DNS resources. Create a custom policy to disallow resource deletion and assign both policies to the group the user belongs to. Then the user can perform all operations on DNS except deleting resources. The following is an example deny policy:

• Example 3: Defining permissions for multiple services in a policy

A custom policy can contain actions of multiple services that are all of the global or project-level type. The following is a policy with multiple actions:

```
},
{
    "Effect": "Allow",
    "Action": [
        "vpc:subnets:create",
        "vpc:vips:update"
    ]
    }
]
```

Key Operations Recorded by CTS

7.1 DNS Operations Recorded by CTS

CTS records DNS operations performed by users in real time. Actions and results of the operations are stored in OBS buckets in the form of traces.

After you enable CTS, whenever a DNS API is called, the operation is recorded in a log file, which is then delivered to a specified OBS bucket for storage.

Table 7-1 and Table 7-2 list the DNS operations that will be recorded by CTS.

□ NOTE

The DNS service involves resources both at the global and region levels. **Table 7-1** lists DNS operations at the global level. Traces of these operations are displayed only in the primary region.

Table 7-2 lists DNS operations at the region level. Traces of these operations are displayed in the regions where the operations are performed.

Table 7-1 Global-level DNS operations that can be recorded by CTS

Operation	Resource Type	Trace Name	Description
Creating a record set for a public zone	publicRecordSe t	createPublicRecord- Set	A record set is added to a public zone.
Deleting a record set from a public zone	publicRecordSe t	deletePublicRecord- Set	A record set is deleted from a public zone.
Modifying a record set of a public zone	publicRecordSe t	updatePublicRecord- Set	A record set added to a public zone is modified.

Operation	Resource Type	Trace Name	Description
Disabling or enabling a public zone record set	publicRecordSe t	updateRecordSetSta- tus	Disable or enable a record set added a public zone.
Creating a public zone	publicZone	createPublicZone	A public zone is created for hosting a domain name.
Modifying a public zone	publicZone	updatePublicZone	A public zone is modified.
Deleting a public zone	publicZone	deletePublicZone	A public zone is deleted.
Creating a custom line	publicCustomL ine	createPublicCustom- Line	A custom line is created for a public zone.
Deleting a custom line	publicCustomL ine	deletePublicCustom- Line	A custom line created for a public zone is deleted.
Modifying a custom line	publicCustomL ine	updatePublicCus- tomLine	A custom line is modified.
Adding a tag to a public zone	publicZoneTag	createPublicZoneTag	A tag is added to a public zone for easier identification.
Deleting a tag from a public zone	publicZoneTag	deletePublicZoneTag	A tag added to a public zone is deleted.
Adding a tag to a record set of a public zone	publicRecordSe tTag	createPublicRecord- SetTag	A tag is added to a record set of a public zone.
Deleting a tag from a record set of a public zone	publicRecordSe tTag	deletePublicRecord- SetTag	A tag is deleted from a record set of a public zone.
Creating a PTR record set	ptrRecord	setPTRRecord	A PTR record set is added to a zone.
Resetting a PTR record set	ptrRecord	resetPTRRecord	A PTR record set is reset to delete this record set.

Operation	Resource Type	Trace Name	Description
Deleting a PTR record set	ptrRecord	deletePtrRecord	A PTR record set is deleted.
Adding a tag to a PTR record set	ptrRecordTag	createPTRRecordSet- Tag	A tag is added to a PTR record set.
Deleting a tag from a PTR record set	ptrRecordTag	deletePTRRecordTag	A tag is deleted from a PTR record set.

Table 7-2 Region-level DNS operations that can be recorded by CTS

Operation	Resource Type	Trace Name	Description
Creating a record set in a private zone	privateRecordS et	createPrivateRecord- Set	A record set is added to a private zone.
Deleting a record set from a private zone	privateRecordS et	deletePrivateRecord- Set	A record set is deleted from a private zone.
Modifying a record set of a private zone	privateRecordS et	updatePrivateRe- cordSet	A record set added to a private zone is modified.
Creating a private zone	privateZone	createPrivateZone	A private zone is created for a domain name.
Modifying a private zone	privateZone	updatePrivateZone	A private zone is modified.
Deleting a private zone	privateZone	deletePrivateZone	A private zone is deleted.
Associating a VPC with a private zone	privateZone	associateRouter	A VPC is associated with a private zone.
Disassociating a VPC from a private zone	privateZone	disassociateRouter	A VPC is disassociated from a private zone.
Adding a tag to a private zone	privateZoneTa g	createPrivateZone- Tag	A tag is added to a private zone for easier identification.

Operation	Resource Type	Trace Name	Description
Deleting a tag from a private zone	privateZoneTa g	deletePrivateZone- Tag	A tag added to a private zone is deleted.
Adding a tag to a record set of a private zone	privateRecordS etTag	createPrivateRecord- SetTag	A tag is added to a record set of a private zone.
Deleting a tag from a record set of a private zone	privateRecordS etTag	deletePrivateRecord- SetTag	A tag is deleted from a record set of a private zone.

7.2 Viewing Traces

Scenarios

After CTS is enabled, the tracker starts recording operations on cloud resources. You can view operation records of the last 7 days on the CTS console.

This section describes how to query these records.

Procedure

- 1. Log in to the management console.
- 2. Click in the upper left corner and select the desired region and project.
- 3. Hover the cursor over in the upper left corner. In the service list, choose Management & Deployment > Cloud Trace Service.
- 4. In the navigation pane on the left, choose **Trace List**.
- 5. Specify the filters used for querying traces. The following filters are available:
 - Trace Type, Trace Source, Resource Type, and Search By
 Select a filter from the drop-down list.
 If you select Trace name for Search By, specify a trace name.
 - If you select **Resource ID** for **Search By**, specify a resource ID.

 If you select **Resource name** for **Search By**, specify a resource name.
 - **Operator**: Select a user who performs operations.
 - Trace Status: Select All trace statuses, Normal, Warning, or Incident.
 - Time range: Specify the start and end time to view traces generated during a time range of the last seven days.
- 6. Click on the left of the required trace to expand its details.
- 7. Click **View Trace**.

A dialog box is displayed, in which the trace structure details are displayed.

8 Quota Adjustment

What Is Quota?

Quotas put limits on the quantities and capacities of resources available to users. Examples of DNS quotas include the maximum number of zones, PTR records, and record sets that you can create. Quotas are put in place to prevent excessive resource usage and ensure service availability for users.

If existing resource quotas cannot meet your service requirements, you can request higher quotas.

How Do I View My Quotas?

- 1. Log in to the management console.
- 2. Click \bigcirc in the upper left corner and select the desired region and project.
- In the upper right corner of the page, choose Resources > My Quotas.
 The Service Quota page is displayed.
- 4. View the used and total quota of each type of resources on the displayed page.

If a quota cannot meet service requirements, apply for a higher quota.

How Do I Apply for a Higher Quota?

- 1. Log in to the management console.
- In the upper right corner of the page, choose Resources > My Quotas.
 The Service Quota page is displayed.
- 3. Click Increase Quota in the upper right corner of the page.
- 4. On the **Create Service Ticket** page, configure parameters as required. In the **Problem Description** area, fill in the content and reason for adjustment.
- 5. After all necessary parameters are configured, select I have read and agree to the Ticket Service Protocol and Privacy Statement and click Submit.

A Change History

Released On	Description
2022-09-30	This issue is the first official release.