

Huawei Cloud Flexus

API Reference

Issue 01
Date 2025-02-21



Copyright © Huawei Cloud Computing Technologies Co., Ltd. 2025. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Cloud Computing Technologies Co., Ltd.

Trademarks and Permissions



HUAWEI and other Huawei trademarks are the property of Huawei Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei Cloud and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Huawei Cloud Computing Technologies Co., Ltd.

Address: Huawei Cloud Data Center Jiaoxinggong Road
Qianzhong Avenue
Gui'an New District
Gui Zhou 550029
People's Republic of China

Website: <https://www.huaweicloud.com/intl/en-us/>

Contents

1 API Reference.....1

1 API Reference

Some products of Huawei Cloud Flexus provide APIs for you. The following provides the document API reference.

Product	Common API	Reference
FlexusL	<ul style="list-style-type: none">• Querying Details About a FlexusL Cloud Server• Starting Cloud Servers in a Batch• Restarting Cloud Servers in a Batch• Stopping Cloud Servers in a Batch• Resetting Cloud Server Passwords in a Batch• Modifying the Cloud Server Information of a FlexusL Instance	FlexusL API Reference
FlexusX	<ul style="list-style-type: none">• Creating a FlexusX instance• Changing the FlexusX instance flavor to the performance mode flavor• Disabling performance mode	FlexusX API Reference
FlexusRDS	<ul style="list-style-type: none">• Creating a DB Instance• Creating a Manual Backup• Modifying Parameters of a Specified DB Instance	Huawei Cloud Flexus RDS API Reference