

Organizations

API Reference

Issue 01
Date 2025-03-03



Copyright © Huawei Technologies Co., Ltd. 2025. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Technologies Co., Ltd.

Trademarks and Permissions



HUAWEI and other Huawei trademarks are trademarks of Huawei Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Security Declaration

Vulnerability

Huawei's regulations on product vulnerability management are subject to the *Vul. Response Process*. For details about this process, visit the following web page:

<https://www.huawei.com/en/psirt/vul-response-process>

For vulnerability information, enterprise customers can visit the following web page:

<https://securitybulletin.huawei.com/enterprise/en/security-advisory>

Contents

| | |
|---|-----------|
| 1 Before You Start..... | 1 |
| 2 API Overview..... | 4 |
| 3 Calling APIs..... | 13 |
| 3.1 Making an API Request..... | 13 |
| 3.2 Authentication..... | 15 |
| 3.3 Response..... | 16 |
| 4 APIs..... | 18 |
| 4.1 Managing Organizations..... | 18 |
| 4.1.1 Creating an Organization..... | 18 |
| 4.1.2 Getting Organization Information..... | 20 |
| 4.1.3 Deleting an Organization..... | 22 |
| 4.1.4 Leaving an Organization..... | 23 |
| 4.1.5 Listing the Roots of an Organization..... | 24 |
| 4.2 Managing OUs..... | 27 |
| 4.2.1 Creating an OU..... | 27 |
| 4.2.2 Listing OUs..... | 29 |
| 4.2.3 Getting OU Information..... | 32 |
| 4.2.4 Renaming an OU..... | 33 |
| 4.2.5 Deleting an OU..... | 35 |
| 4.3 Managing Accounts..... | 37 |
| 4.3.1 Creating an account and adding it to your organization..... | 37 |
| 4.3.2 Creating an Account..... | 40 |
| 4.3.3 Listing Accounts in an Organization..... | 43 |
| 4.3.4 Closing an Account..... | 46 |
| 4.3.5 Getting Account Information..... | 47 |
| 4.3.6 Updating an Account..... | 50 |
| 4.3.7 Removing the Specified Account..... | 52 |
| 4.3.8 Moving an Account..... | 53 |
| 4.3.9 Inviting an Account to Join an Organization..... | 55 |
| 4.3.10 Querying Account Creation Requests in Specified State..... | 59 |
| 4.3.11 Querying Account Creation Status..... | 62 |
| 4.3.12 Querying CloseAccount Requests in Specified State..... | 64 |

| | |
|--|-----|
| 4.4 Managing Invitations..... | 66 |
| 4.4.1 Getting Invitation Information..... | 66 |
| 4.4.2 Accepting an Invitation..... | 69 |
| 4.4.3 Declining an Invitation..... | 72 |
| 4.4.4 Canceling an Invitation..... | 75 |
| 4.4.5 Listing Received Invitations..... | 78 |
| 4.4.6 Listing Sent Invitations..... | 82 |
| 4.5 Managing Trusted Services..... | 85 |
| 4.5.1 Enabling a Trusted Service..... | 85 |
| 4.5.2 Disabling a Trusted Service..... | 87 |
| 4.5.3 Listing Trusted Services..... | 88 |
| 4.6 Managing Delegated Administrators..... | 90 |
| 4.6.1 Registering a Delegated Administrator..... | 91 |
| 4.6.2 Deregistering a Delegated Administrator..... | 92 |
| 4.6.3 Listing Services Managed by a Delegated Administrator Account..... | 93 |
| 4.6.4 Listing Delegated Administrator Accounts..... | 96 |
| 4.7 Managing Policies..... | 99 |
| 4.7.1 Creating a Policy..... | 99 |
| 4.7.2 Listing Policies..... | 102 |
| 4.7.3 Getting Policy Information..... | 105 |
| 4.7.4 Updating a Policy..... | 107 |
| 4.7.5 Deleting a Policy..... | 110 |
| 4.7.6 Enabling a Policy Type for a Root..... | 111 |
| 4.7.7 Disabling a Policy Type in a Root..... | 113 |
| 4.7.8 Attaching a Policy to an Entity..... | 116 |
| 4.7.9 Detaching a Policy from an Entity..... | 118 |
| 4.7.10 Listing Entities for the Specified Policy..... | 119 |
| 4.8 Managing Tags..... | 122 |
| 4.8.1 Listing Tags for the Specified Resource..... | 122 |
| 4.8.2 Adding Tags to the Specified Resource..... | 125 |
| 4.8.3 Removing Tags from the Specified Resource..... | 126 |
| 4.8.4 Listing Tags for the Specified Resource Type..... | 128 |
| 4.8.5 Adding Tags to the Specified Resource Type..... | 131 |
| 4.8.6 Deleting Tags with the Specified Key from the Specified Resource Type..... | 133 |
| 4.8.7 Querying Resource Instances by Resource Type and Tag..... | 135 |
| 4.8.8 Querying Number of Resource Instances by Resource Type and Tag..... | 138 |
| 4.8.9 Querying Resource Tags..... | 140 |
| 4.9 Others..... | 142 |
| 4.9.1 Querying Effective Policies..... | 142 |
| 4.9.2 Listing Entities in an Organization..... | 144 |
| 4.9.3 Listing Cloud Services Integrable with Organizations..... | 147 |
| 4.9.4 Listing Resource Types That Support Enforcement..... | 148 |

| | |
|--|------------|
| 4.9.5 Listing Organizations Quotas..... | 150 |
| 5 Permissions and Supported Actions..... | 153 |
| 5.1 Introduction..... | 153 |
| 5.2 Actions..... | 154 |
| 6 Appendixes..... | 162 |
| 6.1 Status Codes..... | 162 |
| 6.2 Error Codes..... | 163 |
| 6.3 Obtaining Account, IAM User, Group, Project, Region, and Agency Information..... | 175 |
| A Change History..... | 178 |

1

Before You Start

Welcome to *Organizations API Reference*. The Organizations service helps you govern multiple accounts within your organization. It enables you to consolidate multiple HUAWEI IDs into an organization that you create and centrally manage these accounts. You can use SCPs to control maximum available permissions for all accounts in your organization. This helps you better meet the service security and compliance requirements of your business.

This document describes how to use application programming interfaces (APIs) to perform operations on Organizations, such as creating, querying, deleting and updating. For details about all supported operations, see [API Overview](#).

Before using an API to access the Organizations service, learn about the basic concepts of Organizations. For details, see [What Is Organizations?](#).

Organizations supports Representational State Transfer (REST) APIs, allowing you to call APIs using HTTPS. For details about API calling, see [Calling APIs](#).

Endpoints

An endpoint is the request address for calling an API. Endpoints vary depending on services and regions. For the endpoints of all services, see [Regions and Endpoints](#).

Table 1-1 lists Organizations endpoints. Organizations is a global service with all data stored in the Global service project. All APIs of Organizations can be called using the endpoint of the Global region.

Table 1-1 Organizations endpoints

| Region Name | Region ID | Endpoint |
|-------------|-----------|---------------------------------|
| All | All | organizations.myhuaweicloud.com |

Concepts

- Account

An account is created upon successful signing up. The account has full access permissions for all of its cloud services and resources. It can be used to reset

user passwords and grant user permissions. The account is a payment entity, which should not be used directly to perform routine management. To ensure account security, create Identity and Access Management (IAM) users and grant them permissions for routine management.

- User

An IAM user is created by an account in IAM to use cloud services. Each IAM user has its own identity credentials (password and access keys).

API authentication requires information such as the account name, username, and password.

- Region

Regions are divided based on geographical location and network latency. Public services, such as Elastic Cloud Server (ECS), Elastic Volume Service (EVS), Object Storage Service (OBS), Virtual Private Cloud (VPC), Elastic IP (EIP), and Image Management Service (IMS), are shared within the same region. Regions are classified into universal regions and dedicated regions. A universal region provides universal cloud services for common tenants. A dedicated region provides specific services for specific tenants.

For details, see [Region and AZ](#).


- AZ

An AZ comprises of one or more physical data centers equipped with independent ventilation, fire, water, and electricity facilities. Computing, network, storage, and other resources in an AZ are logically divided into multiple clusters. AZs within a region are interconnected using high-speed optical fibers to allow you to build cross-AZ high-availability systems.

- Project

A project corresponds to a region. Default projects are defined to group and physically isolate resources (including computing, storage, and network resources) across regions. Users can be granted permissions in a default project to access all resources under their accounts in the region associated with the project. If you need more refined access control, create subprojects under a default project and create resources in subprojects. Then you can assign users the permissions required to access only the resources in the specific subprojects.

Figure 1-1 Project isolation model



- Enterprise project

Enterprise projects group and manage resources across regions. Resources in different enterprise projects are logically isolated. An enterprise project can

contain resources of multiple regions, and resources can be added to or removed from enterprise projects.

For details about enterprise projects and about how to obtain enterprise project IDs, see [*Enterprise Management User Guide*](#).

2 API Overview

Organization Management

Table 2-1 Organization management APIs

| API | Description |
|----------------------------------|--|
| Creating an organization | Creates an organization. The account calling this API automatically becomes the management account of the new organization. This API must be called using the credentials from the account that is to become the new organization's management account. |
| Getting organization information | Gets the information about the organization holding the account. All accounts in an organization can call this API. |
| Deleting an organization | Deletes an organization. This API must be called using the management account. The organization must be empty of accounts, organizational units (OUs), and policies. |
| Leaving the current organization | Leaves the current organization. This API can be called only from a member account in the organization. You can leave an organization as a member account only if the account is configured with the information required for operating as a standalone account. The account to leave must not be a delegated administrator account for any service enabled for your organization. |
| Listing roots of an organization | Lists the roots of an organization. This API can be called only from the organization's management account or from a delegated administrator account. |

OU Management

Table 2-2 OU management APIs

| API | Description |
|------------------------|---|
| Creating an OU | Creates an OU in a root or a parent OU. An OU is a container of accounts. You can group accounts into an OU and apply policies to the OU based on your business requirements. This API can be called only from the organization's management account. |
| Listing OUs | Lists all OUs in an organization. If a parent OU is specified, this API will return a list of all the OUs contained in the specified parent OU. This API can be called only from the organization's management account or from a delegated administrator account. |
| Getting OU information | Gets OU information. This API can be called only from the organization's management account or from a delegated administrator account. |
| Renaming an OU | Renames the specified OU. After an OU is renamed, the following configurations remain unchanged: OU ID, its child OUs and accounts, and policies attached to the OU. This API can be called only from the organization's management account. |
| Deleting an OU | Deletes an OU from the root or another OU. Before deleting an OU, you must remove all member accounts from the OU or move them to another OU, and also remove the child OUs from the OU. This API can be called only from the organization's management account. |

Account Management

Table 2-3 Account management APIs

| API | Description |
|-------------------------------------|--|
| Creating an account | Creates an account. The generated account automatically becomes a member account of the organization holding the account that calls this API. This API can be called only from the organization's management account. The Organizations service creates the required service-linked agency and account-accessed agency in the new account. |
| Listing accounts in an organization | Lists all the accounts in an organization. This API can be called only from the organization's management account or from a delegated administrator account. If a parent OU is specified, this API will return a list of all the accounts contained in the specified parent OU. |

| API | Description |
|--|---|
| Closing an account | Closes an account that was created in the organization. |
| Getting account information | Gets the information about the specified account. This API can be called only from the organization's management account or from a delegated administrator account. |
| Removing the specified account | Removes the specified account from an organization. The removed account becomes a standalone account that is not a member account of any organization. This API can be called only from the organization's management account. You can remove an account from an organization only if the account is configured with the information required to operate as a standalone account. The account you want to remove must not be a delegated administrator account for any service enabled for your organization. |
| Moving an account | Moves an account from its current source location (root or OU) to the specified destination location (root or OU). |
| Inviting an account to join an organization | Sends an invitation to another account. The invited account will join your organization as a member account. This API can be called only from the organization's management account. |
| Querying CreateAccount requests in the specified state | Queries the CreateAccount requests in the specified state for an organization. This API can be called only from the organization's management account or from a delegated administrator account. |
| Getting the account creation status | Gets the status of the asynchronous request to create an account. This API can be called only from the organization's management account or from a delegated administrator account. |

Invitation Management

Table 2-4 Invitation management APIs

| API | Description |
|--------------------------------|--|
| Getting invitation information | Gets the information about existing invitations in an organization. All accounts in an organization can call this API. |
| Accepting an invitation | Accepts an invitation to join an organization. After you accept an invitation, the invitation information continues to appear in the results of relevant APIs for 30 days. |
| Declining an invitation | Declines an invitation to join an organization. This sets the invitation state to Declined and deactivates the invitation. This API can be called only from the account that received the invitation. The invitation initiator cannot re-activate a declined invitation but can send a new invitation. |
| Cancelling an invitation | Cancels an invitation. This sets the invitation state to Canceled. This API can be called only from the account that sent the invitation. After you cancel an invitation, the invitation information continues to appear in the results of relevant APIs for 30 days. |
| Listing received invitations | Lists all the invitations associated with the specified account. All accounts can call this API. |
| Listing sent invitations | Lists all the invitations sent by an organization. This API can be called only from the organization's management account or from a delegated administrator account. |

Management of Trusted Services

Table 2-5 APIs for managing trusted services

| API | Description |
|----------------------------|--|
| Enabling a trusted service | Enables the integration of a service (specified by service_principal) with Organizations. When you enable a trusted service, you allow the trusted service to create a service-linked agency in all accounts in your organization. This allows the trusted service to perform operations on your behalf in your organization and its accounts. This API can be called only from the organization's management account. |

| API | Description |
|-----------------------------|--|
| Disabling a trusted service | Disables the integration of a service (specified by service_principal) with Organizations. When you disable integration, the service no longer can create a service-linked agency in new accounts in your organization. This means the service can no longer perform operations on your behalf on any accounts that newly joined your organization. The service can still perform operations in the already joined accounts until the service completes its clean-up from Organizations. This API can be called only from the organization's management account. |
| Listing trusted services | Returns a list of trusted services that are integrated with Organizations. This API can be called only from the organization's management account or from a delegated administrator account. |

Management of Delegated Administrators

Table 2-6 APIs for managing delegated administrators

| API | Description |
|---|---|
| Registering a delegated administrator | Registers the specified member account as a delegated administrator to manage the Organizations functions of a specified service. This API grants the delegated administrator the read-only access to Organizations service data. IAM users in the delegated administrator account still need IAM permissions to access and manage the specified service. This API can be called only from the organization's management account. |
| Deregistering a delegated administrator | Deregisters the existing delegated administrator for the specified service. This API can be called only from the organization's management account. |
| Listing services managed by a delegated administrator account | Lists the services for which the specified account is a delegated administrator. This API can be called only from the organization's management account or from a delegated administrator account. |
| Listing delegated administrator accounts | Lists the accounts that are designated as delegated administrators in an organization. This API can be called only from the organization's management account or from a delegated administrator account. |

Policy Management

Table 2-7 Policy management APIs

| API | Description |
|-------------------------------------|---|
| Creating a policy | Creates a policy of the specified type. This API can be called only from the organization's management account. |
| Listing policies | Lists all policies in an organization. If a resource ID (such as an OU ID or account ID) is specified, this API will return a list of policies attached to the resource. This API can be called only from the organization's management account or from a delegated administrator account. |
| Getting policy information | Gets the information about the specified policy. This API can be called only from the organization's management account or from a delegated administrator account. |
| Updating a policy | Updates the name, description, or content of a policy. If no parameter is specified, the policy remains unchanged. The policy type cannot be changed. This API can be called only from the organization's management account. |
| Deleting a policy | Deletes the specified policy from an organization. Before calling this API, you must detach the policy from all OUs, roots, and accounts. This API can be called only from the organization's management account. |
| Enabling a policy type for a root | Enables a policy type for the root of an organization. After you enable a policy type for the root, you can attach the policies of this type to the root, or any OUs or accounts under the root. This is an asynchronous request. You can use ListRoots to view the status of the policy types for the specified root. This API can be called only from the organization's management account. |
| Disabling a policy type in a root | Disables a policy type in a root. A policy of a specific type can be attached to entities in a root only if that policy type is enabled in the root. After calling this API, you can no longer attach any policies of the specified type to the root or any OU or account in the root. This is an asynchronous request. You can use ListRoots to view the status of the policy types for the specified root. This API can be called only from the organization's management account. |
| Attaching a policy to a principal | Attaches a policy to a root, OU, or individual account. This API can be called only from the organization's management account. |
| Detaching a policy from a principal | Detaches a policy from a root, OU, or account. This API can be called only from the organization's management account. |

| API | Description |
|---|---|
| Listing entities for the specified policy | Lists all the entities (roots, OUs, and accounts) that the specified policy is attached to. This API can be called only from the organization's management account or from a delegated administrator account. |

Tag Management

Table 2-8 Tag management APIs

| API | Description |
|---|---|
| Listing tags for the specified resource | Lists the tags that are attached to the specified resource. You can attach tags to the following resources in Organizations: accounts, OUs, roots, and policies. This API can be called only from the organization's management account or from a delegated administrator account. |
| Adding tags to the specified resource | Adds one or more tags to the specified resource. You can attach tags to the following resources in Organizations: accounts, OUs, roots, and policies. This API can be called only from the organization's management account. |
| Removing tags from the specified resource | Removes any tags with the specified key from the specified resource. You can detach tags from the following resources in Organizations: accounts, OUs, roots, and policies. This API can be called only from the organization's management account. |
| Listing tags for the specified resource | Lists the tags that are attached to the specified resource. You can attach tags to any of the following organization resources: accounts, OUs, roots, and policies. This API can be called only from the organization's management account or from a delegated administrator account. |
| Adding tags to the specified resource | Adds one or more tags to the specified resource. You can attach tags to any of the following organization resources: accounts, OUs, roots, and policies. This API can be called only from the organization's management account. |
| Removing tags from the specified resource | Removes any tags with the specified key from the specified resource. You can attach tags to any of the following organization resources: accounts, OUs, roots, and policies. This API can be called only from the organization's management account. |

| API | Description |
|---|---|
| Listing instances by resource type and tag | Lists instances by resource type and tag. |
| Querying the number of instances by resource type and tag | Queries the number of instances by resource type and tag. |
| Querying resource tags | Queries the tags attached to resources of the specified type. |

Other APIs

Table 2-9 Other Organizations APIs

| API | Description |
|--|---|
| Querying the effective policy | Queries the effective policy of a specific type for the specified account. This API cannot be used to query the information about service control policies. This API can be called only from the organization's management account or from a delegated administrator account. |
| Listing entities in an organization | Lists all the roots, OUs, and accounts in an organization. This API can be called only from the organization's management account or from a delegated administrator account. You can filter entities you want to view by specifying the parent OU ID and child OU ID. |
| Listing cloud services integrable with Organizations | Lists all cloud services that can be integrated with Organizations. After a service on this list is enabled with trusted access, that service becomes a trusted service for Organizations. |
| Listing resource types that support tag policy enforcement | Lists the resource types that support enforcement with tag policies. |

| API | Description |
|-----------------------------|--|
| Listing organization quotas | Lists the quotas of an organization. This API can be called only from the organization's management account or from a delegated administrator account. |

3 Calling APIs

3.1 Making an API Request

This section describes the structure of a REST API request and uses the API for [querying organization information](#) as an example to demonstrate how to call an API. This API can be called by any account in an organization.

Request URI

A request URI is in the following format:

{URI-scheme} :// {Endpoint} / {resource-path} ? {query-string}

Table 3-1 Parameter description

| Parameter | Description |
|---------------|--|
| URI-scheme | Protocol used to transmit requests. All APIs use HTTPS. |
| Endpoint | Domain name or IP address of the server bearing the REST service. The endpoint varies between services in different regions. It can be obtained from Regions and Endpoints . For example, the endpoint of Organizations is organizations.myhuaweicloud.com . |
| resource-path | Access path of an API for performing a specified operation. Obtain the path from the URI of an API. For example, the resource-path of the API for querying organization information is /v1/organizations . |
| query-string | An optional query parameter. Ensure that a question mark (?) is included before each query parameter that is in the format of Parameter name = Parameter value . For example, ?limit=10 indicates that a maximum of 10 data records will be queried. |

For example, to [query organization information](#), obtain the Organizations endpoint ([organizations.myhuaweicloud.com](#)) and the resource-path ([/v1/](#)

organizations) in the URI of the API used to [query organization information](#). Then, construct the URI as follows:

NOTE

To simplify the URI display in this document, each API is provided only with a **resource-path** and a request method. The **URI-scheme** of all APIs is **HTTPS**, and the endpoints of all APIs in the same region are identical.

Request Methods

The HTTP protocol defines the following request methods that can be used to send a request to the server:

- **GET**: requests the server to return specified resources.
- **PUT**: requests the server to update specified resources.
- **POST**: requests the server to add resources or perform special operations.
- **DELETE**: requests the server to delete specified resources, for example, an object.
- **HEAD**: requests the server to return the response header only.
- **PATCH**: requests the server to update partial content of a specified resource. If the resource does not exist, a new resource will be created.

For example, in the case of the API used to [query organization information](#), the request method is **GET**. The request is as follows:

```
GET https://organizations.myhuaweicloud.com/v1/organizations
```

Request Header

You can also add additional header fields to a request, such as the fields required by a specified URI or HTTP method. For example, to request for the authentication information, add **Content-Type**, which specifies the request body type.

Common request header fields are as follows:

- **Content-Type**: specifies the type or format of the message body. This field is mandatory and its default value is **application/json**.
- **Authorization**: specifies the signature information mandatory in the request. For details about AK/SK-based authentication, see [AK/SK-based Authentication](#).
- **X-Sdk-Date**: specifies the time when the request was sent, for example, **20221107T020014Z**. This field is mandatory.
- **Host**: specifies the host address, for example, **organizations.myhuaweicloud.com**. This field is mandatory.

NOTE

APIs support authentication using access key ID/secret access key (AK/SK). During AK/SK-based authentication, an SDK is used to sign the request, and the **Authorization** (signature information) and **X-Sdk-Date** (time when the request is sent) header fields are automatically added to the request. For more information, see [AK/SK-based Authentication](#).

For example, the request for the API used to [query organization information](#) is as follows:

```
GET https://organizations.myhuaweicloud.com/v1/organizations
content-type: application/json
X-Sdk-Date: 20230330T021902Z
host: organizations.myhuaweicloud.com
Authorization: SDK-HMAC-SHA256 Access=xxxxxxxxxxxxxxxxxxxx, SignedHeaders=content-type;host;x-sdk-date, Signature=xxxxxxxxxxxxxxxxxxxxxx
```

(Optional) Request Body

The body of a request is often sent in a structured format as specified in the **Content-Type** header field. The request body transfers content except the request header.

The request body varies between APIs. Some APIs do not require the request body, such as the APIs requested using the **GET** and **DELETE** methods.

Initiating a Request

You can send the request to call an API through [curl](#), [Postman](#), or coding.

3.2 Authentication

AK/SK-based authentication is used for calling APIs. Specifically, requests are encrypted using the access key ID (AK) and secret access key (SK) to provide higher security.

AK/SK-based Authentication



NOTE

- AK/SK-based authentication supports API requests with a body not larger than 12 MB. For API requests with a larger body, token-based authentication is recommended.
- You can use the AK/SK in a permanent or temporary access key. The **X-Security-Token** field must be configured if the AK/SK in a temporary access key is used, and the field value is **security_token** of the temporary access key.

In AK/SK-based authentication, AK/SK is used to sign requests and the signature is then added to the request headers for authentication.

- AK: access key ID, which is a unique identifier used in conjunction with a secret access key to sign requests cryptographically.
- SK: secret access key used in conjunction with an AK to sign requests cryptographically. It identifies a request sender and prevents the request from being modified.

In AK/SK-based authentication, you can use an AK/SK to sign requests based on the signature algorithm or using the signing SDK to sign requests. For details about how to sign requests and use the signing SDK, see [API Request Signing Guide](#).

NOTICE

The signing SDK is only used for signing requests and is different from the SDKs provided by services.

3.3 Response

After sending a request, you will receive a response, including a status code, response header, and response body.

Status Code

A status code is a group of digits ranging from 1xx to 5xx. It indicates the status of a response. For more information, see [Status Codes](#).

For example, if status code **200** is returned for calling the API used to [query organization information](#), the request is successful.

Response Header

Similar to a request, a response also has a header, for example, [Content-type](#).

[Table 3-2](#) describes common response headers.

Table 3-2 Common response headers

| Header | Description |
|--------------|---|
| Content-Type | Type of the resource content. Type: string No default value. |
| Connection | Whether the connection to the server is a long connection or a short connection. Type: string Valid values: keep-alive close No default value. |
| Date | Date when the server responded to the request. Type: string No default value. |
| X-Request-Id | Uniquely identifies the request. The value is generated by the service and can be used for troubleshooting. Type: string No default value. |

Response Body

The body of a response is often returned in structured format as specified in the **Content-type** header field. The response body transfers content except the response header.

For example, the response body for the API used to [query organization information](#) is as follows:

```
{  
  "organization": {  
    "id": "o-fhkm6mek7wlqdp6nideqhb47qwtjds",  
    "urn": "organizations::0a6d25d23900d45c0faac010e0fb4de0:organization:o-  
fhkm6mek7wlqdp6nideqhb47qwtjds",  
    "management_account_id": "0a6d25d23900d45c0faac010e0fb4de0",  
    "management_account_name": "xxxx",  
    "created_at": "2022-08-24T06:31:46Z"  
  }  
}
```

If an error occurs during API calling, an error code and a message will be displayed. The following shows an error response body.

```
{  
  "error_msg": "bad request for checking permission",  
  "error_code": "Organizations.1008"  
}
```

In the response body, **error_code** is an error code, and **error_msg** provides information about the error.

4 APIs

4.1 Managing Organizations

4.1.1 Creating an Organization

Function

This API is used to create an organization. The account whose user is calling this API automatically becomes the management account of the new organization. This API must be called using the credentials from the account that is to become the new organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations

Request Parameters

Table 4-1 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 201

Table 4-2 Response body parameters

| Parameter | Type | Description |
|--------------|------------------------|--|
| organization | OrganizationDto object | A structure that contains details about an organization. The accounts are organized hierarchically under organizational units (OUs) in the organization and their access permissions are controlled by policies. |

Table 4-3 OrganizationDto

| Parameter | Type | Description |
|-------------------------|--------|---|
| id | String | Unique ID of an organization. |
| urn | String | Uniform resource name of the organization. |
| management_account_id | String | Unique ID of the organization's management account. |
| management_account_name | String | Name of the organization's management account. |
| created_at | String | Time when the organization was created. |

Example Requests

Creating an organization

POST https://{endpoint}/v1/organizations

Example Responses

Status code: 201

Successful.

```
{
  "organization": {
    "id": "o-fhkmi6mek7wlqdp6nideqhb47qwtjds",
    "urn": "organizations::0a6d25d23900d45c0faac010e0fb4de0:organization:o-fhkmi6mek7wlqdp6nideqhb47qwtjds",
    "management_account_id": "0a6d25d23900d45c0faac010e0fb4de0",
    "management_account_name": "paas_iam_573331",
    "created_at": "2022-08-24T06:31:46Z"
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 201 | Successful. |

Error Codes

See [Error Codes](#).

4.1.2 Getting Organization Information

Function

This API is used to get the information about the organization holding the account. It can be called by all accounts in an organization.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{endpoint}/v1/organizations

Request Parameters

Table 4-4 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-5 Response body parameters

| Parameter | Type | Description |
|--------------|------------------------|--|
| organization | OrganizationDto object | A structure that contains details about an organization. The accounts are organized hierarchically under organizational units (OUs) in the organization and their access permissions are controlled by policies. |

Table 4-6 OrganizationDto

| Parameter | Type | Description |
|-------------------------|--------|---|
| id | String | Unique ID of an organization. |
| urn | String | Uniform resource name of the organization. |
| management_account_id | String | Unique ID of the organization's management account. |
| management_account_name | String | Name of the organization's management account. |
| created_at | String | Time when the organization was created. |

Example Requests

Getting Organization Information

```
GET https://{endpoint}/v1/organizations
```

Example Responses

Status code: 200

Successful

```
{
  "organization" : {
    "id" : "o-fhkmi6mek7wlqdp6nideqhb47qwtjds",
    "urn" : "organizations::0a6d25d23900d45c0faac010e0fb4de0:organization:o-
fhkmi6mek7wlqdp6nideqhb47qwtjds",
    "management_account_id" : "0a6d25d23900d45c0faac010e0fb4de0",
    "management_account_name" : "paas_iam_573331",
    "created_at" : "2022-08-24T06:31:46Z"
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful |

Error Codes

See [Error Codes](#).

4.1.3 Deleting an Organization

Function

This API is used to delete an organization. You must use the management account call this API. The organization must be empty of accounts, organizational units (OUs), and policies.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

DELETE https://{endpoint}/v1/organizations

Request Parameters

Table 4-7 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

None

Example Requests

Deleting an organization

DELETE https://{endpoint}/v1/organizations

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 204 | Successful. |

Error Codes

See [Error Codes](#).

4.1.4 Leaving an Organization

Function

This API is used to leave the current organization. It can be called only from a member account in the organization. You can leave an organization as a member account only if the account is configured with the information required for operating as a standalone account. The account to leave must not be a delegated administrator account for any cloud service enabled for your organization.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/leave

Request Parameters

Table 4-8 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

None

Example Requests

Leaving an organization

POST https://{endpoint}/v1/organizations/leave

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.1.5 Listing the Roots of an Organization

Function

This API is used to list the roots of an organization. It can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{endpoint}/v1/organizations/roots

Table 4-9 Query Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---------|--------------------------------------|
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-10 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-11 Response body parameters

| Parameter | Type | Description |
|-----------|--|---|
| roots | Array of RootDto objects | List of roots defined in an organization. |
| page_info | PageInfoDto object | Pagination information. |

Table 4-12 RootDto

| Parameter | Type | Description |
|--------------|---|--|
| id | String | Unique ID of a root. |
| urn | String | Uniform resource name of the root. |
| name | String | Root name. |
| policy_types | Array of PolicyTypeSummaryDto objects | Policy types that are currently enabled for the root. The policies of these types can be attached to the root or to its OUs or accounts. |
| created_at | String | Time when a root was created. |

Table 4-13 PolicyTypeSummaryDto

| Parameter | Type | Description |
|-----------|--------|--|
| status | String | Status of the policy type associated with a root. To attach a policy of a specified type to a root or an OU or account in the root, the policy must be available in the organization and enabled for the root. |
| type | String | Name of a policy type. It can be service_control_policy or tag_policy. |

Table 4-14 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Listing the roots of an organization

GET <https://{endpoint}/v1/organizations/roots>

Example Responses

Status code: 200

Successful.

```
{  
  "roots" : {  
    "id" : "r-rpjghpbmumu2hffplsj5edt1z3vybb94",  
    "urn" : "organizations::0a6d25d23900d45c0faac010e0fb4de0:root:o-  
fhkmi6mek7wlqdp6nideqhb47qwtjds/r-rpjghpbmumu2hffplsj5edt1z3vybb94",  
    "name" : "root",  
    "policy_types" : [ {  
      "status" : "enabled",  
      "type" : "service_control_policy"  
    } ],  
    "created_at" : "2022-08-24T06:31:46Z"  
  },  
}
```

```
"page_info" : {  
    "next_marker" : "ou-taowxgy4xbme6m4x3c2iijbxw7yj8fcw",  
    "current_count" : 100  
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.2 Managing OUs

4.2.1 Creating an OU

Function

This API is used to create an OU in a root or a parent OU. An OU is a container of accounts. It enables you to group your accounts to apply policies based on your business requirements. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/organizational-units

Request Parameters

Table 4-15 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-16 Request body parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|---|
| name | Yes | String | Name to be assigned to the new OU. |
| parent_id | Yes | String | Unique ID of the root or OU in which you want to create a new OU. |

Response Parameters

Status code: 201

Table 4-17 Response body parameters

| Parameter | Type | Description |
|---------------------|------------------------------|---|
| organizational_unit | OrganizationalUnitDto object | Details about a newly created organizational unit (OU). |

Table 4-18 OrganizationalUnitDto

| Parameter | Type | Description |
|------------|--------|----------------------------------|
| id | String | Unique ID of an OU. |
| urn | String | Uniform resource name of the OU. |
| name | String | OU name. |
| created_at | String | Time when the OU was created. |

Example Requests

Creating an OU

```
POST https://{endpoint}/v1/organizations/organizational-units
{
  "name" : "autoOU0923152728692gqQc",
  "parent_id" : "ou-kz0blhszb6w9a2lzb",
  "tags" : [ {
    "key" : "keystring",
    "value" : "keystring"
  }]
}
```

Example Responses

Status code: 201

Successful

```
{  
    "organizational_unit": {  
        "id": "ou-fi0rv9bjgc6nifokh65jjo8c24fnujv",  
        "urn": "organizations::0a6d25d23900d45cfaac010e0fb4de0:ou:o-fkmi6mek7wlqdp6nideqhb47qwtjds/ou-fi0rv9bjgc6nifokh65jjo8c24fnujv",  
        "name": "autoOU0923152728692gqQc",  
        "created_at": "2022-09-23T07:27:28Z"  
    }  
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 201 | Successful |

Error Codes

See [Error Codes](#).

4.2.2 Listing OUs

Function

This API is used to list all OUs in an organization. If a parent OU is specified, this API will return a list of all the OUs contained in the specified parent OU. This API can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{endpoint}/v1/organizations/organizational-units

Table 4-19 Query Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---------|---|
| parent_id | No | String | Unique ID of the parent node (root OU or another OU). |
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-20 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-21 Response body parameters

| Parameter | Type | Description |
|----------------------|--|---------------------------------|
| organizational_units | Array of OrganizationalUnitDto objects | List of OUs in an organization. |
| page_info | PageInfoDto object | Pagination information. |

Table 4-22 OrganizationalUnitDto

| Parameter | Type | Description |
|------------|--------|----------------------------------|
| id | String | Unique ID of an OU. |
| urn | String | Uniform resource name of the OU. |
| name | String | OU name. |
| created_at | String | Time when the OU was created. |

Table 4-23 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Listing OUs

```
GET https://{endpoint}/v1/organizations/organizational-units
```

Example Responses

Status code: 200

Successful

```
{
  "organizational_units": [ {
    "id": "ou-taowxgy4xbme6m4x3c2iijbxw7yj8fcw",
    "urn": "organizations::0a6d25d23900d45c0faac010e0fb4de0:ou:o-fhkm6mek7wlqdp6nideqhb47qwtjds/ou-taowxgy4xbme6m4x3c2iijbxw7yj8fcw",
    "name": "autoOU0923152729270Pkgk",
    "created_at": "2022-09-23T07:27:28Z"
  }],
  "page_info": {
    "next_marker": "ou-taowxgy4xbme6m4x3c2iijbxw7yj8fcw",
    "current_count": 100
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful |

Error Codes

See [Error Codes](#).

4.2.3 Getting OU Information

Function

This API is used to get OU information. It can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://*{endpoint}*/v1/organizations/organizational-units/*{organizational_unit_id}*

Table 4-24 Path Parameters

| Parameter | Mandatory | Type | Description |
|------------------------|-----------|--------|---------------------|
| organizational_unit_id | Yes | String | Unique ID of an OU. |

Request Parameters

Table 4-25 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-26 Response body parameters

| Parameter | Type | Description |
|---------------------|--|---|
| organizational_unit | OrganizationalUnitDto object | Details about a newly created organizational unit (OU). |

Table 4-27 OrganizationalUnitDto

| Parameter | Type | Description |
|------------|--------|----------------------------------|
| id | String | Unique ID of an OU. |
| urn | String | Uniform resource name of the OU. |
| name | String | OU name. |
| created_at | String | Time when the OU was created. |

Example Requests

Getting OU Information

```
GET https://{endpoint}/v1/organizations/organizational-units/{organizational_unit_id}
```

Example Responses

Status code: 200

Successful

```
{  
    "organizational_unit": {  
        "id": "ou-taowxgy4xbme6m4x3c2iijbxw7yj8fcw",  
        "urn": "organizations::0a6d25d23900d45c0faac010e0fb4de0:ou:o-  
fhkmi6mek7wlqdp6nideqhb47qwtjds/ou-taowxgy4xbme6m4x3c2iijbxw7yj8fcw",  
        "name": "autoOU0923152729270Pkgk",  
        "created_at": "2022-09-23T07:27:28Z"  
    }  
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful |

Error Codes

See [Error Codes](#).

4.2.4 Renaming an OU

Function

This API is used to rename the specified OU. After an OU is renamed, its ID does not change, its child OUs and accounts remain in place, and any attached policies of the OU remain unchanged. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

PATCH https://{endpoint}/v1/organizations/organizational-units/
{organizational_unit_id}

Table 4-28 Path Parameters

| Parameter | Mandatory | Type | Description |
|------------------------|-----------|--------|---------------------|
| organizational_unit_id | Yes | String | Unique ID of an OU. |

Request Parameters

Table 4-29 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-30 Request body parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|------------------------------------|
| name | Yes | String | Name to be assigned to the new OU. |

Response Parameters

Status code: 200

Table 4-31 Response body parameters

| Parameter | Type | Description |
|---------------------|--|---|
| organizational_unit | OrganizationalUnitDto object | Details about a newly created organizational unit (OU). |

Table 4-32 OrganizationalUnitDto

| Parameter | Type | Description |
|------------|--------|----------------------------------|
| id | String | Unique ID of an OU. |
| urn | String | Uniform resource name of the OU. |
| name | String | OU name. |
| created_at | String | Time when the OU was created. |

Example Requests

Renaming an OU

```
PATCH https://{endpoint}/v1/organizations/organizational-units/{organizational_unit_id}  
{  
  "name" : "autoOU0923152728692gqQc"  
}
```

Example Responses

Status code: 200

Successful

```
{  
  "organizational_unit" : {  
    "id" : "ou-taowxgy4xbme6m4x3c2ijbxw7yj8fcw",  
    "urn" : "organizations::0a6d25d23900d45c0faac010e0fb4de0:ou:o-  
fhkmi6mek7wlqdp6nideqhb47qwtjds/ou-fi0rv9bjgc6nifokh65jjo8c24fnujv",  
    "name" : "autoOU0923152729270Pkgk",  
    "created_at" : "2022-09-23T07:27:28Z"  
  }  
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful |

Error Codes

See [Error Codes](#).

4.2.5 Deleting an OU

Function

This API is used to delete an OU from the root or another OU. Before deleting an OU, you must remove all member accounts from the OU or move them to

another OU, and also remove the child OUs from the OU. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

DELETE https://{endpoint}/v1/organizations/organizational-units/{organizational_unit_id}

Table 4-33 Path Parameters

| Parameter | Mandatory | Type | Description |
|------------------------|-----------|--------|---------------------|
| organizational_unit_id | Yes | String | Unique ID of an OU. |

Request Parameters

Table 4-34 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

None

Example Requests

Deleting an OU

DELETE https://{endpoint}/v1/organizations/organizational-units/{organizational_unit_id}

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 204 | Successful |

Error Codes

See [Error Codes](#).

4.3 Managing Accounts

4.3.1 Creating an account and adding it to your organization

Function

Create an account. The generated account will be automatically invited to the organization to which the account that calls this API belongs (in the invited state). It can be called only from the management account of the organization. The Organizations cloud service will create the required service association agency and account access agency in the new account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/accounts/add

Request Parameters

Table 4-35 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-36 Request body parameters

| Parameter | Mandatory | Type | Description |
|-------------|-----------|--------|---|
| name | Yes | String | Account name. |
| email | No | String | Email address, which is mandatory when an account is created on the international site. |
| phone | No | String | Mobile number, which is mandatory when an account is created on the Chinese mainland website. |
| agency_name | No | String | Agency name. |
| description | No | String | Description. |

Response Parameters

Status code: 202

Table 4-37 Response body parameters

| Parameter | Type | Description |
|-----------------------|---|---|
| create_account_status | CreateAccountStatusDto object | States of CreateAccount requests for an organization. |

Table 4-38 CreateAccountStatusDto

| Parameter | Type | Description |
|--------------|--------|--|
| account_id | String | Unique ID of the newly created account if any. |
| account_name | String | Account name. |
| completed_at | String | Date and time when the account was created and the request was completed. |
| created_at | String | Date and time when the CreateAccount request was made. |
| id | String | Unique ID of a request. You can get this value from the response to the initial CreateAccount request. |

| Parameter | Type | Description |
|--------------------|----------------------------------|---|
| state | String | Status of the asynchronous request for creating an account. |
| failure_reason | String | Reason for a request failure. |
| failure_detail_msg | failure_detail_msg object | Detailed cause of the request failure. |

Table 4-39 failure_detail_msg

| Parameter | Type | Description |
|-------------------------------|--------|---|
| error_msg | String | Transparently Transmitting Error Codes |
| encoded_authorization_message | String | Transparently Transmitting Authentication Failure Information |

Example Requests

Creating an account and adding it to your organization

```
POST https://{endpoint}/v1/organizations/accounts/add
```

```
{  
    "name" : "C9Qzukfn6FlyxAmC3dQclrwZW34UDu_rPSRrCQ4aGFm0-r1zC2RDHt5oHA-aY21B",  
    "tags" : [ {  
        "key" : "keystring",  
        "value" : "valuestring"  
    } ]  
}
```

Example Responses

Status code: 202

Successful

```
{  
    "create_account_status" : {  
        "account_id" : "0a6d25d23900d45c0faac010e0fb4de0",  
        "account_name" : "paas_iam_573331",  
        "completed_at" : "2022-08-24T06:41:15Z",  
        "created_at" : "2022-08-24T06:41:15Z",  
        "id" : "h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",  
        "state" : "in_progress",  
        "failure_reason" : "string"  
    }  
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 202 | Successful |

Error Codes

See [Error Codes](#).

4.3.2 Creating an Account

Function

This API is used to create an account. The generated account automatically becomes a member account of the organization holding the account that calls this API. This API can be called only from the organization's management account. The Organizations service creates the required service-linked agency and account-accessed agency in the new account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/accounts

Request Parameters

Table 4-40 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-41 Request body parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|---------------|
| name | Yes | String | Account name. |

| Parameter | Mandatory | Type | Description |
|-------------|-----------|--------|---|
| email | No | String | Email address, which is mandatory when an account is created on the international site. |
| phone | No | String | Mobile number, which is mandatory when an account is created on the Chinese mainland website. |
| agency_name | No | String | Agency name. |
| description | No | String | Description. |

Response Parameters

Status code: 202

Table 4-42 Response body parameters

| Parameter | Type | Description |
|-----------------------|---|---|
| create_account_status | CreateAccountStatusDto object | States of CreateAccount requests for an organization. |

Table 4-43 CreateAccountStatusDto

| Parameter | Type | Description |
|----------------|--------|--|
| account_id | String | Unique ID of the newly created account if any. |
| account_name | String | Account name. |
| completed_at | String | Date and time when the account was created and the request was completed. |
| created_at | String | Date and time when the CreateAccount request was made. |
| id | String | Unique ID of a request. You can get this value from the response to the initial CreateAccount request. |
| state | String | Status of the asynchronous request for creating an account. |
| failure_reason | String | Reason for a request failure. |

| Parameter | Type | Description |
|--------------------|---|--|
| failure_detail_msg | failure_detail_ms g object | Detailed cause of the request failure. |

Table 4-44 failure_detail_msg

| Parameter | Type | Description |
|-------------------------------|--------|---|
| error_msg | String | Transparently Transmitting Error Codes |
| encoded_authorization_message | String | Transparently Transmitting Authentication Failure Information |

Example Requests

Creating an account

```
POST https://{endpoint}/v1/organizations/accounts
{
  "name" : "C9Qzukfn6FlyxAmC3dQclrwZW34UDu_rPSRrCQ4aGFm0-r1zC2RDHt5oHA-aY21B",
  "tags" : [ {
    "key" : "keystring",
    "value" : "valuestring"
  } ]
}
```

Example Responses

Status code: 202

Successful

```
{
  "create_account_status" : {
    "account_id" : "0a6d25d23900d45c0faac010e0fb4de0",
    "account_name" : "paas_iam_573331",
    "completed_at" : "2022-08-24T06:41:15Z",
    "created_at" : "2022-08-24T06:41:15Z",
    "id" : "h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",
    "state" : "in_progress",
    "failure_reason" : "string"
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 202 | Successful |

Error Codes

See [Error Codes](#).

4.3.3 Listing Accounts in an Organization

Function

This API is used to list all the accounts in an organization. It can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service. If a parent OU is specified, this API will return a list of all the accounts contained in the specified parent OU.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://[{endpoint}](#)/v1/organizations/accounts

Table 4-45 Query Parameters

| Parameter | Mandatory | Type | Description |
|----------------------------|-----------|---------|--|
| parent_id | No | String | Unique ID of the parent node (root OU or another OU). |
| with_register_contact_info | No | Boolean | Whether to return email addresses and mobile numbers associated with the account. If True is returned, the maximum number of entries allowed is 200. |
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-46 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-47 Response body parameters

| Parameter | Type | Description |
|-----------|---|--------------------------------------|
| accounts | Array of AccountDto objects | List of accounts in an organization. |
| page_info | PageInfoDto object | Pagination information. |

Table 4-48 AccountDto

| Parameter | Type | Description |
|--------------------|--------|--|
| id | String | Unique ID of an account. |
| urn | String | Uniform resource name of the account. |
| join_method | String | How an account joined an organization. |
| status | String | Account status. It can be active, suspended, or pending_closure. |
| joined_at | String | Date when an account joined an organization. |
| name | String | Account name. |
| mobile_phone | String | Mobile number. |
| intl_number_prefix | String | Prefix of a mobile number. |

| Parameter | Type | Description |
|-------------|--------|--|
| email | String | Email address associated with the account. |
| description | String | Description. |

Table 4-49 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Listing Accounts in an Organization

```
GET https://{endpoint}/v1/organizations/accounts
```

Example Responses

Status code: 200

Successful.

```
{
  "accounts" : [ {
    "id" : "05261f923e80d3890f33c0056e9b3f80",
    "urn" : "organizations::0a6d25d23900d45c0faac010e0fb4de0:account:o-fhkmi6mek7wlqdp6nideqhb47qwtjds/05261f923e80d3890f33c0056e9b3f80",
    "join_method" : "invited",
    "joined_at" : "2022-08-24T06:41:15Z",
    "name" : "paas_iam_573331",
    "status" : "active",
    "mobile_phone" : "null",
    "intl_number_prefix" : "null",
    "email" : null
  }],
  "page_info" : {
    "next_marker" : "ou-taowxgy4xbme6m4x3c2ijbxw7yj8fcw",
    "current_count" : 100
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.3.4 Closing an Account

Function

This API is used to close an account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/accounts/{account_id}/close

Table 4-50 Path Parameters

| Parameter | Mandatory | Type | Description |
|------------|-----------|--------|--------------------------|
| account_id | Yes | String | Unique ID of an account. |

Request Parameters

Table 4-51 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

None

Example Requests

Closing an account

```
POST https://{{endpoint}}/v1/organizations/accounts/{{account_id}}/close
```

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.3.5 Getting Account Information

Function

This API is used to get the information about the specified account. It can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

```
GET https://{{endpoint}}/v1/organizations/accounts/{{account_id}}
```

Table 4-52 Path Parameters

| Parameter | Mandatory | Type | Description |
|------------|-----------|--------|--------------------------|
| account_id | Yes | String | Unique ID of an account. |

Table 4-53 Query Parameters

| Parameter | Mandatory | Type | Description |
|----------------------------|-----------|---------|--|
| with_register_contact_info | No | Boolean | Whether to return email addresses and mobile numbers associated with the account. If True is returned, the maximum number of entries allowed is 200. |

Request Parameters

Table 4-54 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-55 Response body parameters

| Parameter | Type | Description |
|-----------|-----------------------------------|---|
| account | AccountDto object | Information about the member accounts in an organization. |

Table 4-56 AccountDto

| Parameter | Type | Description |
|-------------|--------|--|
| id | String | Unique ID of an account. |
| urn | String | Uniform resource name of the account. |
| join_method | String | How an account joined an organization. |
| status | String | Account status. It can be active, suspended, or pending_closure. |

| Parameter | Type | Description |
|--------------------|--------|--|
| joined_at | String | Date when an account joined an organization. |
| name | String | Account name. |
| mobile_phone | String | Mobile number. |
| intl_number_prefix | String | Prefix of a mobile number. |
| email | String | Email address associated with the account. |
| description | String | Description. |

Example Requests

Getting Account Information

```
GET https://{endpoint}/v1/organizations/accounts/{account_id}
```

Example Responses

Status code: 200

Successful.

```
{
  "account": {
    "id": "05261f923e80d3890f33c0056e9b3f80",
    "urn": "organizations::0a6d25d23900d45c0faac010e0fb4de0:account:o-fhkmi6mek7wlqdp6nideqhb47qwtjds/05261f923e80d3890f33c0056e9b3f80",
    "join_method": "invited",
    "status": "active",
    "joined_at": "2022-08-24T06:41:15Z",
    "name": "paas_iam_573331",
    "description": "string",
    "mobile_phone": "null",
    "intl_number_prefix": "null",
    "email": null
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.3.6 Updating an Account

Function

This API is used to update an account. It can be called only from the management account of the organization.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

PATCH https://{{endpoint}}/v1/organizations/accounts/{{account_id}}

Table 4-57 Path Parameters

| Parameter | Mandatory | Type | Description |
|------------|-----------|--------|--------------------------|
| account_id | Yes | String | Unique ID of an account. |

Request Parameters

Table 4-58 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-59 Request body parameters

| Parameter | Mandatory | Type | Description |
|-------------|-----------|--------|--|
| description | No | String | Description. If you set the parameter to an empty string, the description is empty. If you set it to NULL, no operations are required. |

Response Parameters

Status code: 200

Table 4-60 Response body parameters

| Parameter | Type | Description |
|-----------|-----------------------------------|---|
| account | AccountDto object | Information about the member accounts in an organization. |

Table 4-61 AccountDto

| Parameter | Type | Description |
|--------------------|--------|--|
| id | String | Unique ID of an account. |
| urn | String | Uniform resource name of the account. |
| join_method | String | How an account joined an organization. |
| status | String | Account status. It can be active, suspended, or pending_closure. |
| joined_at | String | Date when an account joined an organization. |
| name | String | Account name. |
| mobile_phone | String | Mobile number. |
| intl_number_prefix | String | Prefix of a mobile number. |
| email | String | Email address associated with the account. |
| description | String | Description. |

Example Requests

Updating an account

```
PATCH https://{endpoint}/v1/organizations/accounts/{account_id}  
{  
    "description" : "string"  
}
```

Example Responses

Status code: 200

Successful

```
{  
    "account" : {  
        "id" : "05261f923e80d3890f33c0056e9b3f80",  
        "name" : "string",  
        "status" : "active",  
        "description" : "string",  
        "joined_at" : "2025-03-03T12:00:00Z",  
        "mobile_phone" : "string",  
        "intl_number_prefix" : "string",  
        "email" : "string",  
        "description" : "string"  
    }  
}
```

```
        "urn" : "organizations::0a6d25d23900d45c0faac010e0fb4de0:account:o-fhkmi6mek7wlqdp6nideqhb47qwtjds/05261f923e80d3890f33c0056e9b3f80",
        "join_method" : "invited",
        "status" : "active",
        "joined_at" : "2022-08-24T06:41:15Z",
        "name" : "paas_iam_573331",
        "description" : "string"
    }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful |

Error Codes

See [Error Codes](#).

4.3.7 Removing the Specified Account

Function

This API is used to remove the specified account from an organization. The removed account becomes a standalone account that is not a member account of any organization. This API can be called only from the organization's management account. You can remove an account from an organization only if the account is configured with the information required to operate as a standalone account. The account you want to remove must not be a delegated administrator account for any cloud service enabled for your organization.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/accounts/{account_id}/remove

Table 4-62 Path Parameters

| Parameter | Mandatory | Type | Description |
|------------|-----------|--------|--------------------------|
| account_id | Yes | String | Unique ID of an account. |

Request Parameters

Table 4-63 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

None

Example Requests

Removing the Specified Account

```
POST https://{endpoint}/v1/organizations/accounts/{account_id}/remove
```

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.3.8 Moving an Account

Function

This API is used to move an account from its current source location (root or OU) to the specified destination location (root or OU).

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/accounts/{account_id}/move

Table 4-64 Path Parameters

| Parameter | Mandatory | Type | Description |
|------------|-----------|--------|--------------------------|
| account_id | Yes | String | Unique ID of an account. |

Request Parameters

Table 4-65 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-66 Request body parameters

| Parameter | Mandatory | Type | Description |
|-----------------------|-----------|--------|--|
| source_parent_id | Yes | String | Unique ID of the root or OU which you want to move the account from. |
| destination_parent_id | Yes | String | Unique ID of the root or OU which you want to move the account to. |

Response Parameters

None

Example Requests

Moving an account

POST https://{endpoint}/v1/organizations/accounts/{account_id}/move

```
{  
    "source_parent_id" : "r-upg5m6wbw042",  
    "destination_parent_id" : "ou-a6bjn4hat8o2txs5wduj19unte80"  
}
```

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.3.9 Inviting an Account to Join an Organization

Function

This API is used to send an invitation to another account. The invited account will join your organization as a member account. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/accounts/invite

Request Parameters

Table 4-67 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-68 Request body parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|------------------|--|
| target | Yes | TargetDto object | ID of the account that you want to invite to join your organization. |
| notes | Yes | String | Additional information that you want to include in the email to the recipient account owner. |

Table 4-69 TargetDto

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|--|
| type | Yes | String | Target type. It can be account ID or name. |
| entity | Yes | String | If you choose type:account, you must provide the account ID. If you choose type:name, you must specify the account name. |

Response Parameters

Status code: 200

Table 4-70 Response body parameters

| Parameter | Type | Description |
|-----------|---------------------|--|
| handshake | HandshakeDto object | Information to be exchanged between two accounts (sender and receiver) for establishing a secure relationship. For example, when a management account (the sender) invites another account (the receiver) to join its organization, the two accounts exchange information as a series of invitation (handshake) requests and responses, which are contained in this structure. |

Table 4-71 HandshakeDto

| Parameter | Type | Description |
|-------------------------|----------------------------------|--|
| id | String | Unique ID of an invitation (handshake). The originating account creates the ID when initiating the invitation (handshake). |
| urn | String | Uniform resource name of the invitation (handshake). |
| updated_at | String | Date and time when an invitation (handshake) request was accepted, canceled, declined, or expired. |
| created_at | String | Date and time when an invitation (handshake) request was made. |
| expired_at | String | The date and time the invitation (handshake) expires. |
| management_account_id | String | Unique ID of the organization's management account. |
| management_account_name | String | Name of the organization's management account. |
| organization_id | String | Unique ID of an organization. |
| notes | String | Additional information that you want to include in the email to the recipient account owner. |
| target | TargetDto object | ID of the account that you want to invite to join your organization. |
| status | String | Current state of the invitation (handshake). It can be pending, accepted, cancelled, declined, or expired. |

Table 4-72 TargetDto

| Parameter | Type | Description |
|-----------|--------|--|
| type | String | Target type. It can be account ID or name. |
| entity | String | If you choose type:account, you must provide the account ID. If you choose type:name, you must specify the account name. |

Example Requests

Inviting an account to join an organization

```
POST https://{{endpoint}}/v1/organizations/accounts/invite
```

```
{  
    "target": {  
        "type": "account",  
        "entity": "05c734152f00d4200f2bc0179ac6c5e0"  
    },  
    "notes": "test-notes",  
    "tags": [ {  
        "key": "keystring",  
        "value": "valuestring"  
    } ]  
}
```

Example Responses

Status code: 200

Successful.

```
{  
    "handshake": {  
        "id": "h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",  
        "urn": "organizations::0a6d25d23900d45c0faac010e0fb4de0:policy:o-fhkmi6mek7wlqdp6nideqhb47qwtjds/service_control_policy/p-b4wpejd02o66g0pvfinvsatp4t9krfum",  
        "updated_at": "2022-08-25T08:11:53Z",  
        "created_at": "2022-08-25T08:11:20Z",  
        "expired_at": "2022-09-08T08:11:20Z",  
        "management_account_id": "0a6d25d23900d45c0faac010e0fb4de0",  
        "management_account_name": "paas_iam_573331",  
        "organization_id": "o-fhkmi6mek7wlqdp6nideqhb47qwtjds",  
        "notes": "test-notes",  
        "target": {  
            "type": "account",  
            "entity": "05c734152f00d4200f2bc0179ac6c5e0"  
        },  
        "status": "pending"  
    }  
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.3.10 Querying Account Creation Requests in Specified State

Function

This API is used to query the account creation requests in the specified state for an organization. This API can be called only from the organization's management account or a delegated administrator account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://[{endpoint}](#)/v1/organizations/create-account-status

Table 4-73 Query Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|------------------|---|
| states | No | Array of strings | List of one or more states that you want to include in the response. If this parameter is not present, all requests are included in the response. |
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-74 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-75 Response body parameters

| Parameter | Type | Description |
|-------------------------|---|--|
| create_account_statuses | Array of CreateAccountStatusDto objects | List of objects with details about the requests. |
| page_info | PageInfoDto object | Pagination information. |

Table 4-76 CreateAccountStatusDto

| Parameter | Type | Description |
|--------------------|---|--|
| account_id | String | Unique ID of the newly created account if any. |
| account_name | String | Account name. |
| completed_at | String | Date and time when the account was created and the request was completed. |
| created_at | String | Date and time when the CreateAccount request was made. |
| id | String | Unique ID of a request. You can get this value from the response to the initial CreateAccount request. |
| state | String | Status of the asynchronous request for creating an account. |
| failure_reason | String | Reason for a request failure. |
| failure_detail_msg | failure_detail_msg object | Detailed cause of the request failure. |

Table 4-77 failure_detail_msg

| Parameter | Type | Description |
|-------------------------------|--------|---|
| error_msg | String | Transparently Transmitting Error Codes |
| encoded_authorization_message | String | Transparently Transmitting Authentication Failure Information |

Table 4-78 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Querying account creation requests in the specified state

```
GET https://{endpoint}/v1/organizations/create-account-status
```

Example Responses

Status code: 200

Successful

```
{
  "create_account_statuses": [
    {
      "account_id": "0a6d25d23900d45c0faac010e0fb4de0",
      "account_name": "paas_iam_57331",
      "completed_at": "2022-08-24T06:41:15Z",
      "created_at": "2022-08-24T06:41:15Z",
      "id": "h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",
      "state": "in_progress",
      "failure_reason": "string"
    }
  ],
  "page_info": {
    "next_marker": "ou-taowxgy4xbme6m4x3c2iijbxw7yj8fcw",
    "current_count": 100
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful |

Error Codes

See [Error Codes](#).

4.3.11 Querying Account Creation Status

Function

This API is used to query the status of the asynchronous request to create an account. This API can be called only from the organization's management account or a delegated administrator account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://*{endpoint}*/v1/organizations/create-account-status/
{create_account_status_id}

Table 4-79 Path Parameters

| Parameter | Mandatory | Type | Description |
|--------------------------|-----------|--------|--|
| create_account_status_id | Yes | String | ID value that uniquely identifies a CreateAccount request. |

Request Parameters

Table 4-80 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-81 Response body parameters

| Parameter | Type | Description |
|-----------------------|---|---|
| create_account_status | CreateAccountStatusDto object | States of CreateAccount requests for an organization. |

Table 4-82 CreateAccountStatusDto

| Parameter | Type | Description |
|--------------------|---------------------------------------|--|
| account_id | String | Unique ID of the newly created account if any. |
| account_name | String | Account name. |
| completed_at | String | Date and time when the account was created and the request was completed. |
| created_at | String | Date and time when the CreateAccount request was made. |
| id | String | Unique ID of a request. You can get this value from the response to the initial CreateAccount request. |
| state | String | Status of the asynchronous request for creating an account. |
| failure_reason | String | Reason for a request failure. |
| failure_detail_msg | failure_detail_ms g object | Detailed cause of the request failure. |

Table 4-83 failure_detail_msg

| Parameter | Type | Description |
|-------------------------------|--------|---|
| error_msg | String | Transparently Transmitting Error Codes |
| encoded_authorization_message | String | Transparently Transmitting Authentication Failure Information |

Example Requests

Querying account creation status

```
GET https://{endpoint}/v1/organizations/create-account-status/{create_account_status_id}
```

Example Responses

Status code: 200

Successful

```
{  
    "create_account_status" : {  
        "account_id" : "0a6d25d23900d45c0faac010e0fb4de0",  
        "account_name" : "paas_iam_573331",  
        "completed_at" : "2022-08-24T06:41:15Z",  
        "created_at" : "2022-08-24T06:41:15Z",  
        "id" : "h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",  
    }  
}
```

```
        "state" : "in_progress",
        "failure_reason" : "string"
    }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful |

Error Codes

See [Error Codes](#).

4.3.12 Querying CloseAccount Requests in Specified State

Function

This API is used to query the CloseAccount requests in the specified state for an organization. This API can be called only from the organization's management account or a delegated administrator account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{endpoint}/v1/organizations/close-account-status

Table 4-84 Query Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|------------------|---|
| states | No | Array of strings | List of one or more states that you want to include in the response. If this parameter is not present, all requests are included in the response. |

Request Parameters

Table 4-85 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-86 Response body parameters

| Parameter | Type | Description |
|------------------------|--|--|
| close_account_statuses | Array of CloseAccountStatusDto objects | List of objects with details about the requests. |

Table 4-87 CloseAccountStatusDto

| Parameter | Type | Description |
|-----------------|--------|---|
| account_id | String | Unique ID of an account. |
| created_at | String | Date and time when the CloseAccount request was made. |
| updated_at | String | Date and time when the status of CloseAccount request was updated. |
| organization_id | String | Unique ID of an organization. |
| state | String | Status of the CloseAccount request. pending_closure indicates that the account is being closed. suspended indicates that the account has been closed. |
| failure_reason | String | Reason for a request failure. |

Example Requests

Querying CloseAccount requests in the specified state

GET https://{endpoint}/v1/organizations/close-account-status

Example Responses

Status code: 200

Successful

```
{  
  "close_account_statuses": [  
    {  
      "account_id": "0a6d25d23900d45c0faac010e0fb4de0",  
      "updated_at": "2022-08-24T06:41:15Z",  
      "created_at": "2022-08-24T06:41:15Z",  
      "organization_id": "o-awjp43m7bz3b8jgy5v61jrfwakt3og8w",  
      "state": "pending_closure",  
      "failure_reason": "string"  
    }  
  ]  
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful |

Error Codes

See [Error Codes](#).

4.4 Managing Invitations

4.4.1 Getting Invitation Information

Function

This API is used to get the information about existing invitations in an organization.

It can be called by all accounts in an organization.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{endpoint}/v1/organizations/handshakes/{handshake_id}

Table 4-88 Path Parameters

| Parameter | Mandatory | Type | Description |
|--------------|-----------|--------|--|
| handshake_id | Yes | String | Unique ID of an invitation. The originating account creates the ID when initiating the invitation. |

Request Parameters

Table 4-89 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-90 Response body parameters

| Parameter | Type | Description |
|-----------|-------------------------------------|--|
| handshake | HandshakeDto object | Information to be exchanged between two accounts (sender and receiver) for establishing a secure relationship. For example, when a management account (the sender) invites another account (the receiver) to join its organization, the two accounts exchange information as a series of invitation (handshake) requests and responses, which are contained in this structure. |

Table 4-91 HandshakeDto

| Parameter | Type | Description |
|-------------------------|------------------|--|
| id | String | Unique ID of an invitation (handshake). The originating account creates the ID when initiating the invitation (handshake). |
| urn | String | Uniform resource name of the invitation (handshake). |
| updated_at | String | Date and time when an invitation (handshake) request was accepted, canceled, declined, or expired. |
| created_at | String | Date and time when an invitation (handshake) request was made. |
| expired_at | String | The date and time the invitation (handshake) expires. |
| management_account_id | String | Unique ID of the organization's management account. |
| management_account_name | String | Name of the organization's management account. |
| organization_id | String | Unique ID of an organization. |
| notes | String | Additional information that you want to include in the email to the recipient account owner. |
| target | TargetDto object | ID of the account that you want to invite to join your organization. |
| status | String | Current state of the invitation (handshake). It can be pending, accepted, cancelled, declined, or expired. |

Table 4-92 TargetDto

| Parameter | Type | Description |
|-----------|--------|--|
| type | String | Target type. It can be account ID or name. |
| entity | String | If you choose type:account, you must provide the account ID. If you choose type:name, you must specify the account name. |

Example Requests

Getting invitation information

```
GET https://{endpoint}/v1/organizations/handshakes/{handshake_id}
```

Example Responses

Status code: 200

Successful.

```
{
  "handshake" : {
    "id" : "h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",
    "urn" : "organizations::0a6d25d23900d45c0faac010e0fb4de0:handshake:o-fhkm6mek7wlqdp6nideqhb47qwtjds/h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",
    "updated_at" : "2022-08-25T08:11:53Z",
    "created_at" : "2022-08-25T08:11:20Z",
    "expired_at" : "2022-09-08T08:11:20Z",
    "management_account_id" : "0a6d25d23900d45c0faac010e0fb4de0",
    "management_account_name" : "paas_iam_573331",
    "organization_id" : "o-fhkm6mek7wlqdp6nideqhb47qwtjds",
    "notes" : "test-notes",
    "target" : {
      "type" : "account",
      "entity" : "05c734152f00d4200f2bc0179ac6c5e0"
    },
    "status" : "pending"
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.4.2 Accepting an Invitation

Function

This API is used to accept an invitation to join an organization. After you accept an invitation, the invitation information continues to appear in the results of relevant APIs for 30 days.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/received-handshakes/{handshake_id}/accept

Table 4-93 Path Parameters

| Parameter | Mandatory | Type | Description |
|--------------|-----------|--------|--|
| handshake_id | Yes | String | Unique ID of an invitation. The originating account creates the ID when initiating the invitation. |

Request Parameters

Table 4-94 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-95 Response body parameters

| Parameter | Type | Description |
|-----------|-------------------------------------|--|
| handshake | HandshakeDto object | Information to be exchanged between two accounts (sender and receiver) for establishing a secure relationship. For example, when a management account (the sender) invites another account (the receiver) to join its organization, the two accounts exchange information as a series of invitation (handshake) requests and responses, which are contained in this structure. |

Table 4-96 HandshakeDto

| Parameter | Type | Description |
|-------------------------|------------------|--|
| id | String | Unique ID of an invitation (handshake). The originating account creates the ID when initiating the invitation (handshake). |
| urn | String | Uniform resource name of the invitation (handshake). |
| updated_at | String | Date and time when an invitation (handshake) request was accepted, canceled, declined, or expired. |
| created_at | String | Date and time when an invitation (handshake) request was made. |
| expired_at | String | The date and time the invitation (handshake) expires. |
| management_account_id | String | Unique ID of the organization's management account. |
| management_account_name | String | Name of the organization's management account. |
| organization_id | String | Unique ID of an organization. |
| notes | String | Additional information that you want to include in the email to the recipient account owner. |
| target | TargetDto object | ID of the account that you want to invite to join your organization. |
| status | String | Current state of the invitation (handshake). It can be pending, accepted, cancelled, declined, or expired. |

Table 4-97 TargetDto

| Parameter | Type | Description |
|-----------|--------|--|
| type | String | Target type. It can be account ID or name. |
| entity | String | If you choose type:account, you must provide the account ID. If you choose type:name, you must specify the account name. |

Example Requests

Accepting an invitation

```
POST https://[endpoint]/v1/received-handshakes/{handshake_id}/accept
```

Example Responses

Status code: 200

Successful.

```
{  
  "handshake" : {  
    "id" : "h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",  
    "urn" : "organizations::0a6d25d23900d45c0faac010e0fb4de0:handshake:o-fhkmi6mek7wlqdp6nideqhb47qwtjds/h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",  
    "updated_at" : "2022-08-25T08:11:53Z",  
    "created_at" : "2022-08-25T08:11:20Z",  
    "expired_at" : "2022-09-08T08:11:20Z",  
    "management_account_id" : "0a6d25d23900d45c0faac010e0fb4de0",  
    "management_account_name" : "paas_iam_573331",  
    "organization_id" : "o-fhkmi6mek7wlqdp6nideqhb47qwtjds",  
    "notes" : "test-notes",  
    "target" : {  
      "type" : "account",  
      "entity" : "05c734152f00d4200f2bc0179ac6c5e0"  
    },  
    "status" : "accepted"  
  }  
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.4.3 Declining an Invitation

Function

This API is used to decline an invitation to join an organization. This sets the invitation state to Declined and deactivates the invitation. This API can be called only from the account that received the invitation. The invitation initiator cannot re-activate a declined invitation but can re-initiate a new invitation.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/received-handshakes/{handshake_id}/decline

Table 4-98 Path Parameters

| Parameter | Mandatory | Type | Description |
|--------------|-----------|--------|--|
| handshake_id | Yes | String | Unique ID of an invitation. The originating account creates the ID when initiating the invitation. |

Request Parameters

Table 4-99 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-100 Response body parameters

| Parameter | Type | Description |
|-----------|-------------------------------------|--|
| handshake | HandshakeDto object | Information to be exchanged between two accounts (sender and receiver) for establishing a secure relationship. For example, when a management account (the sender) invites another account (the receiver) to join its organization, the two accounts exchange information as a series of invitation (handshake) requests and responses, which are contained in this structure. |

Table 4-101 HandshakeDto

| Parameter | Type | Description |
|-------------------------|------------------|--|
| id | String | Unique ID of an invitation (handshake). The originating account creates the ID when initiating the invitation (handshake). |
| urn | String | Uniform resource name of the invitation (handshake). |
| updated_at | String | Date and time when an invitation (handshake) request was accepted, canceled, declined, or expired. |
| created_at | String | Date and time when an invitation (handshake) request was made. |
| expired_at | String | The date and time the invitation (handshake) expires. |
| management_account_id | String | Unique ID of the organization's management account. |
| management_account_name | String | Name of the organization's management account. |
| organization_id | String | Unique ID of an organization. |
| notes | String | Additional information that you want to include in the email to the recipient account owner. |
| target | TargetDto object | ID of the account that you want to invite to join your organization. |
| status | String | Current state of the invitation (handshake). It can be pending, accepted, cancelled, declined, or expired. |

Table 4-102 TargetDto

| Parameter | Type | Description |
|-----------|--------|--|
| type | String | Target type. It can be account ID or name. |
| entity | String | If you choose type:account, you must provide the account ID. If you choose type:name, you must specify the account name. |

Example Requests

Declining an invitation

```
POST https://{endpoint}/v1/received-handshakes/{handshake_id}/decline
```

Example Responses

Status code: 200

Successful.

```
{
  "handshake" : {
    "id" : "h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",
    "urn" : "organizations::0a6d25d23900d45c0faac010e0fb4de0:handshake:o-fhkmi6mek7wlqdp6nideqhb47qwtjds/h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",
    "updated_at" : "2022-08-25T08:11:53Z",
    "created_at" : "2022-08-25T08:11:20Z",
    "expired_at" : "2022-09-08T08:11:20Z",
    "management_account_id" : "0a6d25d23900d45c0faac010e0fb4de0",
    "management_account_name" : "paas_iam_573331",
    "organization_id" : "o-fhkmi6mek7wlqdp6nideqhb47qwtjds",
    "notes" : "test-notes",
    "target" : {
      "type" : "account",
      "entity" : "05c734152f00d4200f2bc0179ac6c5e0"
    },
    "status" : "declined"
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.4.4 Canceling an Invitation

Function

This API is used to cancel an invitation. This sets the invitation state to Canceled. This API can be called only from the account that initiated the invitation. After you cancel an invitation, the invitation information continues to appear in the results of relevant APIs for 30 days.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/handshakes/{handshake_id}/cancel

Table 4-103 Path Parameters

| Parameter | Mandatory | Type | Description |
|--------------|-----------|--------|--|
| handshake_id | Yes | String | Unique ID of an invitation. The originating account creates the ID when initiating the invitation. |

Request Parameters

Table 4-104 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-105 Response body parameters

| Parameter | Type | Description |
|-----------|-------------------------------------|--|
| handshake | HandshakeDto object | Information to be exchanged between two accounts (sender and receiver) for establishing a secure relationship. For example, when a management account (the sender) invites another account (the receiver) to join its organization, the two accounts exchange information as a series of invitation (handshake) requests and responses, which are contained in this structure. |

Table 4-106 HandshakeDto

| Parameter | Type | Description |
|-------------------------|------------------|--|
| id | String | Unique ID of an invitation (handshake). The originating account creates the ID when initiating the invitation (handshake). |
| urn | String | Uniform resource name of the invitation (handshake). |
| updated_at | String | Date and time when an invitation (handshake) request was accepted, canceled, declined, or expired. |
| created_at | String | Date and time when an invitation (handshake) request was made. |
| expired_at | String | The date and time the invitation (handshake) expires. |
| management_account_id | String | Unique ID of the organization's management account. |
| management_account_name | String | Name of the organization's management account. |
| organization_id | String | Unique ID of an organization. |
| notes | String | Additional information that you want to include in the email to the recipient account owner. |
| target | TargetDto object | ID of the account that you want to invite to join your organization. |
| status | String | Current state of the invitation (handshake). It can be pending, accepted, cancelled, declined, or expired. |

Table 4-107 TargetDto

| Parameter | Type | Description |
|-----------|--------|--|
| type | String | Target type. It can be account ID or name. |
| entity | String | If you choose type:account, you must provide the account ID. If you choose type:name, you must specify the account name. |

Example Requests

Cancelling an invitation

```
POST https://{endpoint}/v1/organizations/handshakes/{handshake_id}/cancel
```

Example Responses

Status code: 200

Successful.

```
{
  "handshake": {
    "id": "h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",
    "urn": "organizations::0a6d25d23900d45c0faac010e0fb4de0:handshake:o-fhkmi6mek7wlqdp6nideqhb47qwtjds/h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",
    "updated_at": "2022-08-25T08:11:53Z",
    "created_at": "2022-08-25T08:11:20Z",
    "expired_at": "2022-09-08T08:11:20Z",
    "management_account_id": "0a6d25d23900d45c0faac010e0fb4de0",
    "management_account_name": "paas_iam_573331",
    "organization_id": "o-fhkmi6mek7wlqdp6nideqhb47qwtjds",
    "notes": "test-notes",
    "target": {
      "type": "account",
      "entity": "05c734152f00d4200f2bc0179ac6c5e0"
    },
    "status": "cancelled"
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.4.5 Listing Received Invitations

Function

This API is used to list all the invitations associated with the specified account. It can be called by any account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{endpoint}/v1/received-handshakes

Table 4-108 Query Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---------|--------------------------------------|
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-109 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-110 Response body parameters

| Parameter | Type | Description |
|------------|--------------------------------------|---|
| handshakes | Array of HandshakeDto objects | List of invitation (handshake) objects with details about each of the invitations (handshakes) associated with the specified account. |
| page_info | PageInfoDto object | Pagination information. |

Table 4-111 HandshakeDto

| Parameter | Type | Description |
|-------------------------|------------------|--|
| id | String | Unique ID of an invitation (handshake). The originating account creates the ID when initiating the invitation (handshake). |
| urn | String | Uniform resource name of the invitation (handshake). |
| updated_at | String | Date and time when an invitation (handshake) request was accepted, canceled, declined, or expired. |
| created_at | String | Date and time when an invitation (handshake) request was made. |
| expired_at | String | The date and time the invitation (handshake) expires. |
| management_account_id | String | Unique ID of the organization's management account. |
| management_account_name | String | Name of the organization's management account. |
| organization_id | String | Unique ID of an organization. |
| notes | String | Additional information that you want to include in the email to the recipient account owner. |
| target | TargetDto object | ID of the account that you want to invite to join your organization. |
| status | String | Current state of the invitation (handshake). It can be pending, accepted, cancelled, declined, or expired. |

Table 4-112 TargetDto

| Parameter | Type | Description |
|-----------|--------|--|
| type | String | Target type. It can be account ID or name. |
| entity | String | If you choose type:account, you must provide the account ID. If you choose type:name, you must specify the account name. |

Table 4-113 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Listing received invitations

```
GET https://{endpoint}/v1/received-handshakes
```

Example Responses

Status code: 200

Successful.

```
{
  "handshakes": [
    {
      "id": "h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",
      "urn": "organizations::0a6d25d23900d45c0faac010e0fb4de0:handshake:o-fhkmi6mek7wlqdp6nideqhb47qwtjds/h-awjp43m7bz3b8jgy5v61jrfwakt3og8w",
      "updated_at": "2022-08-25T08:11:53Z",
      "created_at": "2022-08-25T08:11:20Z",
      "expired_at": "2022-09-08T08:11:20Z",
      "management_account_id": "0a6d25d23900d45c0faac010e0fb4de0",
      "management_account_name": "paas_iam_57331",
      "organization_id": "o-fhkmi6mek7wlqdp6nideqhb47qwtjds",
      "notes": "test-notes",
      "target": {
        "type": "account",
        "entity": "05c734152f00d4200f2bc0179ac6c5e0"
      },
      "status": "pending"
    }
  ],
  "page_info": {
    "next_marker": "ou-taowxgy4xbme6m4x3c2iijbxw7yj8fcw",
    "current_count": 100
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.4.6 Listing Sent Invitations

Function

This API is used to list all the invitations sent by an organization. It can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://[{endpoint}](#)/v1/organizations/handshakes

Table 4-114 Query Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---------|--------------------------------------|
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-115 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-116 Response body parameters

| Parameter | Type | Description |
|------------|---|---|
| handshakes | Array of HandshakeDto objects | List of invitation (handshake) objects with details about each of the invitations (handshakes) associated with the specified account. |
| page_info | PageInfoDto object | Pagination information. |

Table 4-117 HandshakeDto

| Parameter | Type | Description |
|-------------------------|----------------------------------|--|
| id | String | Unique ID of an invitation (handshake). The originating account creates the ID when initiating the invitation (handshake). |
| urn | String | Uniform resource name of the invitation (handshake). |
| updated_at | String | Date and time when an invitation (handshake) request was accepted, canceled, declined, or expired. |
| created_at | String | Date and time when an invitation (handshake) request was made. |
| expired_at | String | The date and time the invitation (handshake) expires. |
| management_account_id | String | Unique ID of the organization's management account. |
| management_account_name | String | Name of the organization's management account. |
| organization_id | String | Unique ID of an organization. |
| notes | String | Additional information that you want to include in the email to the recipient account owner. |
| target | TargetDto object | ID of the account that you want to invite to join your organization. |

| Parameter | Type | Description |
|-----------|--------|--|
| status | String | Current state of the invitation (handshake). It can be pending, accepted, cancelled, declined, or expired. |

Table 4-118 TargetDto

| Parameter | Type | Description |
|-----------|--------|--|
| type | String | Target type. It can be account ID or name. |
| entity | String | If you choose type:account, you must provide the account ID. If you choose type:name, you must specify the account name. |

Table 4-119 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Listing sent invitations

```
GET https://{endpoint}/v1/organizations/handshakes
```

Example Responses

Status code: 200

Successful.

```
{  
  "handshakes" : [ {  
    "id" : "h-2tnfkrhe64qokwripd2kqrhd7d3079u5",  
    "status" : "pending",  
    "target" : {  
      "type" : "account",  
      "entity" : "12345678901234567890123456789012"  
    }  
  } ]  
}
```

```
"urn" : "organizations::0a6d25d23900d45c0faac010e0fb4de0:ou:o-fhkmi6mek7wlqdp6nideqhb47qwtjds/ou-fi0rv9bjgc6nifokh65jjo8c24fnujv",
  "updated_at" : "2022-09-23T07:38:15Z",
  "created_at" : "2022-09-23T07:38:15Z",
  "management_account_id" : "0a6d25d23900d45c0faac010e0fb4de0",
  "management_account_name" : "paas_iam_573331",
  "organization_id" : "o-fhkmi6mek7wlqdp6nideqhb47qwtjds",
  "notes" : "test-notes",
  "target" : {
    "type" : "account",
    "entity" : "644c579bea6d473e8ce386e0e8ec449d"
  },
  "status" : "cancelled"
},
"page_info" : {
  "next_marker" : "ou-taowxgy4xbme6m4x3c2iijbxw7yj8fcw",
  "current_count" : 100
}
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.5 Managing Trusted Services

4.5.1 Enabling a Trusted Service

Function

This API is used to enable the integration of a cloud service (specified by `service_principal`) with Organizations. When you enable a trusted service, you allow the trusted service to create a service-linked agency in all accounts in your organization. This allows the trusted service to perform operations on your behalf in your organization and its accounts. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST <https://{{endpoint}}/v1/organizations/trusted-services/enable>

Request Parameters

Table 4-120 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-121 Request body parameters

| Parameter | Mandatory | Type | Description |
|-------------------|-----------|--------|--------------------------------|
| service_principal | Yes | String | Name of the service principal. |

Response Parameters

None

Example Requests

Enabling a trusted service

```
POST https://{endpoint}/v1/organizations/trusted-services/enable
{
  "service_principal" : "string"
}
```

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.5.2 Disabling a Trusted Service

Function

This API is used to disable the integration of a cloud service (specified by `service_principal`) with Organizations. After you disable a trusted service, the service no longer can create a service-linked agency in new accounts in your organization. This means the service no longer can perform operations on your behalf on any new accounts in your organization. The service can still perform operations in the old accounts until the service completes its cleanup from Organizations. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST `https://{endpoint}/v1/organizations/trusted-services/disable`

Request Parameters

Table 4-122 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-123 Request body parameters

| Parameter | Mandatory | Type | Description |
|-------------------|-----------|--------|--------------------------------|
| service_principal | Yes | String | Name of the service principal. |

Response Parameters

None

Example Requests

Disabling a trusted service

POST `https://{endpoint}/v1/organizations/trusted-services/disable`

```
{  
    "service_principal" : "string"  
}
```

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.5.3 Listing Trusted Services

Function

This API returns a list of trusted services that are integrated with Organizations. It can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{endpoint}/v1/organizations/trusted-services

Table 4-124 Query Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---------|--------------------------------------|
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-125 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-126 Response body parameters

| Parameter | Type | Description |
|------------------|--|---|
| trusted_services | Array of TrustedServiceDto objects | List of service principals for the services that are integrated with Organizations. |
| page_info | PageInfoDto object | Pagination information. |

Table 4-127 TrustedServiceDto

| Parameter | Type | Description |
|-------------------|--------|---|
| service_principal | String | Name of a trusted service. |
| enabled_at | String | Date when the trusted service was integrated with Organizations |

Table 4-128 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Listing Trusted Services

```
GET https://{endpoint}/v1/organizations/trusted-services
```

Example Responses

Status code: 200

Successful.

```
{
  "trusted_services": [
    {
      "service_principal": "autoservice0922102321263V58H",
      "enabled_at": "2022-09-22T02:23:21Z"
    }
  ],
  "page_info": {
    "next_marker": "ou-taowxgy4xbme6m4x3c2iijbxw7yj8fcw",
    "current_count": 100
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.6 Managing Delegated Administrators

4.6.1 Registering a Delegated Administrator

Function

This API is used to register the specified member account as a delegated administrator to manage the Organizations functions of a specified service. This API grants the delegated administrator the read-only access to Organizations service data. IAM users in the delegated administrator account still need IAM permissions to access and manage the specified service. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://[{endpoint}](#)/v1/organizations/delegated-administrators/register

Request Parameters

Table 4-129 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-130 Request body parameters

| Parameter | Mandatory | Type | Description |
|-------------------|-----------|--------|--------------------------------|
| service_principal | Yes | String | Name of the service principal. |
| account_id | Yes | String | Unique ID of an account. |

Response Parameters

None

Example Requests

Registering a delegated administrator

POST https://[{endpoint}](#)/v1/organizations/delegated-administrators/register

```
{  
    "service_principal" : "string",  
    "account_id" : "_Auft226uZhGFRo5R8unWGQZ5N48PgFrwyc"  
}
```

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 201 | Successful. |

Error Codes

See [Error Codes](#).

4.6.2 Deregistering a Delegated Administrator

Function

This API is used to remove the specified member account as the delegated administrator for the specified service. It can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/delegated-administrators/deregister

Request Parameters

Table 4-131 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-132 Request body parameters

| Parameter | Mandatory | Type | Description |
|-------------------|-----------|--------|--------------------------------|
| service_principal | Yes | String | Name of the service principal. |
| account_id | Yes | String | Unique ID of an account. |

Response Parameters

None

Example Requests

Deregistering a delegated administrator

```
POST https://{endpoint}/v1/organizations/delegated-administrators/deregister
{
  "service_principal" : "string",
  "account_id" : "_Auft226uZhGFRo5R8unWGQZ5N48PgFrwyc"
}
```

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.6.3 Listing Services Managed by a Delegated Administrator Account

Function

This API is used to list the services for which the specified account is a delegated administrator. It can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://**{endpoint}**/v1/organizations/accounts/{account_id}/delegated-services

Table 4-133 Path Parameters

| Parameter | Mandatory | Type | Description |
|------------|-----------|--------|--------------------------|
| account_id | Yes | String | Unique ID of an account. |

Table 4-134 Query Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---------|--------------------------------------|
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-135 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-136 Response body parameters

| Parameter | Type | Description |
|--------------------|---|--|
| delegated_services | Array of DelegatedService Dto objects | List of the services for which the specified account is a delegated administrator. |

| Parameter | Type | Description |
|-----------|--------------------|-------------------------|
| page_info | PageInfoDto object | Pagination information. |

Table 4-137 DelegatedServiceDto

| Parameter | Type | Description |
|-----------------------|--------|---|
| service_principal | String | Name of the service principal. |
| delegation_enabled_at | Date | Date when the account became a delegated administrator for the service. |

Table 4-138 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Listing services managed by a delegated administrator account

```
GET https://{endpoint}/v1/organizations/accounts/{account_id}/delegated-services
```

Example Responses

Status code: 200

Successful.

```
{
  "delegated_services" : [ {
    "service_principal" : "autoservice0922102321263V58H",
    "delegation_enabled_at" : "2022-09-22T02:23:21Z"
  }],
  "page_info" : {
    "next_marker" : "ou-taowxgy4xbme6m4x3c2iijbxw7yj8fcw",
    "current_count" : 100
}
```

{}

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.6.4 Listing Delegated Administrator Accounts

Function

This API is used to list the accounts that are designated as delegated administrators in an organization. It can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{endpoint}/v1/organizations/delegated-administrators

Table 4-139 Query Parameters

| Parameter | Mandatory | Type | Description |
|-------------------|-----------|---------|--------------------------------------|
| service_principal | No | String | Name of the service principal. |
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-140 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-141 Response body parameters

| Parameter | Type | Description |
|--------------------------|--|--|
| delegated_administrators | Array of DelegatedAdministratorDto objects | List of delegated administrators in an organization. |
| page_info | PageInfoDto object | Pagination information. |

Table 4-142 DelegatedAdministratorDto

| Parameter | Type | Description |
|------------------------|--------|--|
| delegation_enable_d_at | String | Date when the account was designated as a delegated administrator. |
| account_id | String | Unique ID of an account. |
| account_urn | String | Uniform resource name of the account. |
| join_method | String | How an account joined an organization. |
| joined_at | String | Date when an account became a part of an organization. |
| account_name | String | Account name. |

Table 4-143 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Listing delegated administrator accounts

```
GET https://{endpoint}/v1/organizations/delegated-administrators
```

Example Responses

Status code: 200

Successful.

```
{
  "delegated_administrators": [
    {
      "delegation_enabled_at": "autoservice0922102321263V58H",
      "account_id": "0a6d25d23900d45c0faac010e0fb4de0",
      "account_urn": "urnstring",
      "join_method": "invited",
      "joined_at": "2022-08-24T06:41:15Z",
      "account_name": "paas_iam_573331"
    }
  ],
  "page_info": {
    "next_marker": "ou-taowxgy4xbme6m4x3c2iijbxw7yj8fcw",
    "current_count": 100
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.7 Managing Policies

4.7.1 Creating a Policy

Function

This API is used to create a policy of the specified type. It can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/policies

Request Parameters

Table 4-144 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |
| X-Language | No | String | Language of the returned results. |

Table 4-145 Request body parameters

| Parameter | Mandatory | Type | Description |
|-------------|-----------|--------|--|
| content | Yes | String | Policy text content to be added to the new policy. |
| description | Yes | String | Optional description to be assigned to the policy. |
| name | Yes | String | Name to be assigned to the policy. |

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---|---|
| type | Yes | String | Type of the policy to be created. It can be service_control_policy or tag_policy. |
| tags | No | Array of TagDto objects | List of tags you want to attach to the new policy. |

Table 4-146 TagDto

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|--|
| key | Yes | String | Identifier or name of the tag key. |
| value | Yes | String | String value associated with the tag key. You can set the tag value to an empty string, but cannot set it to NULL. |

Response Parameters

Status code: 201

Table 4-147 Response body parameters

| Parameter | Type | Description |
|-----------|----------------------------------|-------------------------|
| policy | PolicyDto object | Details about a policy. |

Table 4-148 PolicyDto

| Parameter | Type | Description |
|----------------|---|---|
| content | String | Text content of the policy. |
| policy_summary | PolicySummaryDto object | Information about a policy (policy content not included). |

Table 4-149 PolicySummaryDto

| Parameter | Type | Description |
|-------------|---------|--|
| is_builtin | Boolean | A boolean value indicating whether the specified policy is a system policy. If the value is true, the policy is a system policy. You can attach the policy to roots, OUs, or accounts, but you cannot edit it. |
| description | String | Description of the policy. |
| id | String | Unique ID of the policy. |
| urn | String | Uniform resource name of the policy. |
| name | String | Name of the policy. |
| type | String | Policy type. It can be service_control_policy or tag_policy. |

Example Requests

Creating a policy

```
POST https://{endpoint}/v1/organizations/policies

{
  "content" : "{\"Version\":\"5.0\",\"Statement\":[{\"Sid\":\"Statement1\",\"Effect\":\"Allow\",\"Action\":[\"*\"
  \"],\"Resource\":[\"*\"]}]}",
  "description" : "auto0923160642938XHxSPolicydesc",
  "name" : "auto092316064293806EYPolicyName",
  "type" : "service_control_policy",
  "tags" : [ {
    "key" : "keystring",
    "value" : "valuestring"
  }]
}
```

Example Responses

Status code: 201

Successful.

```
{
  "policy" : {
    "content" : "{\"Version\":\"5.0\",\"Statement\":[{\"Sid\":\"Statement1\",\"Effect\":\"Allow\",\"Action\":[\"*\"
    \"],\"Resource\":[\"*\"]}]}",
    "policy_summary" : {
      "is_builtin" : false,
      "description" : "auto0923160642938XHxSPolicydesc",
      "id" : "p-b4wpejd02o66g0pvfinsatp4t9krfum",
      "urn" : "organizations::0a6d25d23900d45c0faac010e0fb4de0:policy:o-
fhkmi6mek7wlqdp6nideqhb47qwtjds/service_control_policy/p-b4wpejd02o66g0pvfinsatp4t9krfum",
      "name" : "auto092316064293806EYPolicyName",
      "type" : "service_control_policy"
    }
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 201 | Successful. |

Error Codes

See [Error Codes](#).

4.7.2 Listing Policies

Function

This API is used to list all policies in an organization. If a resource ID (such as an OU ID or account ID) is specified, this API will return a list of policies attached to the resource. This API can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://[{endpoint}](#)/v1/organizations/policies

Table 4-150 Query Parameters

| Parameter | Mandatory | Type | Description |
|--------------------|-----------|---------|--|
| attached_entity_id | No | String | Unique ID of the root, OU, or account. |
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-151 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |
| X-Language | No | String | Language of the returned results. |

Response Parameters

Status code: 200

Table 4-152 Response body parameters

| Parameter | Type | Description |
|-----------|---|--------------------------------------|
| policies | Array of PolicySummaryDto objects | List of policies in an organization. |
| page_info | PageInfoDto object | Pagination information. |

Table 4-153 PolicySummaryDto

| Parameter | Type | Description |
|-------------|---------|--|
| is_builtin | Boolean | A boolean value indicating whether the specified policy is a system policy. If the value is true, the policy is a system policy. You can attach the policy to roots, OUs, or accounts, but you cannot edit it. |
| description | String | Description of the policy. |
| id | String | Unique ID of the policy. |
| urn | String | Uniform resource name of the policy. |
| name | String | Name of the policy. |
| type | String | Policy type. It can be service_control_policy or tag_policy. |

Table 4-154 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Listing policies

```
GET https://{endpoint}/v1/organizations/policies
```

Example Responses

Status code: 200

Successful.

```
{
  "policies" : [ {
    "is_builtin" : true,
    "description" : "NFZ",
    "id" : "p-M5lVaiMgFXD6Hmq6o4dvqbGk",
    "urn" : "string",
    "name" : "9`P41WII9Yn]",
    "type" : "service_control_policy"
  }],
  "page_info" : {
    "next_marker" : "ou-taowxgy4xbme6m4x3c2lijbxw7yj8fcw",
    "current_count" : 100
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.7.3 Getting Policy Information

Function

This API is used to get the information about the specified policy. It can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{{endpoint}}/v1/organizations/policies/{{policy_id}}

Table 4-155 Path Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|--------------------------|
| policy_id | Yes | String | Unique ID of the policy. |

Request Parameters

Table 4-156 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |
| X-Language | No | String | Language of the returned results. |

Response Parameters

Status code: 200

Table 4-157 Response body parameters

| Parameter | Type | Description |
|-----------|----------------------------------|-------------------------|
| policy | PolicyDto object | Details about a policy. |

Table 4-158 PolicyDto

| Parameter | Type | Description |
|----------------|--|---|
| content | String | Text content of the policy. |
| policy_summary | PolicySummaryD to object | Information about a policy (policy content not included). |

Table 4-159 PolicySummaryDto

| Parameter | Type | Description |
|-------------|---------|--|
| is_builtin | Boolean | A boolean value indicating whether the specified policy is a system policy. If the value is true, the policy is a system policy. You can attach the policy to roots, OUs, or accounts, but you cannot edit it. |
| description | String | Description of the policy. |
| id | String | Unique ID of the policy. |
| urn | String | Uniform resource name of the policy. |
| name | String | Name of the policy. |
| type | String | Policy type. It can be service_control_policy or tag_policy. |

Example Requests

Getting Policy Information

```
GET https://{endpoint}/v1/organizations/policies/{policy_id}
```

Example Responses

Status code: 200

Successful.

```
{  
    "policy" : {  
        "content" : "{\"Version\":\"5.0\"},\"Statement\":[{\"Sid\":\"Statement1\",\"Effect\":\"Allow\",\"Action\":[\"*\"],\"Resource\":[\"*\"]}]}",  
        "policy_summary" : {  
            "is_builtin" : false,  
            "description" : "auto0923161647582JleTPolicydesc",  
            "id" : "p-scnsbv8byvfjp6120oojkdamzcgtp6l9",  
            "urn" : "organizations::0a6d25d23900d45c0faac010e0fb4de0:policy:o-fhkmi6mek7wlqdp6nideqhb47qwtjds/service_control_policy/p-b4wpejd02o66g0pvfinvsatp4t9krfum",  
            "name" : "auto0923161647583CXosPolicyName",  
            "type" : "service_control_policy"  
        }  
}
```

{}

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.7.4 Updating a Policy

Function

This API is used to update the name, description, or content of a policy. If no parameter is provided, the policy remains unchanged. A policy's type cannot be changed. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

PATCH https://{endpoint}/v1/organizations/policies/{policy_id}

Table 4-160 Path Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|--------------------------|
| policy_id | Yes | String | Unique ID of the policy. |

Request Parameters

Table 4-161 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

| Parameter | Mandatory | Type | Description |
|------------|-----------|--------|-----------------------------------|
| X-Language | No | String | Language of the returned results. |

Table 4-162 Request body parameters

| Parameter | Mandatory | Type | Description |
|-------------|-----------|--------|--|
| content | No | String | Policy text content to be added to the new policy. |
| description | No | String | Optional description to be assigned to the policy. |
| name | No | String | Name to be assigned to the policy. |

Response Parameters

Status code: 200

Table 4-163 Response body parameters

| Parameter | Type | Description |
|-----------|----------------------------------|-------------------------|
| policy | PolicyDto object | Details about a policy. |

Table 4-164 PolicyDto

| Parameter | Type | Description |
|----------------|---|---|
| content | String | Text content of the policy. |
| policy_summary | PolicySummaryDto object | Information about a policy (policy content not included). |

Table 4-165 PolicySummaryDto

| Parameter | Type | Description |
|------------|---------|--|
| is_builtin | Boolean | A boolean value indicating whether the specified policy is a system policy. If the value is true, the policy is a system policy. You can attach the policy to roots, OUs, or accounts, but you cannot edit it. |

| Parameter | Type | Description |
|-------------|--------|--|
| description | String | Description of the policy. |
| id | String | Unique ID of the policy. |
| urn | String | Uniform resource name of the policy. |
| name | String | Name of the policy. |
| type | String | Policy type. It can be service_control_policy or tag_policy. |

Example Requests

Updating a policy

```
PATCH https://{endpoint}/v1/organizations/policies/{policy_id}

{
  "content" : "{\"Version\":\"5.0\",\"Statement\":[{\"Sid\":\"Statement1\",\"Effect\":\"Allow\",\"Action\":[\"*\"],\"Resource\":[\"*\"]}],\"description\" : \"newdesc\", \"name\" : \"auto09231619598990t1HPolicyName\"}
}
```

Example Responses

Status code: 200

Successful.

```
{
  "policy" : {
    "content" : "{\"Version\":\"5.0\",\"Statement\":[{\"Sid\":\"Statement1\",\"Effect\":\"Allow\",\"Action\":[\"*\"],\"Resource\":[\"*\"]}],\"description\" : \"newdesc\", \"id\" : \"p-xce633owqm0o1c929wno7l850z2rdr4m\", \"urn\" : \"organizations::0a6d25d23900d45c0faac010e0fb4de0:policy:ofhkm6mek7wlqdp6nideqhb47qwtjds/service_control_policy/p-b4wpejd02o66g0pvfinvsatp4t9krfum\", \"name\" : \"auto09231619598990t1HPolicyName\", \"type\" : \"service_control_policy\"}
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.7.5 Deleting a Policy

Function

This API is used to delete the specified account from an organization. Before calling this API, you must detach the policy from all OUs, roots, and accounts. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

DELETE https://{endpoint}/v1/organizations/policies/{policy_id}

Table 4-166 Path Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|--------------------------|
| policy_id | Yes | String | Unique ID of the policy. |

Request Parameters

Table 4-167 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

None

Example Requests

Deleting a policy

DELETE https://{endpoint}/v1/organizations/policies/{policy_id}

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 204 | Successful. |

Error Codes

See [Error Codes](#).

4.7.6 Enabling a Policy Type for a Root

Function

This API is used to enable a policy type for a root of an organization. After you enable a policy type for the root, you can attach the policies of this type to the root, or any OU or account under the root. This is an asynchronous request executed in the background. You can use ListRoots to view the status of the policy types for the specified root. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/policies/enable

Request Parameters

Table 4-168 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-169 Request body parameters

| Parameter | Mandatory | Type | Description |
|-------------|-----------|--------|--|
| policy_type | Yes | String | Name of a policy type. It can be service_control_policy or tag_policy. |
| root_id | Yes | String | Unique ID of a root. |

Response Parameters

Status code: 202

Table 4-170 Response body parameters

| Parameter | Type | Description |
|-----------|--------------------------------|---|
| root | RootDto object | Details about a root. A root is a top-level parent node in the hierarchy of an organization composed of OUs and accounts. |

Table 4-171 RootDto

| Parameter | Type | Description |
|--------------|---|--|
| id | String | Unique ID of a root. |
| urn | String | Uniform resource name of the root. |
| name | String | Root name. |
| policy_types | Array of PolicyTypeSummaryDto objects | Policy types that are currently enabled for the root. The policies of these types can be attached to the root or to its OUs or accounts. |
| created_at | String | Time when a root was created. |

Table 4-172 PolicyTypeSummaryDto

| Parameter | Type | Description |
|-----------|--------|--|
| status | String | Status of the policy type associated with a root. To attach a policy of a specified type to a root or an OU or account in the root, the policy must be available in the organization and enabled for the root. |

| Parameter | Type | Description |
|-----------|--------|--|
| type | String | Name of a policy type. It can be service_control_policy or tag_policy. |

Example Requests

Enabling a policy type for a root

```
POST https://{{endpoint}}/v1/organizations/policies/enable
```

```
{  
    "policy_type" : "service_control_policy",  
    "root_id" : "r-o1qqtqfo7xl427v7g"  
}
```

Example Responses

Status code: 202

Successful.

```
{  
    "root" : {  
        "id" : "05261f923e80d3890f33c0056e9b3f80",  
        "urn" : "organizations::0a6d25d23900d45c0faac010e0fb4de0:policy:o-  
fhkmi6mek7wlqdp6nideqhb47qwtjds/service_control_policy/p-b4wpejd02o66g0pvfinvsatp4t9krfum",  
        "name" : "paas_iam_57331",  
        "policy_types" : [ {  
            "status" : "enabled",  
            "type" : "service_control_policy"  
        } ],  
        "created_at" : "2022-09-22T02:23:21Z"  
    }  
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 202 | Successful. |

Error Codes

See [Error Codes](#).

4.7.7 Disabling a Policy Type in a Root

Function

This API is used to disable a policy type in a root. A policy of a specific type can be attached to entities in a root only if that policy type is enabled in the root. After you call this API, you can no longer attach any policies of the specified type to that root or any OU or account in the root. This is an asynchronous request

executed in the background. You can use ListRoots to view the status of the policy types for the specified root. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://**{endpoint}**/v1/organizations/policies/disable

Request Parameters

Table 4-173 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-174 Request body parameters

| Parameter | Mandatory | Type | Description |
|-------------|-----------|--------|--|
| policy_type | Yes | String | Name of a policy type. It can be service_control_policy or tag_policy. |
| root_id | Yes | String | Unique ID of a root. |

Response Parameters

Status code: 202

Table 4-175 Response body parameters

| Parameter | Type | Description |
|-----------|--------------------------------|---|
| root | RootDto object | Details about a root. A root is a top-level parent node in the hierarchy of an organization composed of OUs and accounts. |

Table 4-176 RootDto

| Parameter | Type | Description |
|--------------|--|--|
| id | String | Unique ID of a root. |
| urn | String | Uniform resource name of the root. |
| name | String | Root name. |
| policy_types | Array of PolicyTypeSummaryDto objects | Policy types that are currently enabled for the root. The policies of these types can be attached to the root or to its OUs or accounts. |
| created_at | String | Time when a root was created. |

Table 4-177 PolicyTypeSummaryDto

| Parameter | Type | Description |
|-----------|--------|--|
| status | String | Status of the policy type associated with a root. To attach a policy of a specified type to a root or an OU or account in the root, the policy must be available in the organization and enabled for the root. |
| type | String | Name of a policy type. It can be service_control_policy or tag_policy. |

Example Requests

Disabling a policy type in a root

```
POST https://{endpoint}/v1/organizations/policies/disable
{
  "policy_type" : "service_control_policy",
  "root_id" : "r-o1qqtqfo7xl427v7g"
}
```

Example Responses

Status code: 202

Successful.

```
{
  "root" : {
    "id" : "05261f923e80d3890f33c0056e9b3f80",
    "urn" : "organizations::0a6d25d23900d45c0faac010e0fb4de0:policy:o-
fhkmi6mek7wlqdp6nideqhb47qwtjds/service_control_policy/p-b4wpejd02o66g0pvfinvsatp4t9krfum",
    "name" : "paas_iam_57331",
    "policy_types" : [ {
      "status" : "enabled",
    }
  }
}
```

```
        "type" : "service_control_policy"
    } ],
    "created_at" : "2022-09-22T02:23:21Z"
}
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 202 | Successful. |

Error Codes

See [Error Codes](#).

4.7.8 Attaching a Policy to an Entity

Function

This API is used to attach a policy to a root, OU, or individual account. It can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/policies/{policy_id}/attach

Table 4-178 Path Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|--------------------------|
| policy_id | Yes | String | Unique ID of the policy. |

Request Parameters

Table 4-179 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-180 Request body parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|--|
| entity_id | Yes | String | Unique ID of the root, OU, or account. |

Response Parameters

None

Example Requests

Attaching a policy to an entity

```
POST https://{endpoint}/v1/organizations/policies/{policy_id}/attach
{
  "entity_id" : "ou-g0odxxnfw"
}
```

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.7.9 Detaching a Policy from an Entity

Function

This API is used to detach a policy from a root, OU, or account. It can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://**{endpoint}**/v1/organizations/policies/{policy_id}/detach

Table 4-181 Path Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|--------------------------|
| policy_id | Yes | String | Unique ID of the policy. |

Request Parameters

Table 4-182 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-183 Request body parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|--|
| entity_id | Yes | String | Unique ID of the root, OU, or account. |

Response Parameters

None

Example Requests

Detaching a policy from an entity

```
POST https://{{endpoint}}/v1/organizations/policies/{{policy_id}}/detach
{
  "entity_id" : "ou-g0odxxnfw"
}
```

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.7.10 Listing Entities for the Specified Policy

Function

This API is used to list all the entities (roots, OUs, and accounts) that the specified policy is attached to. It can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{{endpoint}}/v1/organizations/policies/{{policy_id}}/attached-entities

Table 4-184 Path Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|--------------------------|
| policy_id | Yes | String | Unique ID of the policy. |

Table 4-185 Query Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---------|--------------------------------------|
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-186 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-187 Response body parameters

| Parameter | Type | Description |
|-------------------|--|---|
| attached_entities | Array of EntityDto objects | List of structures, each of which contains details about one of the entities to which the specified policy is attached. |
| page_info | PageInfoDto object | Pagination information. |

Table 4-188 EntityDto

| Parameter | Type | Description |
|-----------|--------|---|
| name | String | Name of the entity. |
| id | String | Unique ID of the entity. |
| type | String | Entity type. It can be account, organizational_unit, or root. |

Table 4-189 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Listing entities for the specified policy

```
GET https://{endpoint}/v1/organizations/policies/{policy_id}/attached-entities
```

Example Responses

Status code: 200

Successful.

```
{
  "attached_entities" : [ {
    "name" : "paas_iam_573331",
    "id" : "05261f923e80d3890f33c0056e9b3f80",
    "type" : "account"
  }],
  "page_info" : {
    "next_marker" : "ou-taowxgy4xbme6m4x3c2iijbxw7yj8fcw",
    "current_count" : 100
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.8 Managing Tags

4.8.1 Listing Tags for the Specified Resource

Function

This API is used to list the tags that are attached to the specified resource. You can attach tags to the following resources in Organizations: accounts, OUs, roots, and policies. This API can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://*{endpoint}*/v1/organizations/resources/{resource_id}/tags

Table 4-190 Path Parameters

| Parameter | Mandatory | Type | Description |
|-------------|-----------|--------|--|
| resource_id | Yes | String | Unique ID of the root, OU, account, or policy. |

Table 4-191 Query Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---------|--------------------------------------|
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-192 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-193 Response body parameters

| Parameter | Type | Description |
|-----------|--------------------------------|-------------------------|
| tags | Array of TagDto objects | List of tags. |
| page_info | PageInfoDto object | Pagination information. |

Table 4-194 TagDto

| Parameter | Type | Description |
|-----------|--------|--|
| key | String | Identifier or name of the tag key. |
| value | String | String value associated with the tag key. You can set the tag value to an empty string, but cannot set it to NULL. |

Table 4-195 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Listing tags for the specified resource

```
GET https://{endpoint}/v1/organizations/resources/{resource_id}/tags
```

Example Responses

Status code: 200

Successful.

```
{
  "tags": [
    {
      "key": "auto09230Uv5key",
      "value": "auto0923XXFmvalue"
    }
  ],
  "page_info": {
    "next_marker": "ou-taowxgy4xbme6m4x3c2ijbxw7yj8fcw",
    "current_count": 100
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.8.2 Adding Tags to the Specified Resource

Function

This API is used to add one or more tags to the specified resource. You can attach tags to the following resources in Organizations: accounts, OUs, roots, and policies. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://**{endpoint}**/v1/organizations/resources/{resource_id}/tag

Table 4-196 Path Parameters

| Parameter | Mandatory | Type | Description |
|-------------|-----------|--------|--|
| resource_id | Yes | String | Unique ID of the root, OU, account, or policy. |

Request Parameters

Table 4-197 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-198 Request body parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---|---|
| tags | Yes | Array of TagDto objects | List of tags you want to add to the specified resource. |

Table 4-199 TagDto

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|--|
| key | Yes | String | Identifier or name of the tag key. |
| value | Yes | String | String value associated with the tag key. You can set the tag value to an empty string, but cannot set it to NULL. |

Response Parameters

None

Example Requests

Adding Tags to the Specified Resource

```
POST https://{endpoint}/v1/organizations/resources/{resource_id}/tag
{
  "tags": [ {
    "key" : "keystring",
    "value" : "valuestring"
  } ]
}
```

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.8.3 Removing Tags from the Specified Resource

Function

This API is used to remove any tags with the specified key from the specified resource. You can attach tags to the following resources in Organizations: accounts, OUs, roots, and policies. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://**{endpoint}**/v1/organizations/resources/{resource_id}/untag

Table 4-200 Path Parameters

| Parameter | Mandatory | Type | Description |
|-------------|-----------|--------|--|
| resource_id | Yes | String | Unique ID of the root, OU, account, or policy. |

Request Parameters

Table 4-201 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-202 Request body parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|------------------|-------------|
| tag_keys | Yes | Array of strings | |

Response Parameters

None

Example Requests

Removing any tags with the specified key from the specified resource

POST https://**{endpoint}**/v1/organizations/resources/{resource_id}/untag

```
{  
  "tag_keys" : [ "key1" ]  
}
```

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.8.4 Listing Tags for the Specified Resource Type

Function

This API is used to list the tags that are attached to the specified resource type. You can attach tags to accounts, OUs, roots, and policies of an organization. This API can be called only from the organization's management account or a delegated administrator account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{endpoint}/v1/organizations/{resource_type}/{resource_id}/tags

Table 4-203 Path Parameters

| Parameter | Mandatory | Type | Description |
|---------------|-----------|--------|---|
| resource_type | Yes | String | Resource type. It can be organizations:policies, organizations:ous, organizations:accounts, or organizations:roots. |
| resource_id | Yes | String | Unique ID of the root, OU, account, or policy. |

Table 4-204 Query Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---------|--------------------------------------|
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-205 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-206 Response body parameters

| Parameter | Type | Description |
|-----------|---|-------------------------|
| tags | Array of TagDto objects | List of tags. |
| page_info | PageInfoDto object | Pagination information. |

Table 4-207 TagDto

| Parameter | Type | Description |
|-----------|--------|--|
| key | String | Identifier or name of the tag key. |
| value | String | String value associated with the tag key. You can set the tag value to an empty string, but cannot set it to NULL. |

Table 4-208 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Listing tags for the specified resource type

```
GET https://{endpoint}/v1/organizations/{resource_type}/{resource_id}/tags
```

Example Responses

Status code: 200

Successful.

```
{
  "tags": [
    {
      "key": "auto09230Uv5key",
      "value": "auto0923XXFmvalue"
    }
  ],
  "page_info": {
    "next_marker": "ou-taowxgy4xbme6m4x3c2ijbxw7yj8fcw",
    "current_count": 100
  }
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.8.5 Adding Tags to the Specified Resource Type

Function

This API is used to add one or more tags to the specified resource type. You can attach tags to accounts, OUs, roots, and policies of an organization. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://**{endpoint}**/v1/organizations/{resource_type}/{resource_id}/tags/
create

Table 4-209 Path Parameters

| Parameter | Mandatory | Type | Description |
|---------------|-----------|--------|---|
| resource_type | Yes | String | Resource type. It can be organizations:policies, organizations:ous, organizations:accounts, or organizations:roots. |
| resource_id | Yes | String | Unique ID of the root, OU, account, or policy. |

Request Parameters

Table 4-210 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-211 Request body parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---|---|
| tags | Yes | Array of TagDto objects | List of tags you want to add to the specified resource. |

Table 4-212 TagDto

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|--|
| key | Yes | String | Identifier or name of the tag key. |
| value | Yes | String | String value associated with the tag key. You can set the tag value to an empty string, but cannot set it to NULL. |

Response Parameters

None

Example Requests

Adding tags to the specified resource type

```
POST https://{endpoint}/v1/organizations/{resource_type}/{resource_id}/tags/create

{
  "tags": [ {
    "key" : "keystring",
    "value" : "valuestring"
  }]
}
```

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.8.6 Deleting Tags with the Specified Key from the Specified Resource Type

Function

This API is used to delete any tags with the specified key from the specified resource type. You can attach tags to accounts, OUs, roots, and policies of an organization. This API can be called only from the organization's management account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://*{endpoint}*/v1/organizations/{resource_type}/{resource_id}/tags/delete

Table 4-213 Path Parameters

| Parameter | Mandatory | Type | Description |
|---------------|-----------|--------|---|
| resource_type | Yes | String | Resource type. It can be organizations:policies, organizations:ous, organizations:accounts, or organizations:roots. |
| resource_id | Yes | String | Unique ID of the root, OU, account, or policy. |

Request Parameters

Table 4-214 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-215 Request body parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---|---|
| tags | Yes | Array of TagDto objects | List of tags you want to add to the specified resource. |

Table 4-216 TagDto

| Parameter | Mandatory | Type | Description |
|-----------|-----------|--------|--|
| key | Yes | String | Identifier or name of the tag key. |
| value | Yes | String | String value associated with the tag key. You can set the tag value to an empty string, but cannot set it to NULL. |

Response Parameters

None

Example Requests

Deleting tags with the specified key from the specified resource type

```
POST https://{endpoint}/v1/organizations/{resource_type}/{resource_id}/tags/delete

{
  "tags": [ {
    "key" : "keystring",
    "value" : "valuestring"
  }]
}
```

Example Responses

None

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.8.7 Querying Resource Instances by Resource Type and Tag

Function

This API is used to query the list of resource instances by resource type and tag.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/{resource_type}/resource-instances/filter

Table 4-217 Path Parameters

| Parameter | Mandatory | Type | Description |
|---------------|-----------|--------|---|
| resource_type | Yes | String | Resource type. It can be organizations:policies, organizations:ous, organizations:accounts, or organizations:roots. |

Table 4-218 Query Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---------|--------------------------------------|
| limit | No | Integer | Maximum number of results on a page. |
| offset | No | String | Pagination marker. |

Request Parameters

Table 4-219 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-220 Request body parameters

| Parameter | Mandatory | Type | Description |
|-----------------|-----------|--|---|
| without_any_tag | No | Boolean | If this parameter is set to true, all resources without tags are queried. |
| tags | No | Array of TagsDTO objects | A maximum of 10 keys can be queried at a time, and each key can contain a maximum of 10 values. The structure body must be included. The tag key cannot be left blank or be an empty string. Each key must be unique, and each value for a key must be unique. Resources that contain all keys and one or multiple values listed in tags will be found and returned. If no tag filtering criteria is specified, all data is returned. |

Table 4-221 TagsDTO

| Parameter | Mandatory | Type | Description |
|-----------|-----------|------------------|---|
| key | Yes | String | Key. Each tag key can contain a maximum of 127 Unicode characters and cannot be left blank. |
| values | Yes | Array of strings | List of values. Each value can contain a maximum of 255 Unicode characters. |

Response Parameters

Status code: 200

Table 4-222 Response body parameters

| Parameter | Type | Description |
|-------------|--|--------------------------|
| resources | Array of ResourceDTO objects | List of resources. |
| total_count | Integer | Total number of records. |

Table 4-223 ResourceDTO

| Parameter | Type | Description |
|---------------|-------------------------------|------------------------|
| resource_id | String | Resource ID. |
| resource_name | String | Resource name. |
| tags | Array of Match objects | List of resource tags. |

Table 4-224 Match

| Parameter | Type | Description |
|-----------|--------|--|
| key | String | Key. The value can be policy, organizational-unit, or account. |
| value | String | Value. Each value can contain a maximum of 255 Unicode characters. |

Example Requests

Querying the list of resource instances by resource type and tag

```
POST https://{endpoint}/v1/organizations/{resource_type}/resource-instances/filter
{
  "without_any_tag": true,
  "tags": [
    {
      "key": "string",
      "values": [ "string" ]
    }
  ],
  "matches": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

Example Responses

Status code: 200

Successful

```
{
  "resources": [
    {
      "resource_id": "string",
      "resource_name": "string",
      "tags": [
        {
          "key": "string",
          "value": "string"
        }
      ]
    }
  ],
  "total_count": 0
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful |

Error Codes

See [Error Codes](#).

4.8.8 Querying Number of Resource Instances by Resource Type and Tag

Function

This API is used to query the number of resource instances by resource type and tag.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

POST https://{endpoint}/v1/organizations/{resource_type}/resource-instances/count

Table 4-225 Path Parameters

| Parameter | Mandatory | Type | Description |
|---------------|-----------|--------|---|
| resource_type | Yes | String | Resource type. It can be organizations:policies, organizations:ous, organizations:accounts, or organizations:roots. |

Request Parameters

Table 4-226 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Table 4-227 Request body parameters

| Parameter | Mandatory | Type | Description |
|-----------------|-----------|--|---|
| without_any_tag | No | Boolean | If this parameter is set to true, all resources without tags are queried. |
| tags | No | Array of TagsDTO objects | A maximum of 10 keys can be queried at a time, and each key can contain a maximum of 10 values. The structure body must be included. The tag key cannot be left blank or be an empty string. Each key must be unique, and each value for a key must be unique. Resources that contain all keys and one or multiple values listed in tags will be found and returned. If no tag filtering criteria is specified, all data is returned. |

Table 4-228 TagsDTO

| Parameter | Mandatory | Type | Description |
|-----------|-----------|------------------|---|
| key | Yes | String | Key. Each tag key can contain a maximum of 127 Unicode characters and cannot be left blank. |
| values | Yes | Array of strings | List of values. Each value can contain a maximum of 255 Unicode characters. |

Response Parameters

Status code: 200

Table 4-229 Response body parameters

| Parameter | Type | Description |
|-------------|---------|--------------------------|
| total_count | Integer | Total number of records. |

Example Requests

Querying the number of resource instances by resource type and tag

```
POST https://{endpoint}/v1/organizations/{resource_type}/resource-instances/count
```

```
{
  "without_any_tag": true,
  "tags": [ {
    "key": "string",
    "values": [ "string" ]
  }],
  "matches": [ {
    "key": "string",
    "value": "string"
  }]
}
```

Example Responses

Status code: 200

Successful

```
{
  "total_count": 0
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful |

Error Codes

See [Error Codes](#).

4.8.9 Querying Resource Tags

Function

This API is used to query tags attached to the specified resource.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{endpoint}/v1/organizations/{resource_type}/tags

Table 4-230 Path Parameters

| Parameter | Mandatory | Type | Description |
|---------------|-----------|--------|---|
| resource_type | Yes | String | Resource type. It can be organizations:policies, organizations:ous, organizations:accounts, or organizations:roots. |

Request Parameters

Table 4-231 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-232 Response body parameters

| Parameter | Type | Description |
|-----------|--|--------------------------|
| tags | Array of TagsDTO objects | A custom key-value pair. |

Table 4-233 TagsDTO

| Parameter | Type | Description |
|-----------|------------------|---|
| key | String | Key. Each tag key can contain a maximum of 127 Unicode characters and cannot be left blank. |
| values | Array of strings | List of values. Each value can contain a maximum of 255 Unicode characters. |

Example Requests

Querying resource tags

```
GET https://{endpoint}/v1/organizations/{resource_type}/tags
```

Example Responses

Status code: 200

Successful

```
{  
  "tags": [ {  
    "key": "key1",  
    "values": [ "value1", "value2" ]  
  } ]  
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful |

Error Codes

See [Error Codes](#).

4.9 Others

4.9.1 Querying Effective Policies

Function

This API is used to query the effective policy of a specific type for the specified account. This API cannot be used to query the information about service control policies. This API can be called only from the organization's management account or a delegated administrator account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://**{endpoint}**/v1/organizations/entities/effective-policies

Table 4-234 Query Parameters

| Parameter | Mandatory | Type | Description |
|-------------|-----------|--------|--|
| entity_id | Yes | String | Unique ID of an account. Currently, the effective policy of the root and organizational units cannot be queried. |
| policy_type | Yes | String | Name of a policy type. Currently, the value tag_policy is available. |

Request Parameters

Table 4-235 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-236 Response body parameters

| Parameter | Type | Description |
|-----------------|--------|--|
| last_updated_at | String | Time when the effective policy is mostly updated. |
| policy_content | String | Content of the effective policy. |
| policy_type | String | Name of a policy type. Currently, the value tag_policy is available. |

| Parameter | Type | Description |
|-----------|--------|--|
| entity_id | String | Unique ID of the root, OU, or account. |

Example Requests

Querying effective policies

```
POST https://{endpoint}/v1/organizations/entities/effective-policies
```

Example Responses

Status code: 200

Successful.

```
{  
    "last_updated_at": "2023-01-11T11:00:00Z",  
    "policy_content": "{\"tags\":{\"color\":{\"tag_value\":[],\"tag_key\":\"Color\"},\"enforced_for\":[\"iam:policy\"]},\"key_string\":{\"tag_value\":[\"AA\",\"BB\",\"cc\"],\"tag_key\":\"key_String\"},\"enforced_for\":[\"iam:policy\"]},\"project\":{\"tag_value\":[\"Maintenance\",\"Escalations\"],\"tag_key\":\"Project\"}}",  
    "policy_type": "tag_policy",  
    "entity_id": "c2acfcd5fc7461a88f20094963e56c8"  
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.9.2 Listing Entities in an Organization

Function

This API is used to list all the entities (roots, OUs, and accounts) in an organization. It can be called only from the organization's management account or from a member account that is a delegated administrator for a cloud service. You can filter entities you want to view by specifying the parent OU ID and child OU ID.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{endpoint}/v1/organizations/entities

Table 4-237 Query Parameters

| Parameter | Mandatory | Type | Description |
|-----------|-----------|---------|---|
| parent_id | No | String | Unique ID of the parent node (root OU or another OU). |
| child_id | No | String | Unique ID of the child node (OU). |
| limit | No | Integer | Maximum number of results on a page. |
| marker | No | String | Pagination marker. |

Request Parameters

Table 4-238 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-239 Response body parameters

| Parameter | Type | Description |
|-----------|--|--|
| entities | Array of EntityDto objects | List of roots, OUs, and accounts in an organization. |
| page_info | PageInfoDto object | Pagination information. |

Table 4-240 EntityDto

| Parameter | Type | Description |
|-----------|--------|---|
| name | String | Name of the entity. |
| id | String | Unique ID of the entity. |
| type | String | Entity type. It can be account, organizational_unit, or root. |

Table 4-241 PageInfoDto

| Parameter | Type | Description |
|---------------|---------|---|
| next_marker | String | Marker for the next set of results. If present, more output is available than is included in the current response. Use this value in the marker request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the next_marker response element comes back as null. |
| current_count | Integer | Number of items returned on the current page. |

Example Requests

Listing entities in an organization

GET <https://{endpoint}/v1/organizations/entities>

Example Responses

Status code: 200

Successful

```
{  
    "entities": [ {  
        "name": ">Xm0g]]sW9KS2]kJ<bToX>1wu?S-?63MH]Of^D8CwZn\\L2qak7nd<h5IkFlp^Nc5",  
        "id": "r-1ipjropk1htpbwsd9v06faef6ls48o",  
        "type": "account"  
    },  
    "page_info": {  
        "next_marker": "ou-taowxgy4xbme6m4x3c2ijbxw7yj8fcw",  
        "current_count": 100  
    }  
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful |

Error Codes

See [Error Codes](#).

4.9.3 Listing Cloud Services Integrable with Organizations

Function

This API is used to list all cloud services that can be integrated with Organizations. After a service on this list is integrated with Organizations, that service becomes a trusted service for Organizations.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://[{endpoint}](#)/v1/organizations/services

Request Parameters

Table 4-242 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-243 Response body parameters

| Parameter | Type | Description |
|-----------|------------------|---------------------|
| services | Array of strings | Cloud service name. |

Example Requests

Listing Cloud Services Integrable with Organizations

```
GET https://{endpoint}/v1/organizations/services
```

Example Responses

Status code: 200

Successful.

```
{  
    "services" : [ "string" ]  
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.9.4 Listing Resource Types That Support Enforcement

Function

This API is used to list the resources types that support enforcement with tag policies.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

```
GET https://{endpoint}/v1/organizations/tag-policy-services
```

Request Parameters

Table 4-244 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-245 Response body parameters

| Parameter | Type | Description |
|-----------|---|--|
| services | Array of TagPolicyService Dto objects | Resource types that support enforcement with tag policies. |

Table 4-246 TagPolicyServiceDto

| Parameter | Type | Description |
|----------------|------------------|--|
| service_name | String | Service name. |
| resource_types | Array of strings | Resource type. |
| support_all | Boolean | Whether resource_type support all services (wildcard *). |

Example Requests

Listing resources types that support enforcement with tag policies

```
GET https://{endpoint}/v1/internal/organizations/tag-policy-services
```

Example Responses

Status code: 200

Successful.

```
{
  "services" : [ {
    "service_name" : "string",
    "resource_types" : [ "account", "ou" ],
```

```
        "support_all": true
    } ]
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

4.9.5 Listing Organizations Quotas

Function

This API is used to list Organizations quotas. It can be called only from the management account or a delegated administrator account.

Debugging

You can debug this API through automatic authentication in [API Explorer](#) or use the SDK sample code generated by API Explorer.

URI

GET https://{endpoint}/v1/organizations/quotas

Request Parameters

Table 4-247 Request header parameters

| Parameter | Mandatory | Type | Description |
|------------------|-----------|--------|---|
| X-Security-Token | No | String | Security token (session token) of your temporary security credentials. If a temporary security credential is used, this header is required. |

Response Parameters

Status code: 200

Table 4-248 Response body parameters

| Parameter | Type | Description |
|-----------|------------------------------------|---|
| quotas | QuotasResourcesDto | Response body of the organization quotas. |

Table 4-249 QuotasResourcesDto

| Parameter | Type | Description |
|-----------|---|--------------------|
| resources | Array of QuotaDto objects | Quota information. |

Table 4-250 QuotaDto

| Parameter | Type | Description |
|-----------|---------|--|
| type | String | Quota type. It can be account, organizational_unit, or policy. |
| quota | Integer | Number of quotas. |
| min | Integer | Minimum quota. |
| max | Integer | Maximum quota. |
| used | Integer | Used quantity. |

Example Requests

Listing Organizations quotas

```
GET https://{endpoint}/v1/organizations/quotas
```

Example Responses

Status code: 200

Successful.

```
{
  "quotas": [
    {
      "resources": [
        {
          "type": "string",
          "quota": 0,
          "min": 0,
          "max": 1,
          "used": 0
        }
      ]
    }
  ]
}
```

Status Codes

| Status Code | Description |
|-------------|-------------|
| 200 | Successful. |

Error Codes

See [Error Codes](#).

5

Permissions and Supported Actions

5.1 Introduction

You can use Identity and Access Management (IAM) for fine-grained permissions management of your Organizations. If your HUAWEI ID does not need individual IAM users, you can skip this section.

New IAM users do not have any permissions assigned by default. You need to first add them to one or more groups and attach policies or roles to these groups. The users then inherit permissions from the groups and can perform specified operations on cloud services based on the permissions they have been assigned.

You can grant users permissions by using roles and policies. Roles are provided by IAM to define service-based permissions that match users' job responsibilities. Policies define API-based permissions for operations on specific resources under certain conditions, allowing for more fine-grained, secure access control of cloud resources.

NOTE

If you want to allow or deny the access to an API, use policy-based authorization.

An account has all the permissions required to call all APIs, but each IAM user must be assigned the required permissions before they can start calling APIs. The permissions required for calling an API are determined by the actions supported by the API. Only users who have been granted permissions can call the API successfully. For example, if an IAM user wants to query OU information using an API, the user must have been granted permissions that allow the **organizations:folders:get** action.

Supported Actions

Organizations provides system-defined policies that can be directly used in IAM. You can also create custom policies to supplement system-defined policies for more refined access control. Operations supported by policies are specific to APIs. The following are common concepts related to policies:

- Permissions: statements in a policy that allow or deny certain operations

- APIs: REST APIs that can be called by a user who has been granted specific permissions
- Actions: specific operations that are allowed or denied
- Dependencies: actions which a specific action depends on. When allowing an action for a user, you also need to allow any existing action dependencies for that user.
- IAM projects/Enterprise projects: the authorization scope of a custom policy. A custom policy can be applied to IAM projects or enterprise projects or both. Policies that contain actions for both IAM and enterprise projects can be used and applied for both IAM and Enterprise Management. Policies that contain actions only for IAM projects can be used and applied to IAM only. Administrators can check whether an action supports IAM projects or enterprise projects in the action list. For details about the differences between IAM and enterprise management, see [Differences Between IAM and Enterprise Management](#)

5.2 Actions

Organization Management

| Permission | API | Action | IA M Pro ject | Enterp rise Project |
|----------------------------------|------------------------------|---|------------------------|---------------------------|
| Creating an organization | POST /v1/organizations | <ul style="list-style-type: none">• organizations:organizations:create• iam:agencies:createServiceLinkedAgency | Not supported | Not supported |
| Getting organization information | GET /v1/organizations | organizations:organizations:get | Not supported | Not supported |
| Deleting an organization | DELETE /v1/organizations | organizations:organizations:delete | Not supported | Not supported |
| Leaving the current organization | POST /v1/organizations/leave | organizations:organizations:leave | Not supported | Not supported |
| Listing roots of an organization | GET /v1/organizations/roots | organizations:roots:list | Not supported | Not supported |

OU Management

| Permission | API | Action | IA M Project | Enterprise Project |
|------------------------|--|---|---------------|--------------------|
| Creating an OU | POST /v1/organizations/organizational-units | <ul style="list-style-type: none">organizations:ous:createorganizations:resources:tag <i>(if tag information is requested)</i> | Not supported | Not supported |
| Listing OUs | GET /v1/organizations/organizational-units | organizations:ous:list | Not supported | Not supported |
| Getting OU information | GET /v1/organizations/organizational-units/{organizational_unit_id} | organizations:ous:get | Not supported | Not supported |
| Renaming an OU | PATCH /v1/organizations/organizational-units/{organizational_unit_id} | organizations:ous:update | Not supported | Not supported |
| Deleting an OU | DELETE /v1/organizations/organizational-units/{organizational_unit_id} | organizations:ous:delete | Not supported | Not supported |

Account Management

| Permission | API | Action | IA M Project | Enterprise Project |
|-------------------------------------|---------------------------------|--|---------------|--------------------|
| Creating an account | POST /v1/organizations/accounts | <ul style="list-style-type: none">organizations:accounts:createorganizations:resources:tag <i>(if tag information is requested)</i> | Not supported | Not supported |
| Listing accounts in an organization | GET /v1/organizations/accounts | organizations:accounts:list | Not supported | Not supported |

| Permission | API | Action | IA M Pro ject | Enterp rise Project |
|--|--|---|------------------------|---------------------------|
| Getting account information | GET /v1/organizations/accounts/{account_id} | organizations:accounts:get | Not supported | Not supported |
| Removing the specified account | POST /v1/organizations/accounts/{account_id}/remove | organizations:accounts:remove | Not supported | Not supported |
| Moving an account | POST /v1/organizations/accounts/{account_id}/move | organizations:accounts:move | Not supported | Not supported |
| Inviting an account to join an organization | POST /v1/organizations/invite-account | <ul style="list-style-type: none"> • organizations:accounts:invite • organizations:resources:tag (<i>if tag information is requested</i>) | Not supported | Not supported |
| Querying CreateAccount requests in the specified state | GET /v1/organizations/create-account-statuses | organizations:createAccountStatuses:list | Not supported | Not supported |
| Getting the account creation status | GET /v1/organizations/create-account-statuses/{create_account_status_id} | organizations:createAccountStatuses:get | Not supported | Not supported |

Invitation Management

| Permission | API | Action | IA M Pro ject | Enterp rise Project |
|--------------------------------|---|------------------------------|------------------------|---------------------------|
| Getting invitation information | GET /v1/organizations/handshakes/{handshake_id} | organizations:handsHakes:get | Not supported | Not supported |

| Permission | API | Action | IA M Pro ject | Enterp rise Project |
|------------------------------|---|---|------------------------|---------------------------|
| Accepting an invitation | POST /v1/received-handshakes/{handshake_id}/accept | <ul style="list-style-type: none"> organizations:handshakes:accept iam:agencies:createServiceLinkedAgency | Not supported | Not supported |
| Declining an invitation | POST /v1/received-handshakes/{handshake_id}/decline | organizations:handshakes:decline | Not supported | Not supported |
| Cancelling an invitation | POST /v1/organizations/handshakes/{handshake_id}/cancel | organizations:handshakes:cancel | Not supported | Not supported |
| Listing received invitations | GET /v1/received-handshakes | organizations:receivedHandshakes:list | Not supported | Not supported |
| Listing sent invitations | GET /v1/organizations/handshakes | organizations:handshakes:list | Not supported | Not supported |

Management of Trusted Services

| Permission | API | Action | IA M Pro ject | Enterp rise Project |
|-----------------------------|--|---------------------------------------|------------------------|---------------------------|
| Enabling a trusted service | POST /v1/organizations/enable-trusted-service | organizations:trustedServices:enable | Not supported | Not supported |
| Disabling a trusted service | POST /v1/organizations/disable-trusted-service | organizations:trustedServices:disable | Not supported | Not supported |
| Listing trusted services | GET /v1/organizations/trusted-services | organizations:trustedServices:list | Not supported | Not supported |

Management of Delegated Administrators

| Permission | API | Action | IA M Project | Enterprise Project |
|---|--|--|---------------|--------------------|
| Registering a delegated administrator | POST /v1/organizations/delegated-administrators/register | organizations:delegatedAdministrators:register | Not supported | Not supported |
| Deregistering a delegated administrator | POST /v1/organizations/delegated-administrators/deregister | organizations:delegatedAdministrators:deregister | Not supported | Not supported |
| Listing services managed by a delegated administrator account | GET /v1/organizations/accounts/{account_id}/delegated-services | organizations:delegatedServices:list | Not supported | Not supported |
| Listing delegated administrator accounts | GET /v1/organizations/delegated-administrators | organizations:delegatedAdministrators:list | Not supported | Not supported |

Policy Management

| Permission | API | Action | IA M Project | Enterprise Project |
|----------------------------|--|--|---------------|--------------------|
| Creating a policy | POST /v1/organizations/policies | <ul style="list-style-type: none">organizations:policies:createorganizations:resources:tag (<i>if tag information is requested</i>) | Not supported | Not supported |
| Listing policies | GET /v1/organizations/policies | organizations:policies:list | Not supported | Not supported |
| Getting policy information | GET /v1/organizations/policies/{policy_id} | organizations:policies:get | Not supported | Not supported |

| Permission | API | Action | IA M Project | Enterp rise Project |
|---|--|-------------------------------------|---------------|---------------------|
| Updating a policy | PATCH /v1/organizations/policies/{policy_id} | organizations:policies:update | Not supported | Not supported |
| Deleting a policy | DELETE /v1/organizations/policies/{policy_id} | organizations:policies:delete | Not supported | Not supported |
| Enabling a policy type for a root | POST /v1/organizations/policies/enable | organizations:policies:enable | Not supported | Not supported |
| Disabling a policy type in a root | POST /v1/organizations/policies/disable | organizations:policies:disable | Not supported | Not supported |
| Attaching a policy to a principal | POST /v1/organizations/policies/{policy_id}/attach | organizations:policies:attach | Not supported | Not supported |
| Detaching a policy from a principal | POST /v1/organizations/policies/{policy_id}/detach | organizations:policies:detach | Not supported | Not supported |
| Listing entities for the specified policy | GET /v1/organizations/policies/{policy_id}/attached-entities | organizations:attachedEntities:list | Not supported | Not supported |

Tag Management

| Permission | API | Action | IA M Project | Enterp rise Project |
|---|--|-------------------------|---------------|---------------------|
| Listing tags for the specified resource | GET /v1/organizations/resources/{resource_id}/tags | organizations:tags:list | Not supported | Not supported |

| Permission | API | Action | IA M Pro ject | Enterp rise Project |
|--|--|------------------------------------|------------------------|---------------------------|
| Adding tags to the specified resource | POST /v1/organizations/resources/{resource_id}/tag | organizations:resources:tag | Not supported | Not supported |
| Removing tags from the specified resource | POST /v1/organizations/resources/{resource_id}/untag | organizations:resources:untag | Not supported | Not supported |
| Listing tags for the specified resource | GET /v1/organizations/{resource_type}/{resource_id}/tags | organizations:tags:list | Not supported | Not supported |
| Adding tags to the specified resource | POST /v1/organizations/{resource_type}/{resource_id}/tags/create | organizations:resources:tag | Not supported | Not supported |
| Removing tags from the specified resource | POST /v1/organizations/{resource_type}/{resource_id}/tags/delete | organizations:resources:untag | Not supported | Not supported |
| Listing instances by resource type and tag | POST /v1/organizations/{resource_type}/resource-instances/filter | organizations:resources:listByTag | Not supported | Not supported |
| Querying the number of instances by resource type and tag | POST /v1/organizations/{resource_type}/resource-instances/count | organizations:resources:countByTag | Not supported | Not supported |
| Querying resource tags | GET /v1/organizations/{resource_type}/tags | organizations:resources:list | Not supported | Not supported |

Others

| Permission | API | Action | IA M Project | Enterprise Project |
|---|---|--------------------------------------|---------------|--------------------|
| Querying the effective policy | GET /v1/organizations/entities/effective-policies | organizations:effectivePolicies:get | Not supported | Not supported |
| Listing entities in an organization | GET /v1/organizations/entities | organizations:entities:list | Not supported | Not supported |
| Listing cloud services integrable with Organizations | GET /v1/organizations/services | organizations:services:list | Not supported | Not supported |
| Listing resource types that support tag policy enforcement | GET /v1/organizations/tag-policy-services | organizations:tagPolicyServices:list | Not supported | Not supported |
| Listing organization quotas | GET /v1/organizations/quotas | organizations:quotas:list | Not supported | Not supported |

6 Appendixes

6.1 Status Codes

- Normal

| Returned Value | Description |
|----------------|---|
| 200 OK | The results of GET and PUT operations are returned as expected. |
| 201 Created | The results of the POST operation are returned as expected. |
| 202 Accepted | The request has been accepted for processing. |
| 204 No Content | The results of the DELETE operation are returned as expected. |

- Abnormal

| Returned Value | Description |
|------------------------|--|
| 400 Bad Request | The server failed to process the request. |
| 401 Unauthorized | You must enter a username and password to access the requested page. |
| 403 Forbidden | You are forbidden to access the requested page. |
| 404 Not Found | The server cannot find the requested page. |
| 405 Method Not Allowed | You are not allowed to use the method specified in the request. |
| 406 Not Acceptable | The response generated by the server cannot be accepted by the client. |

| Returned Value | Description |
|-----------------------------------|--|
| 407 Proxy Authentication Required | You must use the proxy server for authentication so that the request can be processed. |
| 408 Request Timeout | The request timed out. |
| 409 Conflict | The request could not be processed due to a conflict. |
| 500 Internal Server Error | Failed to complete the request because of a service error. |
| 501 Not Implemented | Failed to complete the request because the server does not support the requested function. |
| 502 Bad Gateway | Failed to complete the request because the request is invalid. |
| 503 Service Unavailable | Failed to complete the request. The service is unavailable. |
| 504 Gateway Timeout | A gateway timeout error occurred. |

6.2 Error Codes

If an error code starting with **APIGW** is returned after you call an API, rectify the fault by referring to the instructions provided in [Error Codes](#).

| Status Code | Error Code | Error Message | Description | Solution |
|-------------|---------------------|---|-------------------------------|--|
| 401 | Organizations .1001 | This operation can be called only from the management account of an organization. | Failed to verify permissions. | Check whether the API is called by the management account. |

| Status Code | Error Code | Error Message | Description | Solution |
|-------------|---------------------|--|--|---|
| 401 | Organizations .1002 | This operation can be called only from the management account of an organization or by a member account that is a delegated administrator for a service. | Failed to verify permissions. | Check whether the API is called by the management account or the account registered as a delegated administrator. |
| 409 | Organizations .1003 | Concurrent modification. | Concurrent modification. | Try again later. |
| 400 | Organizations .1004 | Bad request for generating Organizations service management token. | An error occurred when generating the administrator token. | Try again later. If the operation fails again, contact the administrator. |
| 400 | Organizations .1005 | Bad request for querying cbc em info. | Failed to query the enterprise accounts. | Check whether the account is the master account or a member account of the enterprise. |
| 400 | Organizations .1006 | Bad request for generating assume-role token. | Failed to upgrade the permission. | Try again later. If the operation fails again, contact the administrator. |
| 403 | Organizations .1007 | Policy does not allow '{0}' to be performed. | Fine-grained authentication failed. | Check whether the user has the access permission. |
| 400 | Organizations .1008 | Bad request for checking permission. | Bad request for a fine-grained authentication. | Contact the administrator. |
| 400 | Organizations .1009 | Bad request for impersonating. | Bad request for a role switching. | Contact the administrator. |

| Status Code | Error Code | Error Message | Description | Solution |
|-------------|---------------------|---|---|---|
| 404 | Organizations .1010 | Http header not found. | Request header not found. | Check whether all request headers required for calling the API are available. |
| 400 | Organizations .1011 | Bad request for invalid user profile. | Bad request for invalid user profile. | Contact the administrator. |
| 400 | Organizations .1012 | Bad request for invalid context attributes. | Bad request for invalid context attributes. | Contact the administrator. |
| 400 | Organizations .1013 | Bad request for invalid marker. | Invalid marker . | Enter a valid marker value. |
| 400 | Organizations .1014 | Bad request for request proof. | Invalid proof request header. | Ensure that proof request header is valid. |
| 401 | Organizations .1015 | This operation can be called from any account in the organization. | Failed to verify permissions. | Check whether the API is called by a member account. |
| 400 | Organizations .1016 | Bad request for domain tags. | Failed to obtain tags. | Contact the administrator. |
| 400 | Organizations .1017 | Bad request for getting projects. | Failed to obtain information about the project. | Contact the administrator. |
| 401 | Organizations .1018 | This operation can be called only from the organization's member account. | Failed to verify permissions. | Check whether the API is called by a member account. |

| Status Code | Error Code | Error Message | Description | Solution |
|-------------|---------------------|--|--|---|
| 400 | Organizations .1019 | Bad request for querying IAM domain info. | Failed to obtain the user information. | Contact the administrator. |
| 400 | Organizations .1020 | SSL check failed. | Failed to verify the certificate. | Contact the administrator. |
| 400 | Organizations .1021 | Bad request for authorization header pattern. | Invalid token request header. | Ensure that authorization request header is valid. |
| 400 | Organizations .1022 | Bad request for querying the restricted list. | Failed to query the restricted list. | Contact the administrator. |
| 400 | Organizations .1023 | Bad request for querying the frozen list. | Failed to query the frozen list. | Contact the administrator. |
| 404 | Organizations .1100 | Organization not found. | Organization not found. | Check whether the Organizations service is enabled for the current account. |
| 409 | Organizations .1101 | Conflict for creating an organization. This account is already a member of an organization. | A conflict occurred when creating an organization. | Check whether the current account is already a member account of the organization. |
| 400 | Organizations .1102 | To delete the organization, you must first remove all member accounts, all organizational units, and all policies. | Failed to delete an organization. | Check whether all member accounts, OUs, and policies have been removed from the organization. |

| Status Code | Error Code | Error Message | Description | Solution |
|-------------|---------------------|---|---|---|
| 400 | Organizations .1103 | Failed to create an organization. Only for the enterprise master account. | Failed to create an organization (for the enterprise master account). | Check whether the current account is the master enterprise account. |
| 403 | Organizations .1104 | The current operation has been restricted. | The operation is restricted and access is not allowed. | Check whether the account is restricted. |
| 403 | Organizations .1105 | The current operation has been frozen. | The operation is frozen and access is not allowed. | Check whether the account is frozen. |
| 404 | Organizations .1200 | Organizationa l unit not found. | OU not found. | Check whether the OU is available. |
| 404 | Organizations .1201 | A root or organizationa l unit with the ParentId not found. | Root or OU not found based on a parent OU ID. | Check whether the parent OU ID is available. |
| 400 | Organizations .1202 | The organizationa l unit is not empty. | OU not empty | Check whether the OU is empty of accounts and child OUs. |
| 400 | Organizations .1203 | Quota exceeded for an organizationa l unit tree level. | Maximum levels for an OU exceeded. | Check whether the levels for an OU exceed the maximum allowed. |
| 400 | Organizations .1204 | Quota exceeded for organizationa l unit. | Maximum number of OUs exceeded. | Check whether the number of OUs exceeds the maximum allowed. |

| Status Code | Error Code | Error Message | Description | Solution |
|-------------|---------------------|---|---|--|
| 409 | Organizations .1205 | Conflict for organizational unit. An organizational unit name must be unique within a parent organizational unit. | Duplicate OU names. | Check whether each OU name is unique under its parent OU. |
| 404 | Organizations .1300 | Account not found. | Account not found. | Check whether the account is valid. |
| 404 | Organizations .1301 | Account creation status not found. | Account creation status not found. | Check whether the input create_account_status_id is correct. |
| 400 | Organizations .1302 | Bad request for wrong source parent id. | Incorrect source_parent_id. | Check whether the input source_parent_id is correct. |
| 400 | Organizations .1303 | Bad request for wrong destination parent id. | Incorrect destination_parent_id. | Check whether the input destination_parent_id is correct. |
| 400 | Organizations .1304 | The management account of the organization or the organization administrator cannot leave an organization. | Management account or administrator account not allowed to leave an organization. | Check whether the account that attempts to leave an organization is the management account or administrator account of the organization. |
| 400 | Organizations .1305 | Quota exceeded for account. | Maximum number of accounts in an organization exceeded. | Check whether the number of accounts in the organization exceeds the maximum. |

| Status Code | Error Code | Error Message | Description | Solution |
|-------------|---------------------|--|--|---|
| 409 | Organizations .1306 | This account is already a member of an organization. An account can belong to only one organization at a time. | Account already being a member of an organization. | Check whether the account is already a member of the organization. |
| 409 | Organizations .1307 | This account is already invited. | Account already invited. | Check whether the account has been invited. |
| 400 | Organizations .1308 | Accounts cannot be invited (only for enterprise member accounts). | Accounts cannot be invited (only for enterprise member accounts). | Check whether the account is a member account of the master account used by the organization administrator. |
| 400 | Organizations .1309 | This account cannot be invited because it is at a site different from your organization. | The account cannot be invited because it is at a site different from the current organization. | Ensure that the management account and the invited account are at the same site. |
| 400 | Organizations .1310 | This account cannot be invited because its type is currently not supported. | This account cannot be invited because its type is currently not supported. | Ensure that the account is a member account. |
| 404 | Organizations .1400 | Handshake not found. | Handshake not found. | Check whether the handshake is correct. |

| Status Code | Error Code | Error Message | Description | Solution |
|-------------|---------------------|--|---|--|
| 400 | Organizations .1401 | Bad request for wrong handshake status. This operation can only be performed to a pending handshake. | Incorrect handshake state (This operation should be performed only when the handshake is in the pending state). | Check whether the handshake state is the required one. |
| 400 | Organizations .1402 | Quota exceeded for cancelled handshake per day. | Daily handshake cancellations exceeding the maximum. | Check whether the number of daily attempts to cancel handshakes exceeds the maximum. |
| 404 | Organizations .1500 | Delegated administrator not found. | Delegated administrator not found. | Check whether there is a delegated administrator. |
| 409 | Organizations .1501 | Conflict for delegated administrator. | Delegated administrators in conflict. | Check whether there is already a delegated administrator. |
| 404 | Organizations .1600 | Policy not found. | Policy not found. | Check whether the policy is available. |
| 404 | Organizations .1601 | Policy attachment not found. | Policy not attached. | Check whether the policy is attached to any principal. |
| 404 | Organizations .1602 | Policy attachment entity not found. | Principal not available for policy attachment. | Check whether the principal to which the policy will be attached is available. |
| 409 | Organizations .1603 | Conflict for policy attachment. | Conflict for policy attachment. | Check whether the policy has been attached to the principal. |

| Status Code | Error Code | Error Message | Description | Solution |
|-------------|---------------------|---|--|---|
| 400 | Organizations .1604 | Bad request for existing policy attachment. | No principal attached to the policy. | Check whether the policy is attached to any principal. |
| 400 | Organizations .1605 | Bad request for modifying a built-in policy. | Modification not allowed for a built-in policy. | Check whether the policy you are modifying is a built-in policy. |
| 400 | Organizations .1606 | Policy quota exceeded. | Maximum number of policies exceeded. | Check whether the number of attempts to create policies exceeds the maximum. |
| 400 | Organizations .1607 | Quota exceeded for service control policy per entity. | Maximum number of policies attached to a principal exceeded. | Check whether the number of policies attached to the principal exceeds the maximum. |
| 400 | Organizations .1608 | Wrong format for policy content. | Invalid policy format. | Check whether the format of the policy content is correct. |
| 404 | Organizations .1609 | Root not found. | Root not found. | Check whether the ID of the root is correct. |
| 404 | Organizations .1610 | Root policy type not found. | Policy type of the root OU not found. | Check whether the input parameter is correct. |
| 400 | Organizations .1611 | Bad request for wrong root policy type status. | Incorrect state of the policy type for the root OU. | Check whether the input parameter is correct. |
| 409 | Organizations .1612 | Policy conflict. The policy name must be unique within an organization. | Duplicate policy names found in the same organization. | Check whether the policy name is unique in the organization. |

| Status Code | Error Code | Error Message | Description | Solution |
|-------------|---------------------|--|---|--|
| 400 | Organizations .1613 | Bad request for service control policy disabled. | Service control policy disabled. | Check whether the service control policy is disabled. |
| 400 | Organizations .1614 | Detaching the last policy not allowed. | Detaching the last policy not allowed. | Check whether the policy to be detached is the last one for the principal. |
| 400 | Organizations .1615 | The policy name does not allow all space. | Policy name cannot contain only white spaces | Check whether the policy name is valid. |
| 400 | Organizations .1616 | Policy changes in progress. | Policy being modified. | Try again later. |
| 400 | Organizations .1617 | Scheduler runtime exception. | Failed to enable or disable the policy type. | Try again later. |
| 400 | Organizations .1618 | Policy type not supported. | The policy type is not supported. | Check whether the policy type is correct. |
| 400 | Organizations .1619 | You provided a string parameter that is longer than allowed. | The parameter length exceeds the allowed limit. | Enter a maximum of 5120 characters. |
| 404 | Organizations .1700 | Tag not found. | Tag not found. | Check whether the tag is available. |
| 404 | Organizations .1701 | Resource with the tag not found. | Resource with the tag not found. | Check whether the resource which the tag is attached is available. |
| 409 | Organizations .1702 | Tag conflict. | Tag already exists. | Check whether the resource already has the tag. |

| Status Code | Error Code | Error Message | Description | Solution |
|-------------|---------------------|--|--|---|
| 400 | Organizations .1703 | Tag quota exceeded. | Tag quota exceeded. | Check whether the number of tags exceeds the maximum allowed on the resource. |
| 400 | Organizations .1800 | Invalid quota value. | Invalid quota value. | Check whether the input quota value is correct. |
| 404 | Organizations .1900 | Trusted service not found. | Trusted service not found. | Check whether the input parameter is correct. |
| 409 | Organizations .1901 | Conflict for trusted service. | Conflict for trusted service. | Check whether the trusted service already exists. |
| 400 | Organizations .1902 | Delegated administrator is not empty for this service. | The delegated administrator is not specified. | Specify a delegated administrator for the current service. |
| 400 | Organizations .2000 | Bad request for creating the service-linked agency. | Failed to create the service-linked agency. | Check whether the input parameter is correct. |
| 400 | Organizations .2001 | Bad request for missing app_name. | App name missing. | Check whether the app name is missing. |
| 409 | Organizations .2002 | Conflict for the service-linked agency. It is already created. | Conflict for the service-linked agency. | Check whether the service-linked agency already exists. |
| 400 | Organizations .2003 | Bad request for deleting the service-linked agency. | Failed to delete the service-linked delegated administrator. | Check whether the input parameter is correct. |
| 404 | Organizations .2004 | Service-linked agency not found. | Service-linked agency not found. | Check whether there is a service-linked agency. |


| Status Code | Error Code | Error Message | Description | Solution |
|-------------|---------------------|---|--|--|
| 404 | Organizations .2005 | Service request for service_principal not found. | App name not found. | Check whether the app name is correct. |
| 400 | Organizations .2006 | Bad request for authorization header. JWT token is malformed. | JWT token malformed. | Check whether the JSON Web Token (JWT) token is correct. |
| 400 | Organizations .2100 | Either parent OU ID or child OU ID should be provided. | Either parent OU ID or child OU ID required. | Verify that either parent OU ID or child OU ID is provided. |
| 409 | Organizations .2101 | Service conflict. The names of service_principal and app_name must be unique. | Conflict for service_principal or app_name . | Check whether service_principal or app_name already exists. |
| 404 | Organizations .2102 | Service not found. | Service not found. | Check whether the input service_principal is correct. |
| 400 | Organizations .2103 | Bad request for listing the service principal. | Failed to obtain the service_principal . | Check whether the input parameter is correct. |
| 404 | Organizations .2104 | Entity not found. | Entity not found. | Check whether the principal ID is correct. If the principal is newly created, try again later. |
| 400 | Organizations .2105 | Policy type is invalid. | The policy type is invalid. | Check the policy type (tag_policy). |

| Status Code | Error Code | Error Message | Description | Solution |
|-------------|---------------------|---|--|---|
| 404 | Organizations .2106 | Service principal from IAM not found. It must be registered with IAM. | service_principal not registered with IAM. | Check whether service_principal has been registered with IAM. |
| 400 | Organizations .2200 | Time format or range error. | Incorrect time format or range. | Check whether the input parameter is correct. |
| 400 | Organizations .2201 | Bad request for changing customer relation. | Failed to change account association. | Contact the administrator. |
| 400 | Organizations .2202 | The relation of domain ID has been changed too many times. | Master-member account associations have been changed too many times. | Do not frequently change the master-member account associations. (A member account is allowed to change its association with the master account for ten times or less per month.) |
| 403 | Organizations .2007 | Bad Request: {0}. | Failed to create the service-linked agency. | Check whether the required permission is granted based on the error cause. |

6.3 Obtaining Account, IAM User, Group, Project, Region, and Agency Information

Obtaining Account, IAM User, and Project Information

- **Using the console**
 - a. On the Huawei Cloud homepage, click **Console** in the upper right corner.
 - b. Hover over the username in the upper right corner and choose **My Credentials**.

Figure 6-1 My Credentials

- c. View the account name, account ID, username, user ID, project name, and project ID on the **API Credentials** page.

The project ID varies depending on the region where the service is located.

Figure 6-2 Viewing the account, user, and project information

- **Calling an API**
 - For details about how to obtain a user ID, see [Listing IAM Users](#).
 - For details about how to obtain a project ID, see [Querying Project Information](#).

Obtaining User Group Information

Step 1 Log in to the IAM console, and choose **User Groups** in the navigation pane.

Step 2 Expand the details page of a user group and view the group name and ID.

----End

Obtaining Region Information

Step 1 Log in to the IAM console, and choose **Projects** in the navigation pane.

Step 2 The value in the **Project Name** column is the ID of the region to which the project belongs.

----End

Obtaining Agency Information

Step 1 Log in to the IAM console, and choose **Agencies** in the navigation pane.

Step 2 Hover over the target agency. The name and ID of this agency are displayed.

----End

A Change History

| Released On | Description |
|-------------|---|
| 2024-03-14 | This issue is the fourth official release. It incorporates the following changes: The Organizations service is put into commercial use. |
| 2023-06-20 | This issue is the third official release. It incorporates the following changes: <ul style="list-style-type: none">Added some actions.Added the API for listing organization quotas. |
| 2023-03-30 | This issue is the second official release. It incorporates the following changes: <ul style="list-style-type: none">Added the descriptions about tag policies.Added some error codes. |
| 2023-01-16 | This issue is the first official release. |