

CodeArts Repo

CLI Reference

Issue	01
Date	2026-09-28



Copyright © Huawei Cloud Computing Technologies Co., Ltd. 2026. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Cloud Computing Technologies Co., Ltd.

Trademarks and Permissions



HUAWEI and other Huawei trademarks are the property of Huawei Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei Cloud and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Huawei Cloud Computing Technologies Co., Ltd.

Address: Huawei Cloud Data Center Jiaoxinggong Road
Qianzhong Avenue
Gui'an New District
Gui Zhou 550029
People's Republic of China

Website: <https://www.huaweicloud.com/intl/en-us/>

Contents

1 Using KooCLI..... 1

2 CLI Command Reference..... 4

2.1 CLI Command Reference (V4)..... 4

2.2 CLI Command Reference (V3)..... 39

1 Using KooCLI

Huawei Cloud Koo Command Line Interface (previously "HCloud CLI") is designed to manage Huawei Cloud service APIs released on [API Explorer](#). You can use this tool to call the APIs of CodeArts Repo in API Explorer to manage and use your CodeArts Repo resources. For details about KooCLI, see [What Is KooCLI?](#)

Installing KooCLI

Before you begin, you will need to install KooCLI. KooCLI is compatible with Windows, Linux, and macOS. Install the tool of the corresponding version based on the OS used by your machine.

- [Installing KooCLI in Windows](#)
- [Installing KooCLI in Linux](#)
- [Installing KooCLI in macOS](#)
- [Configuring and Using KooCLI in Docker](#)

Initializing KooCLI

When KooCLI is used to call APIs, you need to obtain the caller's identity information for authentication. If you initialize KooCLI, your permanent AK/SK is stored in the configuration file, so you do not need to enter the credentials each time you call an API.

Skip this step if you intend to pass authentication information directly in commands instead of using the configuration file. For details, see [Using KooCLI in Non-configuration Mode](#).

The following uses Windows as an example to describe how to initialize KooCLI. The steps on Linux and macOS are similar. Before the initialization, obtain the AK/SK information. For details, see [Access Keys](#).

1. Open the CLI.
2. Run the following command to initialize the configuration:

```
hcloud configure init
```

3. Enter the parameter values as prompted.

```
Access Key ID [required]: // Mandatory. Enter the AK.
```

```
Secret Access Key [required]: // Mandatory. Enter the SK. The system will anonymize the input.
```

```
Secret Access Key (again): // Mandatory. Enter the SK again. The system will anonymize the input.
```

```
Region: // Optional. Enter a region.
```

The message "Initialization successful" is then displayed.

Generating and Executing a CLI Command

KooCLI supports two command generation methods:

- Use API Explorer to quickly generate and obtain the CLI command for calling an API. **This method is recommended as it is more convenient.**
- Use CLI commands to query API operations and related parameters, and then manually combine CLI commands to call APIs. For details, see [Step 4: View and Run Cloud Service Operation Commands](#).

The following uses the API for **viewing the commit list** of CodeArts Repo as an example to describe how to generate a CLI command in API Explorer and then run the CLI command to call the API.

1. On the [API Explorer](#) page, select the API for which you want to generate a CLI command.
2. In the parameter configuration interface in the middle, enter the parameters required to call the API.
3. In the pane on the right, click the **CLI Example** tab and view the generated CLI command.

The following is an example of the CLI command for calling the API for **viewing the commit list**.

```
hcloud CodeArtsRepo ListCommits/v4 --cli-region="cn-north-4" --repository_id=3044453
```

4. Copy the generated CLI command and paste it into the CLI for execution.

The following is an example of the CLI command output for calling the API for **viewing the commit list**.

```
{
  "commits": [
    {
      "id": "0683729ffa841****9651149a5147ff2aa891",
      "message": "Initial commit",
      "parent_ids": [],
      "authored_date": "2026-03-26T11:19:30.000Z",
      "author_name": "{AUTHOR_NAME}",
      "author_email": null,
      "committed_date": "2026-03-26T11:19:30.000Z",
      "committer_name": "{COMMITTER_NAME}",
      "committer_email": null,
      "open_gpg_verified": true,
      "verification_status": 1,
      "gpg_primary_key_id": "87E44B5F42161434",
      "name": "huaweicloud.com",
      "gpg_nick_name": null,
      "gpg_tenant_name": null,
      "gpg_user_name": null,
      "short_id": "0683729f",
      "created_at": "2026-03-26T11:19:30.000Z",
      "title": "Initial commit",
      "author_avatar_url": null,
      "committer_avatar_url": null,
      "relate_url": null,
      "nick_name": "",
      "tenant_name": "{TENANT_NAME}",
      "user_name": "{USER_NAME}",
      "author_id": 1228366
    }
  ],
}
```

```
"date_title": []  
}
```

2 CLI Command Reference

2.1 CLI Command Reference (V4)

Refs

API Name	Command	Description	Operation
Deleting Branches in Batches	hcloud CodeArtsRepo BatchDeleteBranch/v4	This API is used to delete branches in batches.	Debug
Viewing the Branch/Tag List	hcloud CodeArtsRepo ListRefsList/v4	This API is used to view the branch/tag list.	Debug
Obtaining the Branch List	hcloud CodeArtsRepo ListBranches/v4	This API is used to obtain the branch list.	Debug
Creating a Branch	hcloud CodeArtsRepo CreateBranch/v4	This API is used to create a branch.	Debug
Obtaining the Tag List	hcloud CodeArtsRepo ListTags/v4	This API is used to obtain the tag list.	Debug
Creating a Tag	hcloud CodeArtsRepo CreateTag/v4	This API is used to create a tag.	Debug
Viewing Tag Details	hcloud CodeArtsRepo ShowTag/v4	This API is used to view tag details.	Debug

API Name	Command	Description	Operation
Deleting a Tag	hcloud CodeArtsRepo DeleteTag/v4	This API is used to delete a tag.	Debug
Obtaining Branch Details	hcloud CodeArtsRepo ShowBranch/v4	This API is used to obtain branch details.	Debug
Renaming a Branch	hcloud CodeArtsRepo UpdateBranchName/v4	This API is used to rename a branch.	Debug
Deleting a Branch	hcloud CodeArtsRepo DeleteBranch/v4	This API is used to delete a branch.	Debug

Repository

API Name	Command	Description	Operation
Triggering the Repository Statistics Task	hcloud CodeArtsRepo ExecuteRepositoryStatistics/v4	This API is used to trigger a repository statistics task.	Debug
Associating a Repository with a Member Group	hcloud CodeArtsRepo AssociateRepositoryUserGroup/v4	This API is used to associate a repository with a member group.	Debug
Locking a Repository	hcloud CodeArtsRepo LockRepository/v4	This API is used to lock a repository.	Debug
Unlocking a Repository	hcloud CodeArtsRepo UnlockRepository/v4	This API is used to unlock a repository.	Debug
Obtaining the Repository IP Address Whitelist	hcloud CodeArtsRepo ListTrustedIpAddresses/v4	This API is used to obtain the repository IP address whitelist.	Debug
Adding the Repository IP Address Whitelist	hcloud CodeArtsRepo AddTrustedIpAddress/v4	This API is used to add the repository IP address whitelist.	Debug

API Name	Command	Description	Operation
Modifying the Repository IP Address Whitelist	hcloud CodeArtsRepo UpdateTrustedIpAddress/v4	This API is used to modify the repository IP address whitelist.	Debug
Deleting the Repository IP Address Whitelist	hcloud CodeArtsRepo DeleteTrustedIpAddress/v4	This API is used to delete the repository IP address whitelist.	Debug
Downloading a Repository	hcloud CodeArtsRepo DownloadArchive/v4	This API is used to download a repository.	Debug
Obtaining the Submodule List of a Specified Branch or Tag in a Repository	hcloud CodeArtsRepo ListSubmodules/v4	This API is used to obtain the submodule list of a specified branch or tag in a repository.	Debug
Creating a Submodule	hcloud CodeArtsRepo AddSubmodule/v4	This API is used to create a submodule.	Debug
Obtaining File Content	hcloud CodeArtsRepo ShowBlobs/v4	This API is used to obtain file content.	Debug
Obtaining Commit Statistics of a Specified Branch of a Repository	hcloud CodeArtsRepo ShowCommitStatistics/v4	This API is used to obtain the commit statistics of a specified branch of the repository.	Debug
Obtaining the Status of a Repository Statistics Task	hcloud CodeArtsRepo ShowRepositoryStatisticsStatus/v4	This API is used to obtain the status of the repository statistics task.	Debug
Obtaining Statistics on the Default Branch Language of a Repository	hcloud CodeArtsRepo ListRepositoryLanguages/v4	This API is used to obtain statistics on the default branch language of the repository.	Debug
Obtaining Repository Dynamics	hcloud CodeArtsRepo ListRepositoryEvents/v4	This API is used to obtain repository dynamics. (Only dynamic push available now)	Debug

API Name	Command	Description	Operation
Comparing Branches, Tags, and Commits	hcloud CodeArtsRepo ShowRefCompare/v4	This API is used to compare branches, tags, and comments.	Debug
Querying Commit File Content by Line	hcloud CodeArtsRepo ShowDiffLines/v4	This API is used to query commit file content by line. A maximum of 1,000 lines can be displayed.	Debug
Obtaining Repository Notification Settings	hcloud CodeArtsRepo ShowNotification-Subscription/v4	This API is used to obtain repository notification settings.	Debug
Modifying Repository Notification Settings	hcloud CodeArtsRepo UpdateNotificationSubscription/v4	This API is used to modify repository notification settings.	Debug
Obtaining the Status of Repository Notification Settings	hcloud CodeArtsRepo ShowNotification-SubscriptionsStatus/v4	This API is used to obtain the status of repository notification settings.	Debug
Deleting a Repository Deploy Key	hcloud CodeArtsRepo RemoveDeployKey/v4	This API is used to delete a repository deploy key.	Debug
Obtaining Repository Image Details	hcloud CodeArtsRepo ShowRemoteMirror/v4	This API is used to obtain repository image details.	Debug
Updating Repository Mirror Information	hcloud CodeArtsRepo UpdateRepositoryRemoteMirror/v4	This API is used to update repository mirror information.	Debug
Starting Repository Image Synchronization	hcloud CodeArtsRepo StartRemoteMirrorSynchronization/v4	This API is used to start repository image synchronization.	Debug
Obtaining the Latest Commit Activities of the Current User	hcloud CodeArtsRepo ListPersonalRecentPushEvents/v4	This API is used to query the latest N commit activities.	Debug

API Name	Command	Description	Operation
Creating a Repository System Tag	hcloud CodeArtsRepo CreateRepository-SystemLabels/v4	This API is used to create a repository system tag.	Debug
Obtaining a Repository Tag List	hcloud CodeArtsRepo ListRepositoryLa- bels/v4	This API is used to obtain a repository tag list.	Debug
Creating a Repository Tag	hcloud CodeArtsRepo CreateRepository- Label/v4	This API is used to create a repository tag.	Debug
Modifying a Repository Tag	hcloud CodeArtsRepo UpdateRepository- Label/v4	This API is used to modify a repository tag.	Debug
Deleting a Repository Tag	hcloud CodeArtsRepo DeleteRepository- Label/v4	This API is used to delete a repository tag.	Debug
Obtaining the Repository Statistics Overview	hcloud CodeArtsRepo ShowRepoStatistic sSummary/v4	This API is used to obtain the repository statistics overview, including the repository size, number of branches, and number of commits.	Debug
Obtaining the Latest Commit Statistics for a Repository	hcloud CodeArtsRepo ShowRepoLastSta tistics/v4	This API is used to obtain the latest commit statistics for a repository. The 100 most recent committers are shown, from latest to earliest.	Debug
Listing Template Repositories	hcloud CodeArtsRepo ListRepositoryTem plates/v4	This API is used to list template repositories.	Debug
Viewing the Source of Repository Inheritance Settings	hcloud CodeArtsRepo ShowRepositoryIn heritSettingSource /v4	This API is used to view the source of repository inheritance settings.	Debug

API Name	Command	Description	Operation
Creating a Directory in a Specified Branch	hcloud CodeArtsRepo CreateDir/v4	This API is used to create a directory in a specified branch.	Debug
Obtaining the Repository Contributor List	hcloud CodeArtsRepo ListRepositoryContributors/v4	This API is used to obtain the list of repository contributors.	Debug
Viewing Repository Inheritance Settings	hcloud CodeArtsRepo ShowRepositoryInheritSetting/v4	This API is used to view repository inheritance settings.	Debug
Modifying Repository Inheritance Settings	hcloud CodeArtsRepo UpdateRepositoryInheritSetting/v4	This API is used to modify repository inheritance settings.	Debug
Associating a Common Repository with a Remote Image	hcloud CodeArtsRepo AssociateRemoteMirror/v4	This API is used to associate a common repository with a remote image.	Debug
Viewing the General Policies of a Repository	hcloud CodeArtsRepo ShowRepositoryGeneralPolicy/v4	This API is used to view the general policies of the repository.	Debug
Modifying the General Policies of a Repository	hcloud CodeArtsRepo UpdateRepositoryGeneralPolicy/v4	This API is used to modify the general policies of a repository.	Debug
Viewing the General Commit Rules of the Repository	hcloud CodeArtsRepo ShowRepositoryGeneralCommitRule/v4	This API is used to view the general commit rules of the repository.	Debug
Modifying the General Commit Rules of a Repository	hcloud CodeArtsRepo UpdateRepositoryGeneralCommitRule/v4	This API is used to modify the general commit rules of a repository.	Debug
Viewing Repository Commit Rules	hcloud CodeArtsRepo ListRepositoryCommitRules/v4	This API is used to view repository commit rules.	Debug

API Name	Command	Description	Operation
Creating a Repository Commit Rule	hcloud CodeArtsRepo CreateRepository- CommitRule/v4	This API is used to create a repository commit rule.	Debug
Modifying a Repository Commit Rule	hcloud CodeArtsRepo UpdateRepository- CommitRule/v4	This API is used to modify a repository commit rule.	Debug
Viewing the Repository Import Task List of the Current User	hcloud CodeArtsRepo ListPersonalRepo- sitoryImportRecor- ds/v4	This API is used to view the repository import task list of the current user.	Debug
Obtaining the Latest Push Event of a Repository	hcloud CodeArtsRepo ShowLastPushEve- ntInRepository/v4	This API is used to obtain the latest push event of a repository.	Debug
Obtaining the Repository Statistics Summary	hcloud CodeArtsRepo ShowRepositoryS- tatisticsSummary/ v4	This API is used to obtain the repository statistics summary.	Debug
Obtaining the Branch-Level or Tag-Level Permission of the CR Repository User	hcloud CodeArtsRepo ShowUserRefPerm- ission/v4	This API is used to obtain the branch-level or tag-level permission of the CR repository user.	Debug
Freeing up the Repository Space	hcloud CodeArtsRepo StartHouseKeepin- g/v4	This API is used to free up the repository space.	Debug
Synchronizing the Repository Deploy Key to the Sub-repository	hcloud CodeArtsRepo SyncDeployKeyTo- Submodules/v4	This API is used to synchronize the deploy key of the repository to all sub-modules.	Debug
Deleting the Deploy Key of a Sub-Repository	hcloud CodeArtsRepo RemoveDeployKe- yFromSubmodules /v4	This API is used to delete the deploy key of the repository from the submodule.	Debug

API Name	Command	Description	Operation
Transferring a Repository	hcloud CodeArtsRepo TransferRepository/v4	This API is used to transfer a repository to another repository group.	Debug
Obtaining Code Navigation Reference Relationships	hcloud CodeArtsRepo ListRepositoryNavigationReferences/v4	This API is used to obtain the code navigation reference relationships.	Debug
Obtaining the Code Navigation Outline	hcloud CodeArtsRepo ShowRepositoryNavigationOutline/v4	This API is used to obtain the code navigation outline.	Debug
Triggering a Code Navigation Task	hcloud CodeArtsRepo RebuildRepositoryNavigation/v4	This API is used to trigger a code navigation task.	Debug
Obtaining the Mode Information of the Code Navigation Function	hcloud CodeArtsRepo ShowRepositoryNavigationSchema/v4	This API is used to obtain the mode information of the code navigation function, including the latest index creation time and the maximum number of files that can be collected.	Debug
Obtaining the Language Information of the Code Navigation Function	hcloud CodeArtsRepo ShowRepositoryNavigationLanguage/v4	This API is used to obtain the language information of the code navigation function.	Debug
Obtaining Repository Details	hcloud CodeArtsRepo ShowRepository/v4	This API is used to obtain repository details.	Debug
Obtaining the Repository of the Current Login User	hcloud CodeArtsRepo ListCurrentUserRepositories/v4	This API is used to obtain the repository of the current login user.	Debug
Obtaining the Fork List of a Repository	hcloud CodeArtsRepo ListRepositoryForks/v4	This API is used to obtain the fork list of a repository.	Debug

API Name	Command	Description	Operation
Checking Repository Names in Batches	hcloud CodeArtsRepo BatchValidateRepoNames/v4	This API is used to check repository names in batches.	Debug
Obtaining the Repository List of a Project	hcloud CodeArtsRepo ListProjectRepositories/v4	This API is used to obtain the repository list of a project.	Debug
Obtaining the Repository List in a Repository Group	hcloud CodeArtsRepo ListGroupRepositories/v4	This API is used to obtain the repository list in a repository group.	Debug
Obtaining Repository Watermark Settings	hcloud CodeArtsRepo ShowRepositoryWatermark/v4	This API is used to obtain repository watermark settings.	Debug
Updating Repository Watermark Settings	hcloud CodeArtsRepo UpdateRepositoryWatermark/v4	This API is used to update repository watermark settings.	Debug

File

API Name	Command	Description	Operation
Viewing the File Tree	hcloud CodeArtsRepo ListLogsTree/v4	This API is used to view the file tree.	Debug
Viewing the Branch File List	hcloud CodeArtsRepo ListTrees/v4	This API is used to view the branch file list.	Debug
Creating a File	hcloud CodeArtsRepo CreateFile/v4	This API is used to create a file.	Debug
Obtaining the Readme File Content of the Default Branch of the Repository	hcloud CodeArtsRepo ShowReadmeFile/v4	This API is used to obtain the Readme file content of the default branch of the repository.	Debug
Viewing File Attributes and Content	hcloud CodeArtsRepo ShowFile/v4	This API is used to view file attributes and content.	Debug

API Name	Command	Description	Operation
Updating File Content	hcloud CodeArtsRepo UpdateFile/v4	This API is used to update the file content.	Debug
Deleting a File	hcloud CodeArtsRepo DeleteFile/v4	This API is used to delete a file.	Debug
Obtaining the Content of a Single Repository File	hcloud CodeArtsRepo DownloadBlobsRaw/v4	This API is used to obtain the content of a single file in the repository (downloading a single file).	Debug
Obtaining the List of All Files in a Specified Branch	hcloud CodeArtsRepo ListFiles/v4	This API is used to obtain the list of all files in a specified branch.	Debug
Obtaining File Content	hcloud CodeArtsRepo ShowFileContent/v4	This API is used to obtain file content.	Debug
Obtaining File Tracing Information	hcloud CodeArtsRepo ListFileBlameLines/v4	This API is used to obtain file tracing information.	Debug
Obtaining the Upper-Level Tree Structure of the Current File	hcloud CodeArtsRepo ListFileUpperTreeEntries/v4	This API is used to obtain the upper-level tree structure of the current file.	Debug
Renaming a File	hcloud CodeArtsRepo RenameFile/v4	This API is used to rename a file.	Debug
Obtaining the Content of a Single Repository File	hcloud CodeArtsRepo ShowFileRaw/v4	This API is used to obtain the content of a single repository file.	Debug

Commit

API Name	Command	Description	Operation
Viewing the Commit List	hcloud CodeArtsRepo ListCommits/v4	This API is used to view the commit list.	Debug

API Name	Command	Description	Operation
Rolling Back a Commit	hcloud CodeArtsRepo CreateCommitRevert/v4	This API is used to roll back a commit.	Debug
Obtaining the File Change Metadata Introduced by Commit	hcloud CodeArtsRepo ShowCommitDiffMetadata/v4	This API is used to obtain the file change metadata introduced by a commit.	Debug
Querying Branches and Tags by Commit ID	hcloud CodeArtsRepo ListCommitAssociatedRefs/v4	This API is used to query the branch and tag list based on the commit ID.	Debug
Obtaining the Change Content of a Specified File Introduced by a Commit	hcloud CodeArtsRepo ShowCommitFileDiff/v4	This API is used to obtain the change content of a specified file introduced by a commit.	Debug
Obtaining Specific Commit Information	hcloud CodeArtsRepo ShowCommit/v4	This API is used to obtain specific commit information.	Debug
Creating Commit Information	hcloud CodeArtsRepo CreateCommit/v4	This API is used to create commit information.	Debug
Obtaining Commit Differences	hcloud CodeArtsRepo ShowDiffCommit/v4	This API is used to obtain commit differences.	Debug

Group

API Name	Command	Description	Operation
Creating a Repository Group	hcloud CodeArtsRepo CreateGroup/v4	This API is used to create a repository group.	Debug
Transferring a Repository Group	hcloud CodeArtsRepo TransferGroup/v4	This API is used to transfer a repository group.	Debug

API Name	Command	Description	Operation
Obtaining the List of Repository Groups That the Current User Has Management Permissions for in a Project	hcloud CodeArtsRepo ListManageableGroups/v4	This API is used to obtain the list of repository groups that the current user has management permissions for in a project.	Debug
Obtaining Repository Group Information	hcloud CodeArtsRepo ShowGroup/v4	This API is used to obtain repository group information.	Debug
Deleting a Repository Group	hcloud CodeArtsRepo DeleteGroup/v4	This API is used to delete a repository group.	Debug
Associating a Repository Group with a Member Group	hcloud CodeArtsRepo AssociateGroupUserGroup/v4	This API is used to associate a repository group with a member group.	Debug
Obtaining the Inheritance Configuration Items of a Repository Group	hcloud CodeArtsRepo ShowGroupSettingsInheritCfg/v4	This API is used to obtain the inheritance configuration items of a repository group.	Debug
Obtaining the Permission Inheritance Switch of a Repository Group	hcloud CodeArtsRepo ShowGroupPermissionInheritanceEnabled/v4	This API is used to obtain the switch for setting the permission inheritance of a repository group.	Debug
Obtaining Basic Settings of a Specified Repository Group	hcloud CodeArtsRepo ShowGroupGeneralPolicy/v4	This API is used to obtain basic settings of a specified repository group.	Debug
Obtaining the List of Repository Group Permission Resource Points	hcloud CodeArtsRepo ListGroupPermissionResources/v4	This API is used to obtain the list of repository group permission resource points.	Debug
Obtaining the Watermark Settings of a Repository Group	hcloud CodeArtsRepo ShowGroupWatermark/v4	This API is used to obtain the watermark settings of a repository group.	Debug
Updating the Watermark Settings of a Repository Group	hcloud CodeArtsRepo UpdateGroupWatermark/v4	This API is used to update the watermark settings of a repository group.	Debug

API Name	Command	Description	Operation
Obtaining the Inheritance Configuration Items of a Repository Group	hcloud CodeArtsRepo ShowGroupInherit Setting/v4	This API is used to obtain the inheritance configuration items of a repository group.	Debug
Obtaining Basic Settings of a Specified Repository Group	hcloud CodeArtsRepo ShowGroupsGene ralPolicy/v4	This API is used to obtain basic settings of a specified repository group.	Debug
Updating the Basic Settings of a Repository Group	hcloud CodeArtsRepo UpdateGroupGen eralPolicy/v4	This API is used to update the basic settings of a repository group.	Debug
Querying the Member Group List in an Organization	hcloud CodeArtsRepo ListGroupUserGro ups/v4	This API is used to query the member group list in an organization.	Debug
Obtaining the Repository Group List	hcloud CodeArtsRepo ListGroup/v4	This API is used to obtain the list of repository groups.	Debug
Obtaining the List of Members That Can Be Added to a Repository Group	hcloud CodeArtsRepo ListGroupMember s/v4	This API is used to obtain the list of members that can be added to a repository group.	Debug
Obtaining the List of Members That Can Be Added to a Repository Group	hcloud CodeArtsRepo ListGroupAddable Members/v4	This API is used to obtain the list of members that can be added to a repository group.	Debug
Obtaining the Member Groups That Can Be Added to a Repository Group	hcloud CodeArtsRepo ListGroupAddable UserGroups/v4	This API is used to obtain the member groups that can be added to a repository group.	Debug
Obtaining the Sub-repository Groups and Repository Lists of a Repository Group	hcloud CodeArtsRepo ListGroupSubgrou psAndRepositories /v4	This API is used to obtain the sub-repository groups and repository lists of a repository group.	Debug

API Name	Command	Description	Operation
Obtaining the Inheritance Settings of a Repository Group	hcloud CodeArtsRepo ShowGroupsInherit/v4	This API is used to obtain the inheritance settings of a repository group.	Debug
Obtaining the Protected Branch List of a Repository Group	hcloud CodeArtsRepo ListGroupProtectedBranches/v4	This API is used to obtain the protected branch list of a repository group.	Debug

Permission

API Name	Command	Description	Operation
Querying Repository Permission Configurations	hcloud CodeArtsRepo ShowRepositoryPermissionInheritance/v4	This API is used to query the repository permission configuration.	Debug
Updating the Repository Permission Inheritance Configuration	hcloud CodeArtsRepo UpdateRepositoryPermissionInheritance/v4	This API is used to update the repository permission inheritance configuration.	Debug
Obtaining the Permission List for Pushing Repository Files	hcloud CodeArtsRepo ListRepositoryFilePushPermissions/v4	This API is used to obtain the repository file push permission list.	Debug
Updating the Push Permission of Repository Files in Batches	hcloud CodeArtsRepo BatchUpdateRepositoryFilePushPermissions/v4	This API is used to update the push permission of repository files in batches.	Debug
Creating the Repository File Push Permission	hcloud CodeArtsRepo CreateFilePushPermission/v4	This API is used to create the repository file push permission.	Debug
Deleting the Repository File Push Permission in Batches	hcloud CodeArtsRepo BatchDeleteRepositoryFilePushPermissions/v4	This API is used to delete the push permission of repository files in batches.	Debug

API Name	Command	Description	Operation
Querying the Repository Permission Matrix Configuration	hcloud CodeArtsRepo ListRepositoryResourcePermissions/v4	This API is used to query the repository permission matrix configuration.	Debug
Updating the Repository Permission Matrix Configuration	hcloud CodeArtsRepo UpdateRepositoryResourcePermissions/v4	This API is used to update the repository permission matrix configuration.	Debug
Updating the Repository Group Permission Matrix Configuration	hcloud CodeArtsRepo UpdateGroupResourcePermissions/v4	This API is used to update the repository group permission matrix configurations.	Debug

Tenant

API Name	Command	Description	Operation
Obtaining the IP Address Whitelist of a Tenant	hcloud CodeArtsRepo ListTenantTrustedIpAddresses/v4	This API is used to obtain the IP address whitelist of a tenant.	Debug
Adding a Tenant IP Address Whitelist	hcloud CodeArtsRepo AddTenantTrustedIpAddress/v4	This API is used to add a tenant IP address whitelist.	Debug
Modifying a Tenant IP Address Whitelist	hcloud CodeArtsRepo UpdateTenantTrustedIpAddress/v4	This API is used to modify a tenant IP address whitelist.	Debug
Deleting a Tenant IP Address Whitelist	hcloud CodeArtsRepo DeleteTenantTrustedIpAddress/v4	This API is used to delete a tenant IP address whitelist.	Debug
Obtaining the Tenant Repository List	hcloud CodeArtsRepo ListTenantRepositories/v4	This API is used to query the list of all repositories that occupy resources under a tenant.	Debug

API Name	Command	Description	Operation
Obtaining the Tenant Repository List	hcloud CodeArtsRepo ExportTenantRepositories/v4	This API is used to obtain the list of all repositories occupying resources under a tenant. A maximum of 20,000 records can be exported.	Debug
Checking the Development Mode of the Current Tenant	hcloud CodeArtsRepo ShowTenantDevelopmentMode/v4	This API is used to check the development mode of the current tenant.	Debug
Obtaining the Repository Encryption Configurations of the Current Tenant	hcloud CodeArtsRepo ShowTenantRepositoryEncryptionSetting/v4	This API is used to obtain the repository encryption configurations of the current tenant.	Debug
Modifying the Repository Encryption Configurations of the Current Tenant	hcloud CodeArtsRepo UpdateTenantRepositoryEncryptionSetting/v4	This API is used to modify the repository encryption configurations of the current tenant.	Debug
Obtaining the List of CMKs Hosted by KMS for the Current Tenant	hcloud CodeArtsRepo ListTenantCmks/v4	This API is used to obtain the list of client master keys (CMKs) hosted by KMS for the current tenant.	Debug
Obtaining the List of Encrypted Repositories of the Current Tenant	hcloud CodeArtsRepo ListTenantEncryptedRepositories/v4	This API is used to obtain the list of encrypted repositories of the current tenant.	Debug
Obtaining the KMS Authorization Status of the Current Tenant	hcloud CodeArtsRepo ShowTenantKmsGrant/v4	This API is used to obtain the KMS authorization status of the current tenant.	Debug
Creating KMS Authorization Delegated by the Current Tenant to CodeArts Repo	hcloud CodeArtsRepo CreateTenantKmsGrant/v4	This API is used to create KMS authorization delegated by the current tenant to CodeArts Repo.	Debug

API Name	Command	Description	Operation
Obtaining Tenant Settings	hcloud CodeArtsRepo ShowProjectTenantSettings/v4	This API is used to obtain tenant settings.	Debug

Webhook

API Name	Command	Description	Operation
Obtaining the Webhook List Under a Project	hcloud CodeArtsRepo ListProjectWebhooks/v4	This API is used to obtain the webhook list under a project.	Debug
Adding Webhooks to a Project	hcloud CodeArtsRepo AddProjectWebhook/v4	This API is used to add webhooks to a project.	Debug
Obtaining a Webhook Under a Project	hcloud CodeArtsRepo ShowProjectWebhook/v4	This API is used to obtain a webhook under a project.	Debug
Updating a Webhook Under a Project	hcloud CodeArtsRepo UpdateProjectWebhook/v4	This API is used to update a webhook under a project.	Debug
Deleting a Webhook from a Project	hcloud CodeArtsRepo RemoveProjectWebhook/v4	This API is used to delete a webhook from a project.	Debug
Obtaining the Webhook List Under a Repository	hcloud CodeArtsRepo ListRepositoryWebhooks/v4	This API is used to obtain the webhook list of under a repository.	Debug
Adding a Webhook in a Repository	hcloud CodeArtsRepo AddRepositoryWebhook/v4	This API is used to add a webhook in a repository.	Debug
Obtaining Data of a Single Webhook Under a Repository	hcloud CodeArtsRepo ShowRepositoryWebhook/v4	This API is used to obtain data of a single webhook under a repository.	Debug

API Name	Command	Description	Operation
Updating Data of a Single Webhook Under a Repository	hcloud CodeArtsRepo UpdateRepositoryWebhook/v4	This API is used to update data of a single webhook under a repository.	Debug
Deleting a Single Webhook Under a Repository	hcloud CodeArtsRepo RemoveRepositoryWebhook/v4	This API is used to delete a single webhook under a repository.	Debug
Obtaining the Log Lists of a Specified Webhook in a Repository	hcloud CodeArtsRepo ListRepositoryWebhookLogs/v4	This API is used to obtain the log list of a specified webhook in a repository.	Debug
Obtaining Details About Specified Logs of Specified Webhooks in Repositories	hcloud CodeArtsRepo ShowRepositoryWebhookLog/v4	This API is used to obtain details about specified logs of specified webhooks in repositories.	Debug
Obtaining the Log Lists of Specified Webhooks in Projects	hcloud CodeArtsRepo ListProjectWebhookLogs/v4	This API is used to obtain the log lists of specified webhooks in projects.	Debug
Obtaining Details About Specified Logs of Specified Webhooks in Projects	hcloud CodeArtsRepo ShowProjectWebhookLog/v4	This API is used to obtain the details of specified logs of specified Webhooks in projects.	Debug
Obtaining the Log Lists of Specified Webhooks in Repository Groups	hcloud CodeArtsRepo ListGroupWebhookLogs/v4	This API is used to obtain the log lists of specified Webhooks in repository groups.	Debug
Obtaining the Details of Specified Logs of Specified Webhooks in Repository Groups	hcloud CodeArtsRepo ShowGroupWebhookLog/v4	This API is used to obtain the details of specified logs of specified Webhooks in repository groups.	Debug
Obtaining the Webhook List of a Repository Group	hcloud CodeArtsRepo ListGroupWebhooks/v4	This API is used to obtain the Webhook list of a repository group.	Debug

API Name	Command	Description	Operation
Adding a Webhook in a Repository	hcloud CodeArtsRepo AddGroupWebhook/v4	This API is used to add a Webhook in a repository.	Debug
Obtaining a Webhook in a Repository Group	hcloud CodeArtsRepo ShowGroupWebhook/v4	This API is used to obtain a Webhook in a repository group.	Debug
Updating a Webhook in a Repository Group	hcloud CodeArtsRepo UpdateGroupWebhook/v4	This API is used to update a Webhook in a repository group.	Debug
Deleting a Webhook from a Repository Group	hcloud CodeArtsRepo RemoveGroupWebhook/v4	This API is used to delete a Webhook from a repository group.	Debug

Merge Request

API Name	Command	Description	Operation
Obtaining the Latest Pipeline Associated with a Merge Request	hcloud CodeArtsRepo ShowActualHeadPipeline/v4	This API is used to obtain the latest pipeline associated with a merge request.	Debug
Obtaining the Merge Request Score	hcloud CodeArtsRepo ShowMergeRequestVotesDetail/v4	This API is used to obtain the merge request score.	Debug
Updating the Merge Request Score	hcloud CodeArtsRepo UpdateMergeRequestVote/v4	This API is used to update the merge request score.	Debug
Deleting a Merge Request Score	hcloud CodeArtsRepo DeleteMergeRequestVote/v4	This API is used to delete a merge request score.	Debug
Obtaining Merge Request Details	hcloud CodeArtsRepo ShowMergeRequestDetail/v4	This API is used to obtain merge request details.	Debug

API Name	Command	Description	Operation
Updating a Merge Request	hcloud CodeArtsRepo UpdateMergeRequest/v4	This API is used to update a merge request.	Debug
Obtaining the Mergeable Status of a Merge Request	hcloud CodeArtsRepo ShowMergeableStateOuter/v4	This API is used to obtain the mergeable status of a merge request.	Debug
Incorporating a Merge Request	hcloud CodeArtsRepo MergeMergeRequest/v4	This API is used to incorporate a merge request.	Debug
Obtaining the Merge Request List of a Repository	hcloud CodeArtsRepo ListRepositoryMergeRequests/v4	This API is used to obtain the merge request list of a repository.	Debug
Creating a Merge Request	hcloud CodeArtsRepo CreateMergeRequest/v4	This API is used to create a merge request.	Debug
Obtaining Repository Merge Request Statistics	hcloud CodeArtsRepo ShowRepositoryMergeRequestsStatistic/v4	This API is used to obtain repository merge request statistics.	Debug
Obtaining the Merge Request Approving Setting List	hcloud CodeArtsRepo ListMergeRequestApproverSettings/v4	This API is used to obtain the merge request approving setting list.	Debug
Creating Merge Request Approving Settings	hcloud CodeArtsRepo CreateMergeRequestApproverSetting/v4	This API is used to create merge request approving settings.	Debug
Updating Merge Request Approving Settings	hcloud CodeArtsRepo UpdateMergeRequestApproverSetting/v4	This API is used to update merge request approving settings.	Debug

API Name	Command	Description	Operation
Deleting Merge Request Approving Configurations	hcloud CodeArtsRepo DeleteMergeRequestApproverSetting/v4	This API is used to delete merge request approving configurations.	Debug
Obtaining the Merge Request Commit List	hcloud CodeArtsRepo ListMergeRequestCommits/v4	This API is used to obtain the merge request commit list.	Debug
Obtaining the File Change List Tree of a Merge Request	hcloud CodeArtsRepo ListMergeRequestChangesTrees/v4	This API is used to obtain the file change list tree of a merge request.	Debug
Obtaining the Merge Request File Change List	hcloud CodeArtsRepo ListMergeRequestChanges/v4	This API is used to obtain the merge request file change list.	Debug
Obtaining the Merge Request Associated with a Commit	hcloud CodeArtsRepo ListCommitAssociatedMergeRequests/v4	This API is used to obtain the merge request associated with the commit.	Debug
Obtaining the List of Merge Requests on the Personal Home Page	hcloud CodeArtsRepo ListPersonalMergeRequests/v4	This API is used to obtain the list of merge requests on the personal home page.	Debug
Obtain the Merge Request Participant	hcloud CodeArtsRepo ListMergeRequestParticipants/v4	This API is used to obtain the merge request participant.	Debug
Importing a Merge Request	hcloud CodeArtsRepo ImportMergeRequest/v4	This API is used to import a merge request.	Debug
Obtaining Branch Code Conflicts	hcloud CodeArtsRepo ShowBranchConflict/v4	This API is used to obtain branch code conflicts.	Debug
Obtaining Repository Merge Request Settings	hcloud CodeArtsRepo ShowMergeRequestSetting/v4	This API is used to obtain the merge request settings of a repository.	Debug

API Name	Command	Description	Operation
Updating Repository Merge Request Settings	hcloud CodeArtsRepo UpdateMergeReq uestSetting/v4	This API is used to update the merge request settings of a repository.	Debug
Obtaining Merge Request Settings of a Repository Group	hcloud CodeArtsRepo ShowGroupMerge RequestSetting/v4	This API is used to obtain the merge request settings of a repository group.	Debug
Obtaining Project Merge Request Settings	hcloud CodeArtsRepo ShowProjectMerg eRequestSetting/v 4	This API is used to obtain project merge request settings.	Debug
Obtaining the Merge Request Template List	hcloud CodeArtsRepo ListMergeRequest Templates/v4	This API is used to obtain the merge request template list.	Debug
Creating a Merge Request Template	hcloud CodeArtsRepo CreateMergeRequ estTemplate/v4	This API is used to create a merge request template.	Debug
Obtaining the Review Comment Template List	hcloud CodeArtsRepo ListDiscussionTem plates/v4	This API is used to obtain the review comment template list.	Debug
Obtaining a Single Merge Request Template	hcloud CodeArtsRepo ShowMergeReque stTemplate/v4	This API is used to obtain a single merge request template.	Debug
Updating a Merge Request Template	hcloud CodeArtsRepo UpdateMergeReq uestTemplate/v4	This API is used to update a merge request template.	Debug
Deleting a Merge Request Template	hcloud CodeArtsRepo DeleteMergeRequ estTemplate/v4	This API is used to delete a merge request template.	Debug
Obtaining the Merge Request Approving Setting List of a Repository Group	hcloud CodeArtsRepo ListGroupMergeR- equestApproverSe ttings/v4	This API is used to obtain the merge request approving setting list of a repository group.	Debug

API Name	Command	Description	Operation
Creating Merge Request Approving Settings of a Repository Group	hcloud CodeArtsRepo CreateGroupMergeRequestApproverSetting/v4	This API is used to create the merge request approving settings of a repository group.	Debug
Obtaining Project Merge Request Approving Settings List	hcloud CodeArtsRepo ListProjectMergeRequestApproverSettings/v4	This API is used to obtain project merge request approving settings list.	Debug
Creating Project Merge Request Approving Settings	hcloud CodeArtsRepo CreateProjectMergeRequestApproverSetting/v4	This API is used to create project merge request approving settings.	Debug
Updating Repository Group Merge Request Approving Settings	hcloud CodeArtsRepo UpdateGroupMergeRequestApproverSetting/v4	This API is used to update repository group merge request approving settings.	Debug
Deleting Repository Group Merge Request Approving Configurations	hcloud CodeArtsRepo DeleteGroupMergeRequestApproverSetting/v4	This API is used to delete repository group merge request approving configurations.	Debug
Updating Project Merge Request Approving Settings	hcloud CodeArtsRepo UpdateProjectMergeRequestApproverSetting/v4	This API is used to update project merge request approving settings.	Debug
Deleting Project Merge Request Approving Configurations	hcloud CodeArtsRepo DeleteProjectMergeRequestApproverSetting/v4	This API is used to delete project merge request approving configurations.	Debug
Obtaining Repository Group Approvers or Mergers	hcloud CodeArtsRepo ListGroupMergeRequestValidAssignedCandidates/v4	This API is used to obtain repository group approvers or mergers.	Debug
Obtaining Project Approvers or Mergers	hcloud CodeArtsRepo ListProjectMergeRequestCanBeAssignedUsers/v4	This API is used to obtain project approvers or mergers.	Debug

API Name	Command	Description	Operation
Obtaining Repository Group Reviewers	hcloud CodeArtsRepo ListGroupMergeRequestCanBeAssignedReviewers/v4	This API is used to obtain repository group reviewers.	Debug
Obtaining Project Reviewers	hcloud CodeArtsRepo ListProjectMergeRequestCanBeAssignedReviewers/v4	This API is used to obtain project reviewers.	Debug
Obtaining the Approver List of a Merge Request	hcloud CodeArtsRepo ListMergeRequestApprovers/v4	This API is used to obtain the approver list of a merge request.	Debug
Obtaining the Merge Request Reviewer List	hcloud CodeArtsRepo ListMergeRequestReviewers/v4	This API is used to obtain the merge request reviewer list.	Debug
Updating the Approver List of a Merge Request	hcloud CodeArtsRepo UpdateMergeRequestApprovers/v4	This API is used to update the approver list of a merge request.	Debug
Updating the Reviewer List of a Merge Request	hcloud CodeArtsRepo UpdateMergeRequestReviewers/v4	This API is used to update the reviewer list of a merge request.	Debug
Approving a Merge Request	hcloud CodeArtsRepo ApprovalMergeRequest/v4	This API is used to approve a merge request.	Debug
Reviewing a Merge Request	hcloud CodeArtsRepo ReviewMergeRequest/v4	This API is used to review a merge request.	Debug
Obtaining Repository Approvers or Mergers	hcloud CodeArtsRepo ListMergeRequestValidAssignedCandidates/v4	This API is used to obtain repository approvers or mergers.	Debug
Rebasing a Merge Request	hcloud CodeArtsRepo RebaseMergeRequestForOpenApi/v4	This API is used to rebase a merge request.	Debug

API Name	Command	Description	Operation
Resolving Merge Request Conflicts Online	hcloud CodeArtsRepo ResolveMergeRequestConflicts/v4	This API is used to resolve merge request conflicts online.	Debug
Obtaining All Conflict Files	hcloud CodeArtsRepo ListMergeRequestConflictFiles/v4	This API is used to obtain all conflict files.	Debug
Obtaining the Average Rating of a Merge Request	hcloud CodeArtsRepo ShowAverageEvaluation/v4	This API is used to obtain the average rating of a merge request.	Debug
Obtaining the Merge Request Review List	hcloud CodeArtsRepo ListMergeRequestEvaluations/v4	This API is used to obtain the merge request review list.	Debug
Obtaining Review Comments of a Single File on the File Change Page of a Merge Request	hcloud CodeArtsRepo ShowMergeRequestCommentsByLine/v4	This API is used to obtain review comments of a single file on the file change page of a merge request.	Debug
Obtaining Review Comments of a Single Submitted File on a Code Page	hcloud CodeArtsRepo ShowCommitCommentsByLine/v4	This API is used to obtain the review comments of a single submitted file on a code page.	Debug
Obtaining the Merge Request Template List of a Repository Group	hcloud CodeArtsRepo ListGroupMergeRequestTemplates/v4	This API is used to obtain the merge request template list of a repository group.	Debug
Creating a Merge Request Template of a Repository Group	hcloud CodeArtsRepo CreateGroupMergeRequestTemplate/v4	This API is used to create a repository group merge request template.	Debug
Updating a Merge Request Template for a Repository Group	hcloud CodeArtsRepo UpdateGroupMergeRequestTemplate/v4	This API is used to update a merge request template for a repository group.	Debug

API Name	Command	Description	Operation
Deleting a Merge Request Template for a Repository Group	hcloud CodeArtsRepo DeleteGroupMergeRequestTemplate/v4	This API is used to delete a merge request template for a repository group.	Debug
Obtaining the Merge Request Template List of a Project	hcloud CodeArtsRepo ListProjectMergeRequestTemplates/v4	This API is used to obtain the merge request template list of a project.	Debug
Creating a Project Merge Request Template	hcloud CodeArtsRepo CreateProjectMergeRequestTemplate/v4	This API is used to create a project merge request template.	Debug
Updating a Project Merge Request Template	hcloud CodeArtsRepo UpdateProjectMergeRequestTemplate/v4	This API is used to update the project merge request template.	Debug
Deleting a Project Merge Request Template	hcloud CodeArtsRepo DeleteProjectMergeRequestTemplate/v4	This API is used to delete a project merge request template.	Debug
Obtaining the History Versions List of File Change	hcloud CodeArtsRepo ListMergeRequestVersions/v4	This API is used to obtain the history versions list of file change.	Debug
Cherry-picking a Merge Request	hcloud CodeArtsRepo CreateCherryPickMergeRequest/v4	This API is used to cherry pick a merge request.	Debug
Obtaining the Merge Request List of a Project	hcloud CodeArtsRepo ListProjectMergeRequests/v4	This API is used to obtain the merge request list of a project.	Debug

Discussion

API Name	Command	Description	Operation
Obtaining Merge Request Review Comments Based on discussion_id	hcloud CodeArtsRepo ShowMergeReque stDiscussion/v4	This API is used to obtain merge request review comments based on discussion_id.	Debug
Updating Information Except Comments in the Merge Request's Review Comments	hcloud CodeArtsRepo UpdateMergeReq uestDiscussionIn- fo/v4	This API is used to update information except comments in the merge request's review comments.	Debug
Obtaining a Repository Review List	hcloud CodeArtsRepo ListRepositoryRe- views/v4	This API is used to obtain a repository review list.	Debug
Obtaining the Merge Request Review Comment List	hcloud CodeArtsRepo ListMergeRequest Discussions/v4	This API is used to obtain the merge request review comment list.	Debug
Creating Merge Request Review Comments	hcloud CodeArtsRepo CreateMergeRequ estDiscussion/v4	This API is used to create merge request review comments.	Debug
Obtaining the Merge Request Activities List	hcloud CodeArtsRepo ListMergeRequest SystemNotes/v4	This API is used to obtain the merge request activities list.	Debug
Obtaining the List of Review Comments for a Single Commit on a Code Page	hcloud CodeArtsRepo ListCommitDiscus sions/v4	This API is used to obtain the list of review comments for a single commit on a code page.	Debug
Replying to Merge Request Review Comments	hcloud CodeArtsRepo CreateMergeRequ estDiscussionRes- ponse/v4	This API is used to reply to merge request review comments.	Debug
Updating Merge Request Review Comments	hcloud CodeArtsRepo UpdateMergeReq uestDiscussion/v4	This API is used to update merge request review comments.	Debug

API Name	Command	Description	Operation
Deleting Merge Request Review Comments	hcloud CodeArtsRepo DeleteMergeRequestDiscussion/v4	This API is used to delete merge request review comments.	Debug
Obtaining the Reviewer List of Review Comments in the Repository	hcloud CodeArtsRepo ListRepositoryReviewAuthors/v4	This API is used to obtain the reviewer list of review comments in the repository.	Debug
Creating/ Updating Review Comments Settings	hcloud CodeArtsRepo CreateReviewSetting/v4	This API is used to create/update review comment settings.	Debug
Obtaining Review Comment Settings	hcloud CodeArtsRepo ShowReviewSetting/v4	This API is used to obtain review settings.	Debug
Obtaining Default Review Comment Categories	hcloud CodeArtsRepo ListDefaultReviewCategories/v4	This API is used to obtain the default review comment categories.	Debug
Obtaining Repository Group Review Comment Settings	hcloud CodeArtsRepo ShowGroupReviewSettings/v4	This API is used to obtain repository group review comment settings (excluding mandatory items).	Debug
Creating/ Updating Repository Group Review Comment Settings	hcloud CodeArtsRepo UpdateGroupReviewSettings/v4	This API is used to create or update repository group review comment settings (excluding mandatory items).	Debug
Obtaining Project Review Comment Settings	hcloud CodeArtsRepo ShowProjectReviewSettings/v4	This API is used to obtain the project review comment settings (excluding mandatory items).	Debug
Creating/ Updating Project Review Comment Settings	hcloud CodeArtsRepo UpdateProjectReviewSettings/v4	This API is used to create or update the project review comment settings (excluding mandatory items).	Debug

API Name	Command	Description	Operation
Obtaining Mandatory Items for Repository Group Review Comments	hcloud CodeArtsRepo ShowGroupNoteRequiredAttributes/v4	This API is used to obtain the mandatory items for repository group review comments.	Debug
Creating or Updating Mandatory Items for Repository Group Review Comments	hcloud CodeArtsRepo UpdateGroupNoteRequiredAttributes/v4	This API is used to create or update the mandatory items for repository group review comments.	Debug
Obtaining Mandatory Items for Project Review Comments	hcloud CodeArtsRepo ListProjectNoteRequiredAttributes/v4	This API is used to obtain the mandatory items for project review comments.	Debug
Creating or Updating Mandatory Items for Project Review Comments	hcloud CodeArtsRepo UpdateProjectNoteRequiredAttributes/v4	This API is used to create or update the mandatory items for project review comments.	Debug
Obtaining Mandatory Items for Repository Review Comments	hcloud CodeArtsRepo ShowNoteRequiredAttributes/v4	This API is used to obtain the mandatory items for repository review comments.	Debug
Creating/ Updating Mandatory Items for Repository Review Comments	hcloud CodeArtsRepo UpdateNoteRequiredAttributes/v4	This API is used to create or update the mandatory items for repository review comments.	Debug

Member

API Name	Command	Description	Operation
Obtaining the Member Group List	hcloud CodeArtsRepo ListRepositoryUserGroups/v4	This API is used to obtain the member group list.	Debug
Obtaining the Repository Member List	hcloud CodeArtsRepo ListMembers/v4	This API is used to obtain the repository member list.	Debug

API Name	Command	Description	Operation
Adding Repository Members in Batches	hcloud CodeArtsRepo AddRepositoryMembers/v4	This API is used to add repository members in batches.	Debug
Obtaining the Member List in a Project	hcloud CodeArtsRepo ListProductPermissionResourcesGrantedUsers/v4	This API is used to obtain the member list in a project.	Debug
Obtaining the Member Group List of a Repository	hcloud CodeArtsRepo ListRepositoryProtectedRefsUserGroups/v4	This API is used to obtain the member group list of a repository (used in protected branch and protected tag settings).	Debug
Obtaining Members with the Approval Permission in a Repository	hcloud CodeArtsRepo ListManagementUsers/v4	This API is used to obtain members with the approval permission in a repository. They can approve users to access the repository.	Debug
Obtaining the Member Group List of a Repository Group	hcloud CodeArtsRepo ListGroupProtectedRefsUserGroups/v4	This API is used to obtain the member group list of a repository group (used in protected branch and protected tag settings).	Debug
Obtaining the Member Group List of a Project	hcloud CodeArtsRepo ListProjectProtectedRefsUserGroups/v4	This API is used to obtain the member group list of a project (used in protected branch and protected tag settings).	Debug

Pipeline

API Name	Command	Description	Operation
Obtaining the Latest Task Associated with CodeArts Pipeline	hcloud CodeArtsRepo ListLatestPipelineJobs/v4	This API is used to obtain the latest task associated with CodeArts Pipeline.	Debug

API Name	Command	Description	Operation
Obtaining the List of Tasks Associated with CodeArts Pipeline	hcloud CodeArtsRepo ListPipelineJobs/v4	This API is used to obtain the list of tasks associated with CodeArts Pipeline.	Debug

Third Party

API Name	Command	Description	Operation
Verifying Whether a Deploy Key Is Configured in the Upper-Layer Repository Group or Project	hcloud CodeArtsRepo CheckDeployKey/v4	This API is used to verify whether a deploy key is configured in the upper-layer repository group or project.	Debug
Verifying Whether the Deploy Key of a Repository Group Is Configured in the Upper-Layer Repository Group or Project	hcloud CodeArtsRepo CheckGroupDeployKey/v4	This API is used to verify whether the deploy key of a repository group is configured in the upper-layer repository group or project.	Debug
Obtaining the List of Deploy Keys in a Repository	hcloud CodeArtsRepo ListRepositoryDeployKeys/v4	This API is used to obtain the list of deploy keys in a repository.	Debug
Obtaining the Deploy Key List of a Repository Group	hcloud CodeArtsRepo ListGroupDeployKeys/v4	This API is used to obtain the deploy key list of a repository group.	Debug
Obtaining the Deploy Key List of a Project	hcloud CodeArtsRepo ListProjectDeployKeys/v4	This API is used to obtain the deploy key list of a project.	Debug
Obtaining the List of Associated Work Items of a Specified Branch in a Repository	hcloud CodeArtsRepo ListBranchRelatedWorkItems/v4	This API is used to obtain the list of associated work items of a specified branch in a repository.	Debug
Obtaining the List of Work Items in a Repository	hcloud CodeArtsRepo ListRepositoryWorkItems/v4	This API is used to obtain the list of work items in a repository.	Debug

API Name	Command	Description	Operation
Obtaining E2E Settings in a Repository	hcloud CodeArtsRepo ShowRepositoryE2eSetting/v4	This API is used to obtain E2E settings in a repository.	Debug
Obtaining E2E Settings in a Repository Group	hcloud CodeArtsRepo ShowGroupE2eSetting/v4	This API is used to obtain E2E settings in a repository group.	Debug
Obtaining E2E Settings of a Project	hcloud CodeArtsRepo ShowProjectE2eSetting/v4	This API is used to obtain the E2E settings of a project.	Debug

User

API Name	Command	Description	Operation
Obtaining Permissions of the Repository Group List Specified by the Current User	hcloud CodeArtsRepo BatchValidateUserGroupPermissions/v4	This API is used to obtain permissions of the repository group list specified by the current user.	Debug
Obtaining the gpg_key List of the Current User	hcloud CodeArtsRepo ListUserGpgKeys/v4	This API is used to obtain the gpg_key list of the current user.	Debug
Obtaining the Key List of the Current User	hcloud CodeArtsRepo ListUserKeys/v4	This API is used to obtain the key list of the current user.	Debug
Adding an SSH Public Key	hcloud CodeArtsRepo AddSshKey/v4	This API is used to add an SSH public key.	Debug
Sending an Email Verification Code	hcloud CodeArtsRepo SendUserEmailVerifyCode/v4	This API is used to send an email verification code.	Debug
Obtaining User Email Information	hcloud CodeArtsRepo ShowUserEmails/v4	This API is used to obtain user email information.	Debug

API Name	Command	Description	Operation
Updating an Email Address	hcloud CodeArtsRepo UpdateUserEmails/v4	This API is used to update an email address.	Debug
Obtaining the HTTPS Authentication Mode	hcloud CodeArtsRepo ShowHttpsPasswordSetting/v4	This API is used to obtain the HTTPS authentication mode.	Debug
Modifying the HTTPS Authentication Mode	hcloud CodeArtsRepo UpdateHttpsPasswordSetting/v4	This API is used to modify the HTTPS authentication mode.	Debug
Deleting an SSH Public Key	hcloud CodeArtsRepo DeleteSshKey/v4	This API is used to delete an SSH public key.	Debug
Obtaining a User's Personal Access Token	hcloud CodeArtsRepo ListImpersonationTokens/v4	This API is used to obtain the personal access token of a user.	Debug

Project

API Name	Command	Description	Operation
Obtaining the Permission Matrix of a Specified Permission Resource in a Repository Group	hcloud CodeArtsRepo ShowResourcePermissions/v4	This API is used to obtain the permission matrix of a specified permission resource in the repository group.	Debug
Obtaining Project Inheritance Settings	hcloud CodeArtsRepo ShowProjectSettingsInheritCfg/v4	This API is used to obtain project inheritance settings.	Debug
Updating Project Inheritance Settings	hcloud CodeArtsRepo UpdateProjectSettingsInheritCfg/v4	This API is used to update project inheritance settings.	Debug
Obtaining Project Member Settings	hcloud CodeArtsRepo ShowProjectMemberSetting/v4	This API is used to obtain project member settings.	Debug

API Name	Command	Description	Operation
Obtaining Basic Settings of a Specified Project	hcloud CodeArtsRepo ShowProjectGeneralPolicy/v4	This API is used to obtain basic settings of a specified project.	Debug
Obtaining Basic Settings of a Specified Project	hcloud CodeArtsRepo ShowProjectsGeneralPolicy/v4	This API is used to obtain basic settings of a specified project.	Debug
Updating Basic Settings of a Project	hcloud CodeArtsRepo UpdateProjectGeneralPolicy/v4	This API is used to update basic project settings.	Debug
Obtaining the List of Repository Groups and Repositories in a Project	hcloud CodeArtsRepo ListProjectSubgroupsAndRepositories/v4	This API is used to obtain the list of repository groups and repositories in a project.	Debug
Listing Commit Information Associated with a Work Item	hcloud CodeArtsRepo ListItemCommits/v4	This API is used to list commit information associated with a work item.	Debug
Obtaining Project Watermark Settings	hcloud CodeArtsRepo ShowProjectWatermark/v4	This API is used to obtain project watermark settings.	Debug
Updating Project Watermark Settings	hcloud CodeArtsRepo UpdateProjectWatermark/v4	This API is used to update project watermark settings.	Debug

ProtectedRefs

API Name	Command	Description	Operation
Obtaining the Protected Branch List of a Project	hcloud CodeArtsRepo ListProjectProtectedBranches/v4	This API is used to obtain the protected branch list of a project.	Debug
Creating a Protected Branch Under a Project	hcloud CodeArtsRepo CreateProjectProtectedBranches/v4	This API is used to create a protected branch under a project.	Debug

API Name	Command	Description	Operation
Obtaining the Details of a Protected Tag of a Specified Project	hcloud CodeArtsRepo ListProjectProtectedTags/v4	This API is used to obtain protected tag details of a specified project.	Debug
Creating a Protected Tag Under a Project	hcloud CodeArtsRepo CreateProjectProtectedTags/v4	This API is used to create a protected tag under a project.	Debug
Obtaining Protected Branch List of a Repository	hcloud CodeArtsRepo ListProtectedBranches/v4	This API is used to obtain protected branch list of a repository.	Debug
Updating Protected Branches in Batches in a Repository	hcloud CodeArtsRepo BatchUpdateProtectedBranches/v4	This API is used to update protected branches in batches in a repository.	Debug
Creating Protected Branches in Batches in a Repository	hcloud CodeArtsRepo BatchCreateProtectedBranch/v4	This API is used to create protected branches in batches in a repository.	Debug
Deleting Protected Branches in Batches in a Repository	hcloud CodeArtsRepo BatchDeleteProtectedBranches/v4	This API is used to delete protected branches in batches in a repository.	Debug
Obtaining a Protected Branch of a Repository	hcloud CodeArtsRepo ShowProtectedBranch/v4	This API is used to obtain a protected branch of a repository.	Debug
Updating a Protected Branch of a Repository	hcloud CodeArtsRepo UpdateProtectedBranch/v4	This API is used to update a protected branch in a repository.	Debug
Deleting a Protected Branch of a Repository	hcloud CodeArtsRepo DeleteProtectedBranch/v4	This API is used to delete a protected branch in a repository.	Debug
Obtaining a Protected Tag List of a Repository	hcloud CodeArtsRepo ListProtectedTags/v4	This API is used to obtain a protected tag list in a repository.	Debug

API Name	Command	Description	Operation
Updating Protected Tags in Batches in a Repository	hcloud CodeArtsRepo BatchUpdateProtectedTags/v4	This API is used to update protected tags in batches in a repository.	Debug
Creating Protected Tags in Batches in a Repository	hcloud CodeArtsRepo BatchCreateProtectedTags/v4	This API is used to create protected tags in batches in a repository.	Debug
Deleting Protected Tags in Batches in a Repository	hcloud CodeArtsRepo BatchDeleteProtectedTags/v4	This API is used to delete protected tags in batches in a repository.	Debug
Obtaining a Protected Tag of a Repository	hcloud CodeArtsRepo ShowProtectedTag/v4	This API is used to obtain a protected tag of a repository.	Debug
Updating a Protected Tag in a Repository	hcloud CodeArtsRepo UpdateProtected-Tag/v4	This API is used to update a protected tag in a repository.	Debug
Deleting a Protected Tag from a Repository	hcloud CodeArtsRepo DeleteProtected-Tag/v4	This API is used to delete a protected tag from a repository.	Debug

2.2 CLI Command Reference (V3)

SSH Keys

API Name	Command	Description	Operation
Obtaining an SSH Key List	hcloud CodeArtsRepo ListSshKeys/v3	This API is used to obtain an SSH key list.	Debug
Adding an SSH Key	hcloud CodeArtsRepo AddSshKey/v3	This API is used to add an SSH key.	Debug
Checking Whether a Private Key Can Be Used to Pull Code	hcloud CodeArtsRepo ShowPrivateKeyVerify/v3	This API is used to check whether a private key has the permission to pull code.	Debug

API Name	Command	Description	Operation
Deleting a User Public Key	hcloud CodeArtsRepo DeleteSSHkey/v3	This API is used to delete a user public key.	Debug

Repository

API Name	Command	Description	Operation
Obtaining Files in a Branch Directory	hcloud CodeArtsRepo ListSubfiles/v3	This API is used to obtain files in the branch directory.	Debug
Obtaining Repository Statistics	hcloud CodeArtsRepo ShowStatistical-Data/v3	This API is used to obtain repository statistics.	Debug
Obtaining Image Files of a Specific Branch in a Repository	hcloud CodeArtsRepo ShowImageBlob/v3	This API is used to obtain image files of a specific branch in a repository.	Debug
Modifying the Status of a Repository Referenced by a Pipeline.	hcloud CodeArtsRepo ShowHasPipeline/v3	This API is used to modify the status of a repository referenced by a pipeline.	Debug
Obtaining Reviewer Information Based on the Repo Short ID and Merge Request Short ID	hcloud CodeArtsRepo ListMergeRequestReviewers/v3	This API is used to obtain reviewer information based on the repo short ID and merge request short ID.	Debug
Reviewing Merge Request Code	hcloud CodeArtsRepo UpdateMergeRequestApprovalState/v3	This API is used to review the merge request code.	Debug
Obtaining Changed Files	hcloud CodeArtsRepo ListMergeChanges/v3	This API is used to obtain changed files.	Debug
Obtaining Associated Work Item Information	hcloud CodeArtsRepo ListRelatedCommits/v3	This API is used to obtain information about associated work items.	Debug

API Name	Command	Description	Operation
Obtaining the List of Changed Files	hcloud CodeArtsRepo ListMergeChanges Trees/v3	This API is used to obtain the list of changed files.	Debug
Checking Whether a User Has the Repository Administrator Permission	hcloud CodeArtsRepo ShowMaster/v3	This API is used to check whether a user has the repository administrator permission.	Debug
Setting a Repository to Public or Private	hcloud CodeArtsRepo ShareTemplates/v 3	This API is used to set a repository to public or private.	Debug
Setting a Repository to Public or Private	hcloud CodeArtsRepo ListTemplatesTwo /v3	This API is used to set a repository to public or private.	Debug
Obtaining the Content of a Specified File in a Specified Branch of a Repository	hcloud CodeArtsRepo ListFiles/v3	This API is used to obtain the content of a specified file in a specified branch of a repository.	Debug
Obtaining a Public Template List	hcloud CodeArtsRepo GetTemplates/v3	This API is used to obtain a public template list.	Debug
Obtaining a Public Template List	hcloud CodeArtsRepo ListTwoTemplates /v3	This API is used to obtain a public template list.	Debug
Creating a Repository	hcloud CodeArtsRepo CreateRepository/ v3	This API is used to create a repository on a specified project with the specified name. Input parameters include the repository name, template ID, whether to import project members, and home project.	Debug

API Name	Command	Description	Operation
Obtaining a Repository Short ID Based on the Repository or Repository Group Name to Combine the URL of the Commit Details Page Corresponding to the Commit ID	hcloud CodeArtsRepo ShowRepold/v3	This API is used to obtain the short ID of a repository, which is used to obtain the URL of the repository details page.	Debug
Querying a Commit of a Branch by Repository or Repository Group Name	hcloud CodeArtsRepo ShowCommitsByBranch/v3	This API is used to obtain the commit list by repository or repository group name and branch.	Debug
Querying Branches of a Specified Repository	hcloud CodeArtsRepo ShowBranchesByRepositoryId/v3	This API is used to query the branch list of a specified repository by the repository ID.	Debug
Querying a Commit of a Repository Branch by the Repository ID	hcloud CodeArtsRepo ShowCommitsByRepositoryId/v3	This API is used to query the commit of a repository branch based on the repository ID.	Debug
Adding a Deploy Key	hcloud CodeArtsRepo AddDeployKey/v3	This API is used to add a deploy key.	Debug
Adding a Deploy Key	hcloud CodeArtsRepo AddDeployKeyV2/v3	This API is used to add a deploy key.	Debug
Deleting a Repository Deploy Key	hcloud CodeArtsRepo DeleteDeployKey/v3	This API is used to delete a repository deploy key.	Debug
Deleting a Repository Deploy Key	hcloud CodeArtsRepo DeleteDeployKeyV2/v3	This API is used to delete a repository deploy key.	Debug

API Name	Command	Description	Operation
Obtaining the Last Commit Statistics of a Repository	hcloud CodeArtsRepo ListCommitStatistics/v3	This API is used to obtain the last commit statistics of a repository.	Debug
Repository Statistics	hcloud CodeArtsRepo ShowRepositoryStatistics/v3	This API is used to query code commit record statistics of a repository by the repository short ID.	Debug
Querying a Repository in a Project	hcloud CodeArtsRepo GetRepositoryBy-ProjectId/v3	This API is not recommended. You are advised to use / {repository_uuid}/ status.	Debug
Deleting a Repository	hcloud CodeArtsRepo DeleteRepository/v3	This API is used to delete a repository by the 32-bit UUID of the repository.	Debug
Viewing a Repository Creation Status	hcloud CodeArtsRepo ListRepositoryStatus/v3	This API is used to obtain the repository status.	Debug
Querying a Tag List of a Repository	hcloud CodeArtsRepo ShowBranchesByTwoRepositoryId/v3	This API is used to query the branch corresponding to a specified repository.	Debug
Adding a Tag	hcloud CodeArtsRepo AddTagV2/v3	This API is used to add a tag.	Debug
Querying Details About a Repository	hcloud CodeArtsRepo ShowRepositoryByUuid/v3	This API is used to obtain details about a repository by UUID (returned by the CreateRepository API). The returned information contains the ID, name, repo group name, and repository access URL.	Debug

API Name	Command	Description	Operation
Obtaining the Number of Committed Code Lines	hcloud CodeArtsRepo ShowStatisticCom mit/v3	This API is used to obtain the number of committed code lines of a specified branch in the code repository on a specified date.	Debug
Obtaining the Number of Committed Code Lines	hcloud CodeArtsRepo ShowStatisticCom mitV3/v3	This API is used to obtain the number of committed code lines of a specified branch in the code repository on a specified date.	Debug
Downloading a Repository	hcloud CodeArtsRepo ShowRepositoryAr chive/v3	This API is used to download a repository in the specified format.	Debug
Creating a Protected Branch	hcloud CodeArtsRepo AddProtectBranch V2/v3	This API is used to create a protected branch.	Debug
Obtaining a Repository Branch List	hcloud CodeArtsRepo ListBranchesByRe positoryId/v3	This API is used to obtain a branch list of a repository.	Debug
Obtaining the Merge Request List of a Repository	hcloud CodeArtsRepo ListMergeRequest /v3	This API is used to obtain a merge request list of a repository.	Debug
Obtaining Merge Request Details of a Repository	hcloud CodeArtsRepo ShowMergeReque st/v3	This API is used to obtain merge request details of a repository.	Debug

Project (V2)

API Name	Command	Description	Operation
Querying All Repositories of a User	hcloud CodeArtsRepo ListUserAllReposi tories/v3	This API is used to obtain information about all repositories of a user.	Debug

API Name	Command	Description	Operation
Creating a Project and Repository	hcloud CodeArtsRepo CreateProjectAndRepositories/v3	After a project is created, the parameters for creating a repository group are generated in the background, including the repository name, template ID, whether to import project members, and home project.	Debug
Creating a Project and Forking a Repository	hcloud CodeArtsRepo CreateProjectAnd-forkRepositories/v3	After a repository is created, parameters transferred to the fork repository include the repository name, whether to import project members, and home project.	Debug
Querying All Repositories in a Project	hcloud CodeArtsRepo ShowAllRepositoriesByTwoProjectId/v3	This API is used to obtain the repository list. Fuzzy query is supported: If the project UUID is not specified, fuzzy query by repository name or project name is supported; otherwise, fuzzy query by repository name is supported.	Debug
Associating Branches with Work Items	hcloud CodeArtsRepo AssociateIssues/v3	This API is used to associate work items with a branch.	Debug

File

API Name	Command	Description	Operation
Querying File Information in a Repository	hcloud CodeArtsRepo ShowFile/v3	This API is used to obtain information about a file in a repository, such as the name, size, and content. Note that the file content is encoded using Base64.	Debug
Querying File Information in a Repository	hcloud CodeArtsRepo ListFilesByQuery/v3	This API is used to obtain information about a file in a repository, such as the name, size, and content. Note that the file content is encoded using Base64.	Debug

Repository Member

API Name	Command	Description	Operation
Obtaining All Member Records in a Repository	hcloud CodeArtsRepo ListRepoMembers/v3	This API is used to obtain the repository member list. You can search for a member by keyword.	Debug
Adding a Repository Member	hcloud CodeArtsRepo AddRepoMembers/v3	This API is used to add a repository member.	Debug
Setting a Role for a Member in the Repository	hcloud CodeArtsRepo SetRepoRole/v3	This API is used to assign repository operation permissions to repository members.	Debug
Deleting a Repository Member	hcloud CodeArtsRepo DeleteRepoMember/v3	This API is used to delete a repository member.	Debug

Commit

API Name	Command	Description	Operation
Querying the Commit Message of a Repository	hcloud CodeArtsRepo ListCommits/v3	This API is used to obtain a commit message by the repository short ID. The list of all commits in a path can be queried by the file path.	Debug
Creating a Commit	hcloud CodeArtsRepo CreateCommit/v3	This API is used to commit multiple files in different directories at a time. If the directory does not exist, the system automatically creates a directory. The forcible overwrite option is supported. When the forcible overwrite flag is set to true, the conflict is ignored and the configuration is forcibly committed.	Debug
Querying a Specific Commit Message of a Repository	hcloud CodeArtsRepo ShowSingleCommit/v3	This API is used to obtain a specific commit by commit ID, branch name, or tag name.	Debug
Querying the Commit Difference Information of a Repository	hcloud CodeArtsRepo ShowDiffCommit/v3	This API is used to query commit difference information by commit ID.	Debug

Webhook

API Name	Command	Description	Operation
Querying a Webhook of a Specified Repository	hcloud CodeArtsRepo ListHooks/v3	This API is used to obtain the repository webhook.	Debug

API Name	Command	Description	Operation
Adding a Webhook to a Specified Repository	hcloud CodeArtsRepo AddHooks/v3	A code commit automatically triggers building and addition of a repository hook.	Debug
Deleting a Webhook of a Specified Repository	hcloud CodeArtsRepo DeleteHooks/v3	A code commit automatically triggers building and deletion of a repository hook.	Debug

Discussion

API Name	Command	Description	Operation
Creating Merge Request Review Comments	hcloud CodeArtsRepo CreateMergeRequestDiscussion/v3	This API is used to create merge request review comments.	Debug
Replying to Merge Request Review Comments	hcloud CodeArtsRepo CreateMergeRequestDiscussionNote/v3	This API is used to reply to merge request review comments.	Debug
Obtaining Review Comment Settings	hcloud CodeArtsRepo ShowReviewSetting/v3	This API is used to obtain review settings.	Debug

User

API Name	Command	Description	Operation
Verifying HTTPS Account and Password	hcloud CodeArtsRepo ValidateHttpsInfo/v3	This API is used to check whether the username and password entered when you upload or download code using HTTPS are valid.	Debug

API Name	Command	Description	Operation
Verifying HTTPS Account and Password	hcloud CodeArtsRepo ValidateHttpsInfoV2/v3	This API is used to check whether the username and password entered when you upload or download code using HTTPS are valid.	Debug

Project

API Name	Command	Description	Operation
Obtaining the List of Repositories that Can be Set to Public under a Project	hcloud CodeArtsRepo GetProductTemplates/v3	This API is used to obtain the list of repositories that can be set to public under a project.	Debug
Obtaining the List of Repositories that Can be Set to Public under a Project	hcloud CodeArtsRepo ListProductTwoTemplates/v3	This API is used to obtain the list of repositories that can be set to public under a project.	Debug
Obtaining Information About All Repositories in a Project	hcloud CodeArtsRepo GetAllRepository-ByProjectId/v3	This API is used to obtain the repository list. Fuzzy query is supported: If the <i>project_id</i> is not specified, fuzzy search by repository name or project name is supported. Otherwise, only fuzzy search by repository name is supported.	Debug
Verifying a Repository Name of a Specified Project	hcloud CodeArtsRepo ShowRepositoryNameExist/v3	This API is called when a repository is created. Enter the project ID. For details, see "Obtaining a Project ID". Repository name, which is used to determine whether the repository name is duplicate.	Debug

Repository Management (V2)

API Name	Command	Description	Operation
Creating a Branch	hcloud CodeArtsRepo CreateNewBranch /v3	This API is used to create a branch in a specified repository based on the repository ID.	Debug