

CodeArts Check

Service Overview

Issue 03
Date 2024-01-16



Copyright © Huawei Technologies Co., Ltd. 2024. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Technologies Co., Ltd.

Trademarks and Permissions



HUAWEI and other Huawei trademarks are trademarks of Huawei Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Security Declaration

Vulnerability

Huawei's regulations on product vulnerability management are subject to the *Vul. Response Process*. For details about this process, visit the following web page:

<https://www.huawei.com/en/psirt/vul-response-process>

For vulnerability information, enterprise customers can visit the following web page:

<https://securitybulletin.huawei.com/enterprise/en/security-advisory>

Contents

1 What Is CodeArts Check?	1
2 Service Features	4
2.1 Huawei-developed Code Check Engine	4
2.2 Five Mainstream Industry Standards and Huawei Programming Guidelines	5
2.3 Mainstream Programming Languages	5
2.4 Tens of Billions of LOC Scanned per Day	5
2.5 One-stop Issue Fixing	6
2.6 Three-Layer (Coding, Merging, and Version Release) Protection	6
3 Advantages	7
4 Application Scenarios	9
5 Security	10
5.1 Shared Responsibilities	10
5.2 Authentication and Access Control	11
5.3 Data Protection Technologies	12
5.4 Auditing and Logging	12
5.5 Service Resilience	12
5.6 Certificates	13
6 Constraints	14

1 What Is CodeArts Check?

CodeArts Check is a cloud-based service that checks codes. With years of experience in automatic static check and enterprise application, CodeArts Check provides rich check services on code style, common quality, cyber security risk, and other elements. It also includes comprehensive check reports, convenient bug handling, and many other efficient, easy-to-use functions for enterprises to effectively improve code quality.

The cloud service and IDE plug-in are two forms of CodeArts Check. In addition, it provides a feature package with in-depth security check.

CodeArts Check Functions

Table 1-1 CodeArts Check functions

Function	Description
Coding issue check	Use rule sets to check issues in your own code.
Code security check	Use rule sets to check code security risks and issues.
Code style check	Use rule sets to check whether your code matches the selected style.
Code health score	A comprehensive metric, which is related to the alarm impact, quantity, and code quantity. The code health score is automatically calculated.
Issue management	Handle issues found in code checks based on issue descriptions, status, check rules, file paths, source code, and fix suggestions.
Cyclomatic complexity	Evaluate code quality risks based on the code cyclomatic complexity report.
NBNC (non-blank non-comment)	Number of valid code lines excluding blank lines and comment lines.

Function	Description
Duplication rate	Evaluate code quality risks based on the duplication rate report.
Scheduled check	Use the function of scheduling code checks every week and every day to balance rest and coding.
Check result notification	After the check is complete, the messages are sent to notify related personnel of the check results so that they can handle issues in time.
Java code check	Check the Java code in projects online.
JavaScript code check	Check the JavaScript code in projects online.
CSS code check	Check the CSS code in projects online.
Web code check	Check the HTML code in projects online.
C++ code check	Check the C++ code in projects online.
Python code check	Check the Python code in projects online.
PHP code check	Check the PHP code in projects online.
C# code check	Check the C# code in projects online.
TypeScript code check	Check the TypeScript code in projects online.
Go code check	Check the Go code in projects online.
Lua, Rust, and Shell code check	Check the Lua, Rust, and Shell code in projects online.

IDE Plug-in of CodeArts Check

It is a powerful assistant for developers to protect the code quality.

- Provides industry standard (including Huawei Cloud) check, one-click code style formatting, and automatic code fixing, adhering to the concepts of simplicity, high speed, and real-time monitoring.
- Checks code accurately and efficiently, and builds three-layer protection during coding, merging, and version release with cloud services jointly.

- Displays all built-in lightweight IDE rules that are a subset of cloud rules in the cloud, implements security scan shifting left, and covers 30+ defect categories.
- Supports Java, C, and C++. The IDE plug-in has been rolled out on four mainstream IDE platforms: VSCode IDE, IntelliJ IDEA, CodeArts IDE, and Cloud IDE.

Enhanced Package of CodeArts Check

The package identifies code security risks and vulnerabilities cc.

- Covers security check other than the yearly/monthly package (such as parameter value errors, encryption and data verification issues).
- Enhances security check and analysis for vulnerability detection items in the industry (such as cross-function check, cross-file check, taint analysis, semantic analysis).

2 Service Features

- [2.1 Huawei-developed Code Check Engine](#)
- [2.2 Five Mainstream Industry Standards and Huawei Programming Guidelines](#)
- [2.3 Mainstream Programming Languages](#)
- [2.4 Tens of Billions of LOC Scanned per Day](#)
- [2.5 One-stop Issue Fixing](#)
- [2.6 Three-Layer \(Coding, Merging, and Version Release\) Protection](#)

2.1 Huawei-developed Code Check Engine

Comprehensively Evaluating the Seven Characteristics of Code Quality

The core of CodeArts Check lies in engine, which helps you efficiently and accurately detect code issues at the early stage of development, and improves development efficiency and product quality.

- Stems from the collaboration of 40+ PhDs in China, 50+ experts in global research centers, and 10+ teachers in China and abroad, continuously improved by 150,000+ Huawei developers, with an average of 50 billion lines of code scanned per day.
- Covers mainstream development languages in the industry, and comprehensively analyzes code in terms of readability, maintainability, security, reliability, testability, efficiency, and portability.
- Integrates years of continuous thinking, exploration, and practices in code quality and trustworthiness improvement, and accumulates various check rules.

2.2 Five Mainstream Industry Standards and Huawei Programming Guidelines

Improved Code Compliance Driven by Mainstream Standards and Guidelines

Quality issues of software products often lead to unacceptable operational risks or high costs. It is important to establish standards for quality detection at the source code level, such as the ISO/IEC 5055 and CERT coding specifications.

- Uses CodeArts Check to check the code quality comprehensively.
- Filters identified coding specification issues, provides knowledge association between specifications and standards, helps you understand the issue type, severity, and details. In this way, you can quickly analyze and make rectification plans as required.
- Supports the industry mainstream programming standards and best practices, such as ISO 5055, CERT, CWE, OWASP top 10, and CWE/SANS top 25.

2.3 Mainstream Programming Languages

Multiple Programming Languages and 3000+ Built-in Check Rules for Out-of-the-Box Usability.

CodeArts Check supports more than 10 mainstream programming languages, such as Java, C/C++, Python, C#, Go, JavaScript, TypeScript, CSS, HTML, and PHP, for embedded, web, and mobile application development.

- Built-in open-source tools, self-developed engine, and 3000+ check rules.
- 10 rule sets, including those for comprehensive, critical, mobile field, and Huawei codestyle specification check.
- Custom rule sets based on rule library for various check needs

2.4 Tens of Billions of LOC Scanned per Day

Hyperscale Code Check for Large Enterprises

CodeArts Check excels at high-concurrency processing. It provides high-frequency code check services for more than 150,000 Huawei software developers, and daily scheduled check for all code repositories, scanning tens of billions lines of code per day.

- It has a series of high availability (HA) features, such as cross-AZ disaster recovery (DR), cross-region multi-active DR, overload protection, and service dependency and isolation, to provide reliable support for self-detection, self-isolation, and self-recovery of service faults.
- Fluctuating code check demands are well taken care of by the powerful elastic scheduling that allocates resources whenever needed and aims to achieve zero waiting time.

2.5 One-stop Issue Fixing

One-stop Issue Fixing with Higher Efficiency

Developers are tired of tools that are not easy to understand, issue distribution that is time-consuming and labor-intensive, and repeated handling of the same alarm in multiple versions. These lead to difficulties in issue analysis and fixing, affecting the initiative for tool use.

CodeArts Check provides the following capabilities to help developers efficiently and smoothly check code.

- Code defects are detected by line and fixed quickly according to the provided guides, including built-in coding specifications, compliant and noncompliant examples, and fix suggestions. Developers do not need to retrain specifications and fix skills.
- Issue owners are automatically matched based on the code commit information, improving the issue distribution efficiency, and enhancing specification and quality awareness of developers.
- The ignored issues that have been handled are automatically synchronized. Therefore, all same false positives in a repository only need to be handled once.

The preceding capabilities improve the efficiency of issue analysis and fixing during practices.

2.6 Three-Layer (Coding, Merging, and Version Release) Protection

Three-Layer Protection Against Bugs to Improve Both Efficiency and Quality

To improve code quality, code check should be integrated into the development phase, including automatic audit during coding and committing, and daily programming specification and code quality check.

- This is recommended by many excellent development modes, such as SDL (security development lifecycle) and DevSecOps.
- CodeArts Check provides various APIs, including those for task creation, setting, scanning, and report analysis. It allows you to seamlessly integrate CodeArts Check into self-built CI/CD or CodeArts. Check data can be displayed in customers' boards, making code quality visible and manageable.
- Flexible task management allows you to set excluded catalogs to avoid invalid scanning. CodeArts Check supports check in hybrid languages, simplifies deployment, and obtains comprehensive quality reports of whole version.

3 Advantages

Professional

- Provides more than 3,000 typical check rules.
- Provides multi-dimensional quality statistics reports, such as quality gates.

Accurate

- Locates reported defects under fix guidance.
- Enables you to customize check rule sets to target at issues that you pay more attention to.

Comprehensive

- Supports multiple mainstream development languages, such as Java, C++, and JavaScript.
- Supports code guideline, security, code repetition rate, and cyclomatic complexity checks.
- Supports CWE, OWASP top 10, SANS top 25, CERT security standards.

Easy to Use

- Checks code in hybrid languages.
- Allows you to run configured tasks by one click, filter issues in batches, and quick handle issues by severity or category.

Code Security Check

Scenario

- Checks code quality and security issues automatically in the software development phase, supports built-in security guidelines, requirements, and software production workflows, helps enterprises secure software production.
- Provides in-depth code security check capabilities to help government cloud operators and large enterprises manage and control ISV software security quality and build a supply chain security system.

Capability

- Analyzes taints and checks across functions and files.
- Checks for top security vulnerabilities, such as injection and access key leakage.
- Supports programming specifications and is compatible with CWE, OWASP TOP 10, CERT and SANS TOP 25 checks.

4 Application Scenarios

Web Applications

- Application: Rule sets of web development languages such as Java and JavaScript are used for code review.
- Characteristics: Web services are oriented to the Internet and are vulnerable to DDoS attacks or information leakage.
- Scenario: Accept security levels during Internet service delivery.

Project Quality Control

- Application: Control risks in real time based on the code complexity, repetition rate, and quality score during delivery.
- Characteristics: Project managers agree that they should **secure quality from the front end in daily delivery**. However, there is often no effective tool platform. Currently, most quality work depends on backend testing.
- Scenario: Project managers control iteration delivery quality.

5 Security

- [5.1 Shared Responsibilities](#)
- [5.2 Authentication and Access Control](#)
- [5.3 Data Protection Technologies](#)
- [5.4 Auditing and Logging](#)
- [5.5 Service Resilience](#)
- [5.6 Certificates](#)

5.1 Shared Responsibilities

Huawei guarantees that its commitment to cyber security will never be outweighed by the consideration of commercial interests. To cope with emerging cloud security challenges and pervasive cloud security threats and attacks, Huawei Cloud builds a comprehensive cloud service security assurance system for different regions and industries based on Huawei's unique software and hardware advantages, laws, regulations, industry standards, and security ecosystem.


Figure 5-1 illustrates the responsibilities shared by Huawei Cloud and users.

- **Huawei Cloud:** Ensure the security of cloud services and provide secure clouds. Huawei Cloud's security responsibilities include ensuring the security of our IaaS, PaaS, and SaaS services, as well as the physical environments of the Huawei Cloud data centers where our IaaS, PaaS, and SaaS services operate. Huawei Cloud is responsible for not only the security functions and performance of our infrastructure, cloud services, and technologies, but also for the overall cloud O&M security and, in the broader sense, the security and compliance of our infrastructure and services.
- **Tenant:** Use the cloud securely. Tenants of Huawei Cloud are responsible for the secure and effective management of the tenant-customized configurations of cloud services including IaaS, PaaS, and SaaS. This includes but is not limited to virtual networks, the OS of virtual machine hosts and guests, virtual firewalls, API Gateway, advanced security services, all types of cloud services, tenant data, identity accounts, and key management.

Huawei Cloud Security White Paper elaborates on the ideas and measures for building Huawei Cloud security, including cloud security strategies, the shared

responsibility model, compliance and privacy, security organizations and personnel, infrastructure security, tenant service and security, engineering security, O&M security, and ecosystem security.

Figure 5-1 Huawei Cloud shared security responsibility model



5.2 Authentication and Access Control

Authentication

You can access CodeArts Check using its UI, APIs, and SDKs. Regardless of the access mode, your requests are sent through REST APIs provided by CodeArts Check.

CodeArts Check APIs can be accessed only after requests are authenticated. Code check supports two authentication modes:

- **Token:** Requests are authenticated using tokens. By default, token authentication is required to access the CodeArts Check console.
- **AK/SK:** Requests are encrypted using an AK/SK. This method is recommended because it provides higher security than token-based authentication.

For more authentication details and how to obtain tokens and signatures, see [Authentication](#).

Access Control

CodeArts Check controls user operations in the following ways:

- **Role permission control:** Roles and permissions are required for adding, deleting, modifying, and querying check tasks and rule sets, viewing rules, creating, importing, and exporting service orders.
- **Fine-grained permission control:** Operations such as querying tenant projects, setting project creators, and managing tenant project member lists require fine-grained authorization from IAM.

5.3 Data Protection Technologies

CodeArts Check takes different methods and features to keep data secure and reliable.

Measure	Description	Reference
Transmission encryption (HTTPS)	To secure data transmission, CodeArts Check uses HTTPS.	Making an API Request
Personal data protection	CodeArts Check controls access to data and records logs for operations performed on the data.	Permission Management
Privacy protection	CodeArts Check does not consume or store sensitive user data.	-
Data destruction	When you delete service data or deregister your account: <ul style="list-style-type: none">• Non-key data is physically deleted in real time.• Key data will be marked as soft deleted and then physically deleted seven days later.	-

5.4 Auditing and Logging

Auditing

Cloud Trace Service (CTS) records operations on the cloud resources in your account. You can use the logs generated by CTS to perform security analysis, track resource changes, audit compliance, and locate faults.

After you enable CTS and configure a tracker, CTS can record management and data traces of CodeArts Check for auditing.

For details about how to enable and configure CTS, see [Enabling CTS](#).

5.5 Service Resilience


CodeArts Check uses multi-active stateless cross-AZ deployment and inter-AZ data disaster recovery (DR) to enable service processes to be quickly started and recovered if a fault occurs, ensuring service reliability.

5.6 Certificates

Compliance Certificates

Huawei Cloud services and platforms have obtained various security and compliance certifications from authoritative organizations, such as International Organization for Standardization (ISO). You can **download** them from the console.


Figure 5-2 Downloading compliance certificates



Resource Center

Huawei Cloud also provides the following resources to help users meet compliance requirements. For details, see **Resource Center**.

Figure 5-3 Resource center



6 Constraints

CodeArts Check

This section describes the constraints on CodeArts Check, as shown in [Table 6-1](#).

Table 6-1 CodeArts Check constraints

Scenario	Constraint
Maximum number of custom rule sets per tenant	1000
Maximum number of code check tasks created by a tenant	50,000
Maximum duration of one check	12 hours