

Huawei Cloud EulerOS

Service Overview

Issue 06
Date 2023-09-27



Copyright © Huawei Cloud Computing Technologies Co., Ltd. 2024. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Cloud Computing Technologies Co., Ltd.

Trademarks and Permissions



HUAWEI and other Huawei trademarks are the property of Huawei Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei Cloud and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Contents

1 What Is Huawei Cloud EulerOS?	1
2 Why Using Huawei Cloud EulerOS	2
3 When to Use Huawei Cloud EulerOS	3
4 Functions	5
5 Migration to Huawei Cloud EulerOS	6
6 Supported Instance Types	7
7 Support Plan	9
8 Billing	10
9 Security	11
9.1 Secure Boot.....	11
10 Image Updates	13
11 Change History	15

1 What Is Huawei Cloud EulerOS?

Huawei Cloud EulerOS is an openEuler-based cloud operating system.

Huawei Cloud EulerOS offers cloud native, high-performing, secure, and easy-to-migrate capabilities. This accelerates service migration to the cloud and promotes application innovation. You can use Huawei Cloud EulerOS to replace operating systems such as CentOS and EulerOS.

Huawei Cloud EulerOS Images

Version	Image	Description
Huawei Cloud EulerOS 2.0	Huawei Cloud EulerOS 2.0 Standard Edition, 64-bit	x86-compatible standard image
Huawei Cloud EulerOS 2.0	Huawei Cloud EulerOS 2.0 Standard Edition, 64-bit, Arm-compatible	Arm-compatible standard image
Huawei Cloud EulerOS 1.1	Huawei Cloud EulerOS 1.1 CentOS-compatible Edition, 64-bit	x86-compatible CentOS 7.9 image NOTE This version is released only in the Singapore region.

2 Why Using Huawei Cloud EulerOS

- Vertical integration of Huawei Cloud services: Huawei Cloud EulerOS works with the QingTian platform to provide synergy between the guest and host OSs so that applications perform better. Using Huawei Cloud EulerOS improves the competitiveness of Elastic Cloud Server (ECS), Cloud Container Engine (CCE), Elastic Load Balance (ELB), and database services.
- Mixed cloud-native deployment: Huawei Cloud EulerOS allows containerized applications to be deployed together to provide a cloud-native infrastructure with less resources, faster startup, and higher resource utilization.
- Efficient deployment: Huawei Cloud EulerOS helps VM start up faster. It improves the efficiency of batch deployment.
- Secure and reliable: Huawei Cloud EulerOS supports SM series cryptographic algorithms (such as SM2) and MLPS 2.0/CC EAL4+ security certification.
- openEuler-based architecture: openEuler is the most active open-source OS community in China. Huawei has been one of the top five contributors to Linux for five consecutive years and the No. 1 contributor to Linux kernel 5.10. Huawei Cloud EulerOS supports mainstream southbound and northbound software and hardware. It is a great alternative to CentOS.
- Out-of-the-box OSs: KooCLI can be installed to [call cloud service APIs through the CLI](#). sdkmgr can be installed to remotely manage the HarmonyOS SDK for device-cloud developer collaboration.

3 When to Use Huawei Cloud EulerOS

- As the first choice for ECSs to achieve compelling service performance
Huawei Cloud EulerOS is an excellent choice for enterprises, finance institutions, and manufacturers planning to deploy or migrate their applications and services to Huawei Cloud.
 - Application-specific optimization: When the database, big data, HPC, virtualization, and container applications are deployed in the Huawei Cloud EulerOS, MySQL and Nginx services deliver better performance than when they are deployed using any other OSs.
 - Faster startup: Only required basic components are loaded to suit specific ECS configurations, so ECSs can bootup faster.
- As the preferred choice for CCE containers to reduce costs and improve efficiency
When some services are deployed on the cloud and others on premises, lots of resources are left idle and overall resource utilization is low.
 - Optimized CPU utilization: The Huawei Cloud EulerOS uses a hybrid deployment engine and resource isolation technologies to ensure that the CPU usage of CCE containers reaches 40% to 60% while keeping the QoS lower than 1%. In this way, applications will not suffer from frame freezing and you can enjoy smoother experience.
 - Optimized auto scaling: Huawei Cloud EulerOS functions as an image that contains the minimum component set for CCE containers.
- As an alternative to CentOS
The discontinuation of CentOS has created significant challenges for the O&M of existing sites and the construction of new sites. Huawei Cloud EulerOS is a good solution because it is:
 - Secure and reliable: Huawei Cloud EulerOS supports SM series cryptographic algorithms (such as SM2) and MLPS 2.0/CC EAL4+ security certification.
 - Huawei-owned: Huawei Cloud EulerOS is developed by Huawei Cloud. It is based on the openEuler ecosystem, but with enhanced cloud capabilities.
- For cloud-device synergy
Huawei Cloud EulerOS supports both cloud-based and device-side application development, making it an ideal choice for cloud-device synergy.

Application functions are developed in a way that the cloud and device sides work together (for example, APIs developed for device-cloud interaction), and resources can be flexibly expanded on demand while services are running. This helps applications to gain the strengths of both device and cloud.

4 Functions

Huawei Cloud EulerOS provides the following functions:

- Support for Linux kernel 5.10: The OS uses Linux kernel 5.10 to deliver enterprise-class reliability and incorporates the latest Linux community-developed functions.
- Enhanced capabilities: Enhanced cloud native scheduling, hierarchical memory expansion, OS migration, and compatibility evaluation.
- Excellent security: The OS complies with SM series cryptographic algorithms (such as SM2) and attains MLPS 2.0/CC EAL4+ certification.
- Various compilers: The OS uses gcc 10.3, binutils 2.37, and glibc 2.34 to enhance stability and compatibility with other software.
- Interaction with other platforms: The OS takes the advantages of other platforms, such as Intel, AMD, and ARM, in terms of function adaptation, performance improvement, and stability hardening, to keep running smoothly and reliably on those platforms.

5 Migration to Huawei Cloud EulerOS

The following table lists the mapping between public images that can be migrated and Huawei Cloud EulerOS.

Table 5-1 x86 public images allowed to be migrated

OS Type	Source OS	Target OS
Huawei Cloud EulerOS	64-bit: Huawei Cloud EulerOS 1.1	Huawei Cloud EulerOS 2.0 Standard Edition, 64-bit
EulerOS	64-bit: EulerOS 2.10, 2.9, 2.5, 2.3, and 2.2	Huawei Cloud EulerOS 2.0 Standard Edition, 64-bit
CentOS	64-bit: CentOS 7.9, 7.8, 7.7, 7.6, 7.5, 7.4, 7.3, 7.2, 7.1, and 7.0 64-bit: CentOS 8.5, 8.4, 8.3, 8.2, 8.1, and 8.0	Huawei Cloud EulerOS 2.0 Standard Edition, 64-bit
	64-bit: CentOS 7.9	Huawei Cloud EulerOS 1.1 CentOS-compatible Edition

Table 5-2 Arm public images allowed to be migrated

OS Series	Source OS	Target OS
EulerOS	64-bit: EulerOS 2.10, 2.9, 2.8, and 2.3	Huawei Cloud EulerOS 2.0 Standard Edition, 64-bit, Arm-compatible

6 Supported Instance Types

ECSs of the following types can run on Huawei Cloud EulerOS:

 **NOTE**

ECS specifications vary by region. The actual specifications are displayed on the management console. If they are not displayed on the console, the instance specifications are not supported in that region.

- Huawei Cloud EulerOS 2.0

Table 6-1 ECS types that can run on Huawei Cloud EulerOS 2.0

ECS Type	Family
General computing ECSs	s7 and s6
General computing-plus ECSs	c7, c6s, and c6
Memory-optimized ECSs	m7 and m6
Large-memory	e6
Disk-intensive	d6 and d7

- Huawei Cloud EulerOS 1.1

Table 6-2 ECS types that can run on Huawei Cloud EulerOS 1.1

ECS Type	Family
General computing ECSs	s6

ECS Type	Family
General computing-plus ECSs	c6s and c6
Memory-optimized ECSs	m6
Disk-intensive	d6

7 Support Plan

The following '2+4+2' support plan applies to Huawei Cloud EulerOS:

- 2-year full support: Huawei Cloud provides free software maintenance and technical support. The support services include compatibility support (including CPUs, disks, NICs, and features), troubleshooting, and CVE fixing.
- 4-year extended support: Huawei Cloud provides free software maintenance and technical support, but only for troubleshooting and CVE fixing.
- 2-year extended support: Huawei Cloud provides only troubleshooting and CVE fixing for some software packages, and you will be billed for the additional support.

Open-Source Software Notice

Huawei Cloud EulerOS provides an open source software notice along with the product.

Open source software licenses are granted by their holders. Open source licenses prevail all other license information with regard to the respective open source software contained in the product, including but not limited to the *End User Software Licensing Agreement*. This notice is provided on behalf of Huawei Technologies Co. Ltd. and any of its local subsidiaries which may have provided this product to you in your local country.

[Huawei Cloud EulerOS 2.0 Open-Source Software Notice](#)

8 Billing

Huawei Cloud EulerOS images are currently free. Later, Huawei will provide a support plan for Huawei Cloud EulerOS, including software maintenance and technical support services for different phases. These support services will generate billable expenses. For details, see [Support Plan](#).

Although the OS is free, when you use a Huawei Cloud EulerOS image to create an ECS, you still need to pay for the required resources, such as vCPUs, memory, storage, public IP address, and bandwidth. For billing details, see [Billing](#).

9 Security

9.1 Secure Boot

Secure Boot

Secure Boot ensures the integrity of each component during system boot-up and prevents components that have no valid signatures from being loaded. It protects the system and user data from security threats as well as bootkit and rootkit attacks. Huawei Cloud EulerOS 2.0 supports Secure Boot.

- Verifying that Secure Boot has been enabled

After the OS is booted, run the following command to check whether Secure Boot is enabled:

```
mokutil --sb-state
SecureBoot enabled #Secure Boot has been enabled.
```

- Enabling kernel .ko signature verification

Secure Boot is implemented by signature verification. By default, the kernel of Huawei Cloud EulerOS 2.0 is not compiled with forcibly enabled signature verification. You need to enable signature verification using parameter **module.sig_enforce** of the kernel.

To enable .ko signature verification, add **module.sig_enforce=1** to the **/boot/efi/EFI/hce/grub.cfg** file.

```
echo 'Loading Linux 5.10.0-60.18.0.50.r509_2.hce2.x86_64 ...'
linux /vmlinuz-5.10.0-60.18.0.50.r509_2.hce2.x86_64 root=/dev/mapper/hce-root ro crashk
ernel=512M resume=/dev/mapper/hce-swap rd.lvm.lv=hce/root rd.lvm.lv=hce/swap crash_kexec_post_not
ifiers panic=3 nmi_watchdog=1 quiet rd.shell=0 module.sig_enforce=1
echo 'Loading initial ramdisk ...'
initrdefi /initramfs-5.10.0-60.18.0.50.r509_2.hce2.x86_64.img
```

Kernel parameter	Value	Description
module.sig_enforce	0	Disables the kernel's signature verification on the .ko module. The setting takes effect after the system is rebooted.

Kernel parameter	Value	Description
	1	Enables the kernel's signature verification on the .ko module. The setting takes effect after the system is rebooted.

- Viewing the public key certificate for signature in Huawei Cloud EulerOS 2.0
For details about the Huawei Cloud EulerOS 2.0 KEK certificate and UEFI signature certificate, see **hce-sign-certificate-1.0-1.hce2.x86_64.rpm** in https://repo.huaweicloud.com/hce/2.0/updates/x86_64/Packages/.

10 Image Updates

2023-06-30

OS	Image Version	Updates
Huawei Cloud EulerOS 2.0	Huawei Cloud EulerOS 2.0 Standard Edition	<ul style="list-style-type: none">• Supported migration of x86 public images running EulerOS 2.3 and 2.2.• Supported migration of Arm public images running EulerOS 2.8.• Supported Secure Boot.• Enhanced OSMT functions.• Enhanced Work Accelerator functions.• Supported visualized GUI.

2023-03-30

OS	Image Version	Updates
Huawei Cloud EulerOS 2.0	Huawei Cloud EulerOS 2.0 Standard Edition	<ul style="list-style-type: none">• Supported migration of x86 public images running CentOS 8.4 and 8.5.• Supported the pod bandwidth management tool.• Optimized the OOM memory reclamation policy, multi-level memory reclamation policy, and multi-level hybrid scheduling using cgroup.• Enhanced Work Accelerator functions.

2022-12-30

OS	Image Version	Updates
Huawei Cloud EulerOS 2.0	Huawei Cloud EulerOS 2.0 Standard Edition	<ul style="list-style-type: none"> • Supported migration of x86 public images running CentOS 8.3. • Supported the BiSheng compiler. • Supported Work Accelerator. • Supported the OSMT tool.

2022-09-30

Image	Kernel	Updates
Huawei Cloud EulerOS 2.0 Standard Edition, 64-bit, Arm-compatible	5.10.0-60.18.0.50.h322_1.hce2.x86_64	This issue is the first official release. Region: AP-Singapore
Huawei Cloud EulerOS 2.0 Standard Edition, 64-bit	5.10.0-60.18.0.50.h322_1.hce2.x86_64	This issue is the first official release. Region: AP-Singapore
Huawei Cloud EulerOS 1.1 CentOS-compatible Edition, 64-bit	3.10.0-1160.66.1.hce1c.x86_64 5.10.0-60.18.0.50.h322_1.hce2.x86_64 (default kernel)	This issue is the first official release. Region: AP-Singapore

11 Change History

Released On	Description
2023-09-27	This issue is the sixth official release. Modified the following: Added the description of migrating x86 EulerOS 2.5 to Huawei Cloud EulerOS 2.0 in Migration to Huawei Cloud EulerOS .
2023-08-03	This issue is the fifth official release. Added the following: Secure Boot Modified the following: Allowed migration from EulerOS 2.3 and 2.2 to Huawei Cloud EulerOS 2.0 in Migration to Huawei Cloud EulerOS .
2023-03-30	This issue is the fourth official release. Added CentOS 8.4 or CentOS 8.5 as a source OS that can be migrated to Huawei Cloud EulerOS. For details, see Migration to Huawei Cloud EulerOS .
2023-02-08	This issue is the third official release. Described differences between specifications of instances in different regions in section Supported Instance Types .
2023-01-17	This issue is the second official release. <ul style="list-style-type: none">Added CentOS 8.3 as a source OS that can be migrated to Huawei Cloud EulerOS. For details, see Migration to Huawei Cloud EulerOS.
2022-11-30	This issue is the first official release.