Relational Database Service

Service Overview

Issue 25

Date 2023-07-31





Copyright © Huawei Technologies Co., Ltd. 2023. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Technologies Co., Ltd.

Trademarks and Permissions

HUAWEI and other Huawei trademarks are trademarks of Huawei Technologies Co., Ltd. All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Huawei Technologies Co., Ltd.

Address: Huawei Industrial Base

Bantian, Longgang Shenzhen 518129

People's Republic of China

Website: https://www.huawei.com

Email: support@huawei.com

Contents

1 RDS Infographics	1
2 What Is RDS?	3
3 Basic Concepts	6
4 Advantages	8
4.1 Easy Management	8
4.2 High Performance	9
4.3 High Security	9
4.4 High Reliability	10
4.5 Comparison Between RDS and Self-Built Databases	11
5 Product Series	12
5.1 DB Instance Introduction	12
5.2 Function Comparison	13
6 Functions of RDS for SQL Server Versions	16
6.1 RDS for SQL Server 2012	16
6.2 RDS for SQL Server 2014	20
6.3 RDS for SQL Server 2016	24
6.4 RDS for SQL Server 2017	28
6.5 RDS for SQL Server 2019	32
6.6 Function Differences Among Standard, Web, and Enterprise Editions	36
7 DB Instance Description	37
7.1 DB Instance Types	37
7.2 DB Instance Storage Types	39
7.3 DB Engines and Versions	41
7.4 DB Instance Statuses	42
8 DB Instance Classes	45
8.1 RDS for MySQL Instance Classes	45
8.2 RDS for PostgreSQL Instance Classes	51
8.3 RDS for SQL Server Instance Classes	56
9 Typical Use Cases	59
9.1 Reducing Read Pressure with RDS Read/Write Splitting	59

9.2 Storing Diverse Data Types with RDS and Other Services	59
10 Security	61
10.1 Shared Responsibilities	61
10.2 Identity Authentication and Access Control	62
10.3 Data Protection	63
10.4 Audit and Logs	64
10.5 Resilience	65
10.6 Risk Monitoring	66
10.7 Fault Recovery	67
10.8 Certificates	68
11 Permissions	70
12 Constraints	80
12.1 RDS for MySQL Constraints	80
12.2 RDS for PostgreSQL Constraints	
12.3 RDS for SQL Server Constraints	93
13 Billing	101
14 Related Services	103
A Change History	105

1 RDS Infographics



2 What Is RDS?

Relational Database Service (RDS) is a reliable and scalable cloud database service that is easy to manage. RDS supports the following DB engines:

- MySQL
- PostgreSQL
- Microsoft SQL Server
- MariaDB

RDS includes a comprehensive performance monitoring system, multi-level security measures, and a professional database management platform, allowing you to easily set up and scale up a relational database. On the RDS console, you can perform almost all necessary tasks and no programming is required. The console simplifies operations and reduces routine O&M workloads, so you can stay focused on application and service development.

RDS for MySQL

MySQL is one of the world's most popular open-source relational databases. It works with the Linux, Apache, and Perl/PHP/Python to establish a LAMP model for efficient web solutions. RDS for MySQL is reliable, secure, scalable, inexpensive, and easy to manage.

- It supports various web applications and is cost-effective, preferred by small-and medium-sized enterprises.
- A web-based console provides comprehensive visualized monitoring for easier operations.
- You can flexibly scale resources based on your service requirements and pay for only what you use.

For details about the versions supported by RDS for MySQL, see **DB Engines and Versions**.

For more information, see the official documentation at https://dev.mysql.com/doc/.

RDS for PostgreSQL

PostgreSQL is an open-source object-relational database management system that focuses on extensibility and standards compliance. It is known as the most

advanced open-source database available. RDS for PostgreSQL excels in processing complex online transaction processing (OLTP) transactions and supports NoSQL (JSON, XML, or hstore) and geographic information system (GIS) data types. It has earned a reputation for reliability and data integrity, and is widely used for websites, location-based applications, and complex data object processing.

- RDS for PostgreSQL supports the postgis plugin and provides excellent spatial performance.
- RDS for PostgreSQL is a good cost-effective solution for many different scenarios. You can flexibly scale resources based on your service requirements and pay for only what you use.

For details about the versions supported by RDS for PostgreSQL, see **DB Engines** and Versions.

For more information, see the official documentation at https://www.postgresql.org/docs/.

RDS for SQL Server

Microsoft SQL Server is a well-established commercial database with a mature enterprise-class architecture. One-stop deployment simplifies key O&M services and greatly reduces labor costs. With RDS for SQL Server, you can build a safe and stable database operation environment that meets Huawei international security standards. It is widely used in government, finance, medical care, education, and gaming.

RDS for SQL Server is reliable, scalable, inexpensive, and easy to manage. It uses a high availability (HA) architecture, guarantees data security, and recovers from faults within seconds.

For details about the versions supported by RDS for SQL Server, see **DB Engines** and Versions.

NOTICE

To purchase RDS for SQL Server DB instances, choose **Service Tickets > Create Service Ticket** in the upper right corner of the console to submit a service ticket.

For more information, see the official documentation at https://learn.microsoft.com/en-us/sql/?view=sql-server-ver16.

RDS for MariaDB

MariaDB was founded by Monty, the founder of MySQL, and is one of the most popular open-source databases.

RDS for MariaDB is highly compatible with MySQL. As a powerful, high-performance, secure, and reliable database management system, it is suitable for various applications. RDS for MariaDB has the following advantages:

• It allows you to easily migrate your databases to the cloud without refactoring existing applications.

- A web-based console is available for you to monitor comprehensive information, making operations easy and visual.
- You can flexibly scale resources to meet business needs and pay for only what you use.

For details about the versions supported by RDS for MariaDB, see **DB Engines and Versions**.

For more information, see the official documentation at https://mariadb.org/.

3 Basic Concepts

DB Instances

The smallest management unit of RDS is the DB instance. A DB instance is an isolated database environment on the cloud. Each DB instance runs a DB engine. For details about DB instance types, specifications, engines, versions, and statuses, see DB Instance Description.

DB Engines

RDS supports the following DB engines:

- MySQL
- PostgreSQL
- Microsoft SQL Server
- MariaDB

For details about the supported versions, see **DB Engines and Versions**.

DB Instance Types

There are two types of RDS DB instances: single and primary/standby. Different series support different DB engines and instance specifications.

For details about DB instance types, see **DB Instance Introduction** and **Function Comparison**.

DB Instance Classes

The DB instance class determines the compute (vCPUs) and memory capacity (memory size) of a DB instance. For details, see **DB Instance Classes**.

Automated Backups

When you create a DB instance, an automated backup policy is enabled by default, but after the DB instance is created, you can modify the policy if needed. RDS will automatically create full backups for DB instances based on your settings.

Manual Backups

Manual backups are user-initiated full backups of DB instances. They are retained until you delete them manually.

Regions and AZs

A region and availability zone (AZ) identify the location of a data center. You can create resources in a specific region and AZ.

- Regions are defined by their geographical location and network latency.
 Public services, such as Elastic Cloud Server (ECS), Elastic Volume Service (EVS), Object Storage Service (OBS), Virtual Private Cloud (VPC), Elastic IP (EIP), and Image Management Service (IMS), can all be shared within a given region. Regions are classified as universal regions and dedicated regions. A universal region provides cloud services for all users. A dedicated region provides services of only a specific type or only for specific users.
- An AZ contains one or multiple physical data centers. Each AZ has its own independent cooling, fire extinguishing, moisture-proofing, and electrical facilities. Within an AZ, compute, network, storage, and other resources are logically divided into multiple clusters. AZs within a region are interconnected using high-speed optical fibers so you can build cross-AZ high-availability systems.

Figure 3-1 shows the relationship between regions and AZs.




Figure 3-1 Regions and AZs

Huawei Cloud provides services in many regions around the world. You can select a region and AZ as needed. For more information, see **Global Products and Services**.

Projects

Projects are used to group and isolate OpenStack resources (compute, storage, and network resources). A project can be a department or a project team. Multiple projects can be created for a single account.

4 Advantages

4.1 Easy Management

Quick Setup

You can create a DB instance on the management console within minutes and access RDS from an ECS to reduce the application response time and avoid paying for the traffic that would be generated by regular public access.

Elastic Scaling

Cloud Eye monitors changes in the load on your database and storage capacity. You can flexibly scale resources accordingly and pay for only what you use.

High Compatibility

You use RDS database engines (DB engines) the same way as you would use a native engine. RDS is compatible with existing programs and tools.

Easy O&M

Routine RDS maintenance and management operations, including hardware and software fault handling and database patching, are easy to perform. With a webbased console, you can reboot DB instances, reset passwords, modify parameters, view error or slow query logs, and restore data. Additionally, the system helps you monitor DB instances in real time and generates alarms if errors occur. You can check DB instance information at any time, including CPU usage, IOPS, database connections, and storage space usage.

4.2 High Performance

Optimized Performance

Combining years of experience in database R&D, setup, and maintenance with cloud-based technology, Huawei Cloud has built a database service that is highly available, reliable, secure, scalable, and easy to maintain.

Optimized Hardware

RDS offers stable and high-performance database services using servers that have been proven robust by customer success in a wide range of applications.

Optimized SQL Solutions

RDS can detect slowly-executed SQL statements, so you can optimize the code accordingly.

High-Speed Access

You can access RDS DB instances directly from ECSs deployed in the same region. This means applications can respond faster, and saves money as it is an intranet connection so there are no traffic charges generated.

Performance White Paper

- RDS for MySQL Performance White Paper
- RDS for PostgreSQL Performance White Paper
- RDS for SQL Server Performance White Paper

4.3 High Security

Network Isolation

RDS uses Virtual Private Cloud (VPC) and network security groups to isolate and secure your DB instances. VPCs allow you to define what IP address range can access RDS. You can configure subnets and security groups to control access to DB instances.

Access Control

RDS controls access through the account/IAM user and security groups. When you create an RDS DB instance, an account is automatically created. To separate out specific permissions, you can create IAM users and assign permissions to them as needed. VPC security groups have rules that govern both inbound and outbound traffic for DB instances.

Transmission Encryption

RDS uses Transport Layer Security (TLS) and Secure Sockets Layer (SSL) to encrypt transmission. You can download a Certificate Agency (CA) certificate from the RDS console and upload it when connecting to a database for authentication.

Storage Encryption

RDS encrypts data before storing it.

Data Deletion

When you delete an RDS DB instance, its attached disks, storage space its automated backups occupy, and all data it stores will be deleted. You can restore a deleted DB instance using a manual backup or rebuild the DB instance from the recycle bin within the retention period.

Security Protection

RDS is protected by multiple layers of firewalls to defend against various malicious attacks, such as DDoS attacks and SQL injections. For security reasons, you are advised to access RDS through a private network.

4.4 High Reliability

Dual-Host Hot Standby

RDS uses the hot standby architecture, in which failover upon fault occurrence takes only some seconds.

Data Backup

RDS automatically backs up data every day and stores backup files as packages in Object Storage Service (OBS). The backup files can be stored for 732 days and can be restored with just a few clicks. You can set a custom backup policy and create manual backups at any time.

Data Restoration

You can restore data from backups to any point in time during the backup retention period. In most scenarios, you can use backup files to restore data to an existing or a new DB instance at any time point within 732 days. After the data is verified, data can be migrated back to the primary DB instance.

Deleted DB instances can be moved to the recycle bin. You can rebuild the DB instance that was deleted up to 7 days ago from the recycle bin.

Data Durability

RDS provides a data durability of 99.999999%, ensuring data security and reliability and protecting your workloads from faults.

4.5 Comparison Between RDS and Self-Built Databases

Performance

Item	Cloud Database RDS	Self-Built Database Service
Service availability	For details, see <i>Elastic Cloud Server User Guide</i> .	Requires device procurement, primary/standby relationship setup, and RAID setup.
Data reliability	For details, see <i>Elastic Volume Service User Guide</i> .	Requires device procurement, primary/standby relationship setup, and RAID setup.
Database backup	Supports automated backups, manual backups, and custom backup retention periods.	Requires device procurement, setup, and maintenance.
Hardware and software investment	Supports on-demand pricing and scaling without requiring hardware and software investment.	Requires large investment in database servers. The RDS for SQL Server license must be paid for separately.
System hosting	Not required.	Requires two servers for primary/ standby DB instances.
Maintenanc e cost	Not required.	Requires large manpower investment and professional database administrator (DBA) for maintenance.
Deployment and scaling	Supports elastic scaling, fast upgrade, and on-demand enabling.	Requires procurement, deployment, and coordination of hardware that matches original devices.

5 Product Series

5.1 DB Instance Introduction

Currently, RDS DB instances are classified into the following types:

- Single
- Primary/Standby
- Cluster

Different series support different DB engines and instance specifications.

Table 5-1 DB instance types

DB Insta nce Type	Description	Notes	Scenarios
Singl e	Uses a single-node architecture. More cost- effective than the mainstream primary/ standby DB instances.	If a fault occurs on a single instance, the instance cannot recover in a timely manner.	 Personal learning Microsites Development and testing environment of small- and medium-sized enterprises

DB Insta nce Type	Description	Notes	Scenarios
Prim ary/ Stan dby	Uses an HA architecture. A pair of primary and standby DB instances shares the same IP address and can be deployed in different AZs.	 When a primary instance is being created, a standby instance is provisioned synchronously to provide data redundancy. The standby instance is invisible to you after being created. If the primary instance fails, a failover occurs, during which database connection is interrupted. If there is a replication delay between the primary and standby instances, the failover takes an extended period of time. The client needs to be able to reconnect to the instance. 	 Production databases of large and medium enterprises Applications for the Internet, Internet of Things (IoT), retail ecommerce sales, logistics, gaming, and other industries
Clust er	Uses the Microsoft Always On architecture with one master node, one slave node, and up to five read- only nodes. It features higher availability, reliability, and scalability.	Only for RDS for SQL Server.	 Finance industry Internet industry Hotel industry Online education

5.2 Function Comparison

Single DB instances use a single-node architecture. Different from the primary/ standby DB instances, a single DB instance contains only one node and has no slave node for fault recovery.

Advantage Comparison

- Single DB instances: support the creation of read replicas and support the
 queries of error logs and slow query logs. Different from primary/standby DB
 instances that have two database nodes, a single DB instance has only one
 node, reducing the price to half of primary/standby DB instances. If the node
 fails, the restoration will take a long time. Therefore, single DB instances are
 not recommended for sensitive services that have high requirements on
 database availability.
- Primary/Standby DB instances: use the slave database node only for failover and restoration. The slave database node does not provide services. The performance of single DB instances is similar to or even higher than the primary/standby DB instances.
- Cluster instances: use the Microsoft Always On architecture with one primary node, one standby node, and up to five read-only nodes. It features higher availability, reliability, and scalability.

Table 5-2 Function comparisons

Function	Single	Primary/Standby	Cluster
Number of nodes	1	2	2
Specification s	vCPUs: a maximum of 64 Memory: a maximum of 512 GB Storage: a maximum of 4,000 GB	vCPUs: a maximum of 64 Memory: a maximum of 512 GB Storage: a maximum of 4,000 GB	vCPUs: a maximum of 64 Memory: a maximum of 512 GB Storage: a maximum of 4 TB
Monitoring and alarms	Supported	Supported	Supported
Security group	Supported	Supported	Supported
Backups and restorations	Supported	Supported	Supported
Recycle bin	Supported	Supported	Supported
Parameter settings	Supported	Supported	Supported
SSL	Supported	Supported	Supported
Log managemen t	Supported	Supported	Supported

Function	Single	Primary/Standby	Cluster
Read replicas (need to be created)	Supported	Supported	Supported
High- frequency monitoring	Supported	Supported	Supported
Primary/ standby switchover or failover	Not supported	Supported	Supported
Standby DB instance migration	Not supported	Supported	Supported
Manual primary/ standby switchover	Not supported	Supported	Supported
Instance class change	Supported	Supported	Supported

6 Functions of RDS for SQL Server Versions

6.1 RDS for SQL Server 2012

Catego rv	Function Item	Version				
ry		Web Edition	Standar Edition	d	Enterpr Edition	ise
		Single	Single	Primar y/ Standb y	Single	Prim ary/ Stan dby
Instanc e	Reboot an instance	√	√	√	√	√
manag ement	Change the instance class	√	√	√	√	√
	Reset a password	√	√	√	√	~
	Change instance type from single to primary/ standby	×	×	×	×	×
	Scale up storage space	√	√	√	√	√
	Manually switch between primary and standby instances	×	×	√	×	√

	I		1			
	Delete a pay- per-use instance	√	√	√	√	√
	Upgrade the DB engine version	×	×	×	×	×
	Change the instance name	√	√	√	√	→
	Change the instance description	√	√	√	√	√
	Change the maintenance window	√	√	√	√	√
Tags	Manage tags	√	√	√	√	√
Task center	View a task	√	√	√	√	√
Data migrati on	Offline migration	√	√	√	√	√
Databa se	Intra-VPC access	√	√	√	√	√
connect	Public access	√	√	√	√	√
ion	Change a floating IP address	√	√	√	√	✓
	Change a database port	√	√	√	√	√
Backup and restorat	Full backup (automated backup)	√	√	√	√	√
ion	Incremental backup	√	√	√	√	√
	Download a backup	√	√	√	√	√
	Replicate a backup	√	√	√	√	√
	Configure an automated backup policy	√	√	√	√	√

	Restore data to RDS for SQL Server from backups	√	√	√	√	√
	Restore an instance to a point in time	√	√	√	√	√
	Manual backup	√	√	√	√	√
	Restore data to a new instance	√	√	√	√	√
	Restore data to an existing instance	√	√	√	√	√
Monitor ing and	Resource monitoring	√	√	√	√	√
alarms	DB engine monitoring	√	√	√	√	√
	Set alarm rules	√	√	√	√	√
Parame ter manag	Create a parameter template	√	√	√	√	√
ement	Compare parameter templates	√	√	√	√	√
	Apply a parameter template	√	√	√	√	√
	View application records of a parameter template	√	√	√	√	√
	Modify parameters	√	√	√	√	√
	Export a parameter template	√	√	√	√	√
	View parameter change history	√	√	√	√	√
Log manag ement	View and download system logs	√	√	√	√	√

	View and download slow query logs	√	√	√	√	√
Security manag	Cloud Trace Service (CTS)	√	√	√	√	√
ement	Database Security Service (DBSS)	√	√	√	√	√
	Server-side encryption	√	√	√	√	√
	Change a security group	√	√	√	√	√
	Configure the TDE function	×	×	×	√	√
Recycle bin	Modify the recycling policy	√	√	√	√	√
	Rebuild an instance	√	√	√	√	√
DB engine	Account management	√	√	√	√	√
functio ns	Database management	√	√	√	√	✓
		√	√	√	√	√
	Microsoft Distributed Transaction Coordinator (MSDTC)	√	√	√	√	√
	SQL Server Integration Services (SSIS)	×	×	×	×	×
	FileStream	√	√	×	√	×
	CLR integration	√	√	√	√	√
	Create and configure Agent jobs and DBLinks	√	√	√	√	√

Stored procedu res	Change a custom database name	√	√	√	√	√
	Capture change data	×	√	√	√	→
	Shrink a database	√	√	√	√	~
	Replicate a database	√	√	√	√	√
	Update database statistics	√	√	√	√	√
	Trace flags	√	√	√	√	√
Best practice s	Create a linked server	√	√	√	√	√

6.2 RDS for SQL Server 2014

Catego	Function Item	Version					
ry		Web Edition	Standard Edition		Enterprise Edition		
		Single	Single	Primar y/ Standb y	Single	Prim ary/ Stan dby	
Instanc e	Reboot an instance	√	√	√	√	√	
manage ment	Change the instance class	√	√	√	√	√	
	Reset a password	√	√	√	√	√	
	Change instance type from single to primary/ standby	×	×	×	×	×	
	Scale up storage space	√	√	√	√	√	

	Manually switch between primary and standby instances	×	×	√	×	√
	Delete a pay- per-use instance	√	√	√	√	√
	Upgrade the DB engine version	×	×	×	×	×
	Change the instance name	√	√	√	√	√
	Change the instance description	√	√	√	√	√
	Change the maintenance window	√	√	√	√	~
Tags	Manage tags	√	√	√	√	√
Task center	View a task	√	√	√	√	√
Data migrati on	Offline migration	√	√	√	√	√
Databas	Intra-VPC access	√	√	√	√	√
e connect	Public access	√	√	√	√	√
ion	Change a floating IP address	√	√	√	√	√
	Change a database port	√	√	√	√	√
Backup and restorati	Full backup (automated backup)	√	√	√	√	√
on	Incremental backup	√	√	√	√	√
	Download a backup	√	√	√	√	√
	Replicate a backup	√	√	√	√	√

	Configure an	√	 √	 √	√	 √
	automated backup policy					
	Restore data to RDS for SQL Server from backups	✓	√	√	√	√
	Restore an instance to a point in time	√	√	√	√	\
	Manual backup	√	√	√	√	√
	Restore data to a new instance	√	√	√	√	√
	Restore data to an existing instance	√	√	√	√	√
Monitor ing and	Resource monitoring	√	√	√	√	→
alarms	DB engine monitoring	√	√	√	√	√
	Set alarm rules	√	√	√	√	√
Parame ter manage	Create a parameter template	√	√	√	√	√
ment	Compare parameter templates	√	√	√	√	√
	Apply a parameter template	√	√	√	√	√
	View application records of a parameter template	√	√	√	√	√
	Modify parameters	√	√	√	√	√
	Export a parameter template	√	√	√	√	√
	View parameter change history	√	√	√	√	√

Log	View and	√			\	,
Log manage ment	download system logs	٧	v	v	v	√
	View and download slow query logs	√	√	√	√	√
Security manage	Cloud Trace Service (CTS)	√	√	√	√	√
ment	Database Security Service (DBSS)	√	√	√	√	√
	Server-side encryption	√	√	√	√	√
	Change a security group	√	√	√	√	✓
	Configure the TDE function	×	×	×	√	√
Recycle bin	Modify the recycling policy	√	√	√	√	√
	Rebuild an instance	√	√	√	√	√
DB engine	Account management	√	√	√	√	√
function s	Database management	√	√	√	√	√
		√	√	√	√	√
	Microsoft Distributed Transaction Coordinator (MSDTC)	✓	√	√	√	√
	SQL Server Integration Services (SSIS)	×	√	√	√	√
	FileStream	√	√	×	√	×
	CLR integration	√	√	√	√	√
	Create and configure Agent jobs and DBLinks	√	√	√	√	√

Stored procedu res	Change a custom database name	√	√	√	√	√
	Capture change data	×	√	√	√	√
	Shrink a database	√	√	√	√	√
	Replicate a database	√	√	√	√	√
	Update database statistics	√	√	√	√	√
	Trace flags	√	√	√	√	√
Best practice s	Create a linked server	√	√	√	√	√

6.3 RDS for SQL Server 2016

Catego	Function Item	Version					
ry		Web Edition	Standard Edition		Enterprise Edition		
		Single	Single	Primar y/ Standb y	Single	Prim ary/ Stan dby	
Instanc e	Reboot an instance	√	√	√	√	√	
manage ment	Change the instance class	√	√	√	√	√	
	Reset a password	√	√	√	√	√	
	Change instance type from single to primary/ standby	×	×	×	×	×	
	Scale up storage space	√	√	√	√	√	

	Manually switch between primary and standby instances	×	×	√	×	√
	Delete a pay- per-use instance	√	√	√	√	√
	Upgrade the DB engine version	×	×	×	×	×
	Change the instance name	√	√	√	√	√
	Change the instance description	√	√	√	√	√
	Change the maintenance window	√	√	√	√	~
Tags	Manage tags	√	√	√	√	√
Task center	View a task	√	√	√	√	√
Data migrati on	Offline migration	√	√	√	√	√
Databas	Intra-VPC access	√	√	√	√	√
e connect	Public access	√	√	√	√	√
ion	Change a floating IP address	√	√	√	√	√
	Change a database port	√	√	√	√	√
Backup and restorati	Full backup (automated backup)	√	√	√	√	√
on	Incremental backup	√	√	√	√	√
	Download a backup	√	√	√	√	√
	Replicate a backup	√	√	√	√	√

	Configure an automated backup policy	√	√	√	√	√
	Restore data to RDS for SQL Server from backups	√	√	√	√	√
	Restore an instance to a point in time	√	√	√	√	√
	Manual backup	√	√	√	√	√
	Restore data to a new instance	√	√	√	√	√
	Restore data to an existing instance	√	√	√	√	√
Monitor ing and	Resource monitoring	√	√	√	√	√
alarms	DB engine monitoring	√	√	√	√	√
	Set alarm rules	√	√	√	√	√
Parame ter manage	Create a parameter template	√	√	√	√	~
ment	Compare parameter templates	√	√	√	√	√
	Apply a parameter template	√	√	√	√	√
	View application records of a parameter template	✓	√	√	√	√
	Modify parameters	√	√	√	√	√
	Export a parameter template	√	√	√	√	√
	View parameter change history	√	√	√	√	√

Log manage ment	View and download system logs	√	√	√	√	√
	View and download slow query logs	√	√	√	√	√
Security manage	Cloud Trace Service (CTS)	√	√	√	√	√
ment	Database Security Service (DBSS)	√	√	√	√	√
	Server-side encryption	√	√	√	√	√
	Change a security group	√	√	√	√	√
	Configure the TDE function	×	×	×	√	√
Recycle bin	Modify the recycling policy	√	√	√	√	~
	Rebuild an instance	√	√	√	√	√
DB engine	Account management	√	√	√	√	~
function s	Database management	√	√	√	√	~
		√	√	√	√	√
	Microsoft Distributed Transaction Coordinator (MSDTC)	√	√	√	√	√
	SQL Server Integration Services (SSIS)	×	√	√	√	√
	FileStream	√	√	×	√	×
	CLR integration	√	√	√	√	√
	Create and configure Agent jobs and DBLinks	√	√	√	√	√

Stored procedu res	Change a custom database name	√	√	√	√	√
	Capture change data	×	√	√	√	~
	Shrink a database	√	√	√	√	✓
	Replicate a database	√	√	√	√	√
	Update database statistics	√	√	√	√	√
	Trace flags	√	√	√	√	√
Best practice s	Create a linked server	√	√	√	√	√

6.4 RDS for SQL Server 2017

Categor	Function Item	Version				
У		Web Edition	Standard Edition		Enterprise Edition	
		Single	Single	Prima ry/ Stand by	Cluster	
Instance manage	Reboot an instance	√	√	√	√	
ment	Change the instance class	√	√	√	√	
	Reset a password	√	√	√	√	
	Change instance type from single to primary/standby	×	×	×	×	
	Scale up storage space	√	√	√	√	

	Manually switch between primary and standby instances	×	×	√	√
	Delete a pay-per- use instance	√	√	√	√
	Upgrade the DB engine version	×	×	×	×
	Change the instance name	√	√	√	√
	Change the instance description	√	√	√	✓
	Change the maintenance window	√	√	√	√
Tags	Manage tags	√	√	√	√
Task center	View a task	√	√	√	√
Data migratio n	Offline migration	√	√	√	√
Databas	Intra-VPC access	√	√	√	√
e connecti	Public access	√	√	√	√
on	Change a floating IP address	√	√	√	√
	Change a database port	√	√	√	√
Backup and restorati	Full backup (automated backup)	√	√	√	√
on	Incremental backup	√	√	√	√
	Download a backup	√	√	√	√
	Replicate a backup	√	√	√	√
	Configure an automated backup policy	√	√	√	✓

	Restore data to RDS for SQL Server from backups	√	√	√	√
	Restore an instance to a point in time	√	√	√	✓
	Manual backup	√	√	√	√
	Restore data to a new instance	√	√	√	√
	Restore data to an existing instance	√	√	√	→
Monitori ng and	Resource monitoring	√	√	√	√
alarms	DB engine monitoring	√	√	√	√
	Set alarm rules	√	√	√	√
Paramet er manage	Create a parameter template	√	√	√	→
ment	Compare parameter templates	√	√	√	✓
	Apply a parameter template	√	√	√	√
	View application records of a parameter template	√	√	√	√
	Modify parameters	√	√	√	√
	Export a parameter template	√	√	√	✓
	View parameter change history	√	√	√	√
Log manage ment	View and download system logs	√	√	√	√

View and download slow query logs			1		1	
manage ment Database Security Service (DBSS) V		download slow	√	√	√	√
Database Security V V V V V V V V V	manage		√	√	√	√
encryption Change a security group Configure the TDE function Recycle bin Rebuild an instance DB engine functions Account management Database management V V V V Microsoft Distributed Transaction Coordinator (MSDTC) SQL Server Integration Services (SSIS) FileStream CLR integration Create and configure Agent jobs and DBLinks Stored procedure es Capture change data Capture change data V V V V V V V V V V V V V V V V V V V			√	√	√	√
group Configure the TDE function Recycle bin Rebuild an instance DB engine functions Database management V V V V V Microsoft Distributed Transaction Coordinator (MSDTC) SQL Server Integration Services (SSIS) FileStream CLR integration Create and configure Agent jobs and DBLinks Stored procedure es Capture change data V V V V V V V V V V V V V V V V V V V			√	√	√	√
Recycle bin Recycle pin Rebuild an instance DB engine functions Database management Microsoft Distributed Transaction Coordinator (MSDTC) SQL Server Integration Services (SSIS) FileStream			√	√	√	√
DB			×	×	×	√
instance DB engine functions Database management V V V V			√	√	√	√
engine functions Database management			√	√	√	√
Database management V V V V	engine		√	√	√	√
Microsoft Distributed Transaction Coordinator (MSDTC) SQL Server Integration Services (SSIS) FileStream CLR integration Create and configure Agent jobs and DBLinks Stored procedur es Capture change data V V V V V V V V V V V V V	functions		√	√	√	√
Distributed Transaction Coordinator (MSDTC) SQL Server Integration Services (SSIS) FileStream CLR integration Create and configure Agent jobs and DBLinks Stored procedur es Capture change data Distributed Transaction A A A A A A A A A A A A			√	√	√	√
Integration Services (SSIS) FileStream		Distributed Transaction Coordinator	√	√ ·	√	√
CLR integration		Integration	×	√	√	√
Create and configure Agent jobs and DBLinks Stored procedur es Change a custom database name Capture change data Create and variable v		FileStream	√	√	×	√
Stored procedur es Change a custom database name Capture change data Configure Agent		CLR integration	√	√	√	√
procedur es Capture change data August Au		configure Agent	√	√	√	√
Capture change	procedur		√	√	√	√
Shrink a database $\sqrt{}$			×	√	√	√
		Shrink a database	√	√	√	√

	Replicate a database	√	√	√	√
	Update database statistics	√	√	√	√
	Trace flags	√	√	√	√
Best practices	Create a linked server	√	√	√	√

6.5 RDS for SQL Server 2019

Categor	Function Item	Version				
У		Web Edition	Standard Edition		Enterprise Edition	
		Single	Singl e	Primary/ Standby	Cluster	
Instance manage ment	Reboot an instance	√	√	√	√	
	Change the instance class	√	√	√	√	
	Reset a password	√	√	√	√	
	Change instance type from single to primary/standby	×	×	×	×	
	Scale up storage space	√	√	√	√	
	Manually switch between primary and standby instances	×	×	√	√	
	Delete a pay-per- use instance	√	√	√	√	
	Upgrade the DB engine version	×	×	×	×	
	Change the instance name	√	√	√	√	
	Change the instance description	√	√	√	√	

	Change the maintenance window	√	√	√	√
Tags	Manage tags	√	√	√	√
Task center	View a task	√	√	√	√
Data migratio n	Offline migration	√	√	√	√
Database connecti	Intra-VPC access	√	√	√	√
on	Public access	√	√	√	√
	Change a floating IP address	√	√	√	√
	Change a database port	√	√	√	√
Backup and restorati	Full backup (automated backup)	√	√	√	√
on	Incremental backup	√	√	√	√
	Download a backup	√	√	√	√
	Replicate a backup	√	√	√	√
	Configure an automated backup policy	√	√	√	√
	Restore data to RDS for SQL Server from backups	√	√	√	✓
	Restore an instance to a point in time	√	√	√	√
	Manual backup	√	√	√	√
	Restore data to a new instance	√	√	√	√
	Restore data to an existing instance	√	√	√	√

Monitori ng and	Resource monitoring	√	√	√	√
alarms	DB engine monitoring	√	√	√	√
	Set alarm rules	√	√	√	√
Paramet er manage	Create a parameter template	√	√	√	√
ment	Compare parameter templates	√	√	√	√
	Apply a parameter template	√	√	√	√
	View application records of a parameter template	√	√	√	√
	Modify parameters	√	√	√	√
	Export a parameter template	√	√	√	√
	View parameter change history	√	√	√	√
Log manage ment	View and download system logs	√	√	√	√
	View and download slow query logs	√	√	√	√
Security manage	Cloud Trace Service (CTS)	√	√	√	√
ment	Database Security Service (DBSS)	√	√	√	√
	Server-side encryption	√	√	√	√
	Change a security group	√	√	√	√
	Configure the TDE function	×	√	√	√

Recycle bin	Modify the recycling policy	√	√	√	√
	Rebuild an instance	√	√	√	√
DB engine	Account management	√	√	√	√
functions	Database management	√	√	√	√
		√	√	√	√
	Microsoft Distributed Transaction Coordinator (MSDTC)	√	√	√	√
	SQL Server Integration Services (SSIS)	×	×	×	√
	FileStream	√	×	×	√
	CLR integration	√	√	√	√
	Create and configure Agent jobs and DBLinks	√	√	√	√
Stored procedur	Change a custom database name	√	√	√	√
es	Capture change data	×	√	√	√
	Shrink a database	√	√	√	√
	Replicate a database	√	√	√	√
	Update database statistics	√	√	√	√
	Trace flags	√	√	√	√
Best practices	Create a linked server	√	√	√	√

6.6 Function Differences Among Standard, Web, and Enterprise Editions

Table 6-1 lists the major differences among the official Microsoft SQL Server editions.

Table 6-1 Differences among Microsoft SQL Server editions

Function Item	Web Edition	Standard Edition	Enterprise Edition
High availability	Not supported	Mirror HA	 Microsoft SQL Server 2012 (Mirror) Microsoft SQL Server 2014 (Mirror) Microsoft SQL Server 2016 (Mirror) Microsoft SQL Server 2017 (Always On)
Data compression	Supported	Supported	Supported
SQL Profiler	Supported	Supported	Supported
Column index	Not supported	Supported	Supported
Table/index partitioning	Supported	Supported	Supported
Change Data Capture (CDC)	Not supported	Supported	Supported
Parallel searches	Not supported	Not supported	Supported
Adjustment of partitioned table parallelism	Supported	Supported	Supported
Transparent Data Encryption (TDE)	Not supported	Not supported	Supported
Advanced R integration	Not supported	Not supported	Supported

DB Instance Description

7.1 DB Instance Types

The smallest management unit of RDS is the DB instance. A DB instance is an isolated database environment on the cloud. Each DB instance can contain multiple user-created databases, and you can access a DB instance using the same tools and applications that you use with a stand-alone DB instance. You can easily create or modify DB instances using the management console or HTTPS-compliant application programming interfaces (APIs). RDS does not have limits on the number of running DB instances. Each DB instance has a DB instance identifier.

DB instances are classified into the following types.

Table 7-1 DB instance types

DB Instan ce Type	Description	Notes
Single	A single-node architecture is more cost-effective than a primary/standby DB pair.	If a fault occurs on a single instance, the instance cannot recover in a timely manner.

DB Instan ce Type	Description	Notes
Primar y/ Standb y	An HA architecture. In a primary/standby pair, each instance has the same instance class. The primary and standby instances can be deployed in different AZs.	 When a primary instance is being created, a standby instance is provisioned synchronously to provide data redundancy. The standby instance is invisible to you after being created. If a failover occurs due to a primary instance failure, your database client will be disconnected briefly. You need to reconnect the client to the instance. The default replication mode between the primary and standby instances is as follows: RDS for MySQL and RDS for MariaDB: semi-synchronous RDS for PostgreSQL: asynchronous RDS for SQL Server: synchronous. SQL Server 2017 Enterprise Edition and 2019 Enterprise Edition use AlwaysOn availability groups (AGs). Other editions use database mirroring. RDS for SQL Server uses asynchronous replication between the primary instance and read replicas.

DB Instan ce Type	Description	Notes
Read replica	A single-node or HA architecture	 Read replicas include single read replicas and HA read replicas. Single read replicas: If you choose single read replicas, you are advised to buy more than one single read replica and enable database proxy. That way, if one read replica fails, the database proxy can route traffic to other read replicas. HA read replicas: If the physical server where a primary read replica is deployed fails, the standby read replica automatically takes over the workloads. When you purchase a read replica, select the same value for Table Name as the DB instance. If the replication between a read replica (single or HA) and the DB instance is abnormal, it can take a long time to rebuild and restore the read replica (depending on the data volume).
Cluster	The Microsoft Always On architecture. There is one primary node, one standby node, and up to five read-only nodes. It features higher availability, reliability, and scalability.	Only for RDS for SQL Server.

For RDS for SQL Server, only 2017 Enterprise Edition supports read replicas.

You can use RDS to create and manage DB instances running various DB engines.

For details about differences and function comparison between different instance types, see **DB Instance Introduction** and **Function Comparison**.

7.2 DB Instance Storage Types

The database system is generally an important part of an IT system and has high requirements on storage I/O performance. You can select a storage type based on

service demands. You cannot change the storage type after the DB instance is created.

Description

RDS supports **Cloud SSD** (also called **Ultra-high I/O**) and **Extreme SSD** to suit different performance requirements of your workloads.

• Cloud SSD or Ultra-high I/O

Cloud SSDs and Ultra-high I/O drives are both cloud drives used to decouple storage from compute. The maximum throughput is 350 MB/s.

- For RDS for MySQL instances, this storage type is normally displayed as Cloud SSD, but for existing instances in certain regions it is displayed as Ultra-high I/O.
- For RDS for PostgreSQL, RDS for SQL Server, and RDS for MariaDB instances, this storage type is displayed as Cloud SSD.
- The supported IOPS depends on the I/O performance of the Elastic Volume Service (EVS) disk. For details, see "Ultra-high I/O" in Disk Types and Performance of the Elastic Volume Service Service Overview.
- Extreme SSD

Uses 25GE network and RDMA technologies to provide you with up to 1,000 MB/s throughput per disk and sub-millisecond latency.

- Only RDS for MySQL, RDS for PostgreSQL, and RDS for SQL Server support extreme SSDs.
- The supported IOPS depends on the I/O performance of the EVS disk. For details, see "Extreme SSD" in Disk Types and Performance of the Elastic Volume Service Service Overview.

Performance Comparison

Table 7-2 Performance comparison

Item	Cloud SSD	Extreme SSD
I/O performance	Sub-par I/O performance due to additional network I/O overheads	Higher I/O performance than cloud SSDs
Elastic scalability	Scaling in seconds	Scaling in seconds
Maximum IOPS	50,000	128,000
Maximum throughput	350 MB/s	1000 MB/s
Read/write latency	1 ms	Sub-millisecond

7.3 DB Engines and Versions

Table 7-3 lists the DB engines and versions supported by RDS.

NOTICE

To purchase RDS for SQL Server DB instances, choose **Service Tickets > Create Service Ticket** in the upper right corner of the console to submit a service ticket.

For new applications, you are advised to use the latest major version of the DB engine, for example, MySQL 8.0. When you create a DB instance, you can select a major DB engine version only (such as MySQL 8.0). The system will automatically select an appropriate minor version (such as 8.0.17) for you. After the DB instance is created, you can view the minor version in the **DB Engine Version** column on the **Instances** page. The DB engine and version vary according to site requirements.

Figure 7-1 DB engine version



Table 7-3 DB engines and versions

DB Engine	Single	Primary/Standby	Cluster
MySQL	8.05.75.6	8.05.75.6	Not supported
PostgreSQL	 14 13 12 11 10 9.6. To purchase an instance of this edition, contact customer service. 9.5. To purchase an instance of this edition, contact customer service. 	 14 13 12 11 10 9.6. To purchase an instance of this edition, contact customer service. 	Not supported
MariaDB	10.5.16	10.5.16	Not supported

DB Engine	Single	Primary/Standby	Cluster
Microsoft SQL Server	• 2017 Enterprise Edition	• 2017 Standard Edition	• 2017 Enterprise
	• 2017 Standard Edition	• 2016 Enterprise Edition	Edition
	• 2017 Web Edition	• 2016 Standard	
	• 2016 Enterprise Edition	Edition2014 Enterprise	
	• 2016 Standard	Edition	
	Edition	 2014 Standard Edition 	
	2016 Web Edition2014 Enterprise	• 2012 Enterprise	
	Edition	Edition	
	• 2014 Standard Edition	 2012 Standard Edition 	
	• 2014 Web Edition	• 2008 R2 Enterprise	
	• 2012 Enterprise Edition	Edition (for existing users only)	
	• 2012 Standard Edition		
	• 2012 Web Edition		
	2008 R2 Web Edition (for existing users only)		

7.4 DB Instance Statuses

DB Instance Statuses

The status of a DB instance indicates the health of the DB instance. You can use the management console or API to view the status of a DB instance.

Table 7-4 DB instance statuses

Status	Description
Available	A DB instance is available.
Abnormal	A DB instance is abnormal.
Creating	A DB instance is being created.
Cloning	A DB instance is being cloned.
Creation failed	A DB instance has failed to be created.

Status	Description
Available (synchronizing data)	A DB instance that is in the process of being restored. The status is only for RDS for SQL Server read replicas and is displayed only on the console.
Switchover in progress	A standby DB instance is being switched over to the primary DB instance.
Changing type to primary/ standby	A single DB instance is being changed to primary/standby DB instances.
Rebooting	A DB instance is being rebooted.
Changing port	A DB instance port is being changed.
Changing instance class	The CPU or memory of a DB instance is being modified.
Changing proxy instance class	The CPU or memory of a DB proxy instance is being modified.
Scaling up	Storage space of a DB instance is being scaled up.
Backing up	A DB instance is being backed up.
Restoring	A DB instance is in the process of being restored from a backup.
Restore failed	A DB instance fails to be restored.
Frozen	A DB instance is frozen when your account balance is less than or equal to \$0 USD. Retained frozen DB instances are unfrozen only after your account is recharged and the overdue payments are cleared.
Storage full	Storage space of a DB instance is full. Data cannot be written to databases.
Deleted	A DB instance has been deleted and will not be displayed in the instance list.
Upgrading minor version	A DB instance minor version is being upgraded.
Upgrading	A DB engine version is being upgraded.
Migrating standby DB instance	A standby RDS for MySQL instance is being migrated to another AZ in the same region.
Promoting to primary	A read replica is being promoted to a primary DB instance.
Parameter change. Pending reboot	A modification to a database parameter is waiting for an instance reboot before it can take effect.

Status	Description
Stopping	A DB instance is being stopped.
Stopped	A DB instance has been stopped. It can be stopped for up to seven days. You can manually restart it or it will be automatically restarted after seven days.
Starting	A stopped DB instance is being started.
Changing read/ write permissions of the instance	The read/write permissions of a DB instance are being changed.

8 DB Instance Classes

8.1 RDS for MySQL Instance Classes

To learn about the DB engine versions supported by RDS for MySQL, see **DB Engines and Versions**.

Table 8-1 lists the instance classes based on the x86 CPU architecture available to RDS for MySQL. For detailed specifications of each instance class, see **Table 8-3** and **Table 8-4**.

• x86: general-purpose (recommended), dedicated (recommended), general-enhanced (installed base operations), and general-enhanced II (installed base operations)

□ NOTE

For information about Transaction Per Second (TPS) and Query Per Second (QPS), see *Performance White Paper*.

Table 8-1 Instance classes for cloud SSD and extreme SSD

Instance Class	Description	Scenario	Constraints
General- purpose (recommen ded)	CPU resources are shared with other general-purpose DB instances on the same physical machine. CPU usage is maximized through resource overcommitment. This instance class is a costeffective option and suitable for scenarios where performance stability is not critical.	Suitable for scenarios that have high requirements on cost-effectiveness.	Table 8-2 lists the regions where this instance class is available.

Instance Class	Description	Scenario	Constraints
Dedicated (recommen ded)	The instance has dedicated CPU and memory resources to ensure stable performance. The performance of a dedicated instance is never affected by other instances on the same physical machine. This instance class is good when performance stability is important.	Suitable for core database scenarios such as e-commerce, gaming, finance, government, and enterprise applications.	Table 8-2 lists the regions where this instance class is available.
General- enhanced and general- enhanced II	With a leading network acceleration engine and Data Plane Development Kit (DPDK) fast packet processing, this instance class provides higher network performance and computing power.	Suitable for websites and web applications that require high database computing and network performance.	These two instance classes are for installed base operations.

Table 8-2 Regions where general-purpose and dedicated instance classes are available

Instance Class	Region
General-purpose and dedicated	CN North-Beijing4 and CN North-Ulanqab1
	CN East-Shanghai1
	CN South-Guangzhou and CN South-Guangzhou-InvitationOnly
	CN Southwest-Guiyang1
	AP-Bangkok and AP-Singapore
	CN-Hong Kong
	LA-Sao Paulo1, LA-Santiago, LA-Mexico City1, and LA-Mexico City2
	AF-Johannesburg

Table 8-3 Detailed specifications of general-purpose and dedicated instance classes

Instance Class	Specification Code for Primary/ Standby Instances	Specification Code for Read Replicas	Specification Code for Single Instances	vCPUs	Memo ry (GB)
General- purpose	rds.mysql.n1.l arge.2.ha	rds.mysql.n1.l arge.2.rr	rds.mysql.n1.l arge.2	2	4
	rds.mysql.n1.l arge.4.ha	rds.mysql.n1.l arge.4.rr	rds.mysql.n1.l arge.4	2	8
	rds.mysql.n1.xl arge.2.ha	rds.mysql.n1.xl arge.2.rr	rds.mysql.n1.x large.2	4	8
	rds.mysql.n1.xl arge.4.ha	rds.mysql.n1.xl arge.4.rr	rds.mysql.n1.x large.4	4	16
	rds.mysql.n1.2 xlarge.2.ha	rds.mysql.n1.2 xlarge.2.rr	rds.mysql.n1.2 xlarge.2	8	16
	rds.mysql.n1.2 xlarge.4.ha	rds.mysql.n1.2 xlarge.4.rr	rds.mysql.n1.2 xlarge.4	8	32

Instance Class	Specification Code for Primary/ Standby Instances	Specification Code for Read Replicas	Specification Code for Single Instances	vCPUs	Memo ry (GB)
Dedicated	rds.mysql.x1.la rge.2.ha	rds.mysql.x1.la rge.2.rr	rds.mysql.x1.l arge.2	2	4
	rds.mysql.x1.la rge.4.ha	rds.mysql.x1.la rge.4.rr	rds.mysql.x1.l arge.4	2	8
	rds.mysql.x1.xl arge.2.ha	rds.mysql.x1.xl arge.2.rr	rds.mysql.x1.x large.2	4	8
	rds.mysql.x1.xl arge.4.ha	rds.mysql.x1.xl arge.4.rr	rds.mysql.x1.x large.4	4	16
	rds.mysql.x1.xl arge.8.ha	rds.mysql.x1.xl arge.8.rr	rds.mysql.x1.x large.8	4	32
	rds.mysql.x1.2 xlarge.2.ha	rds.mysql.x1.2 xlarge.2.rr	rds.mysql.x1.2 xlarge.2	8	16
	rds.mysql.x1.2 xlarge.4.ha	rds.mysql.x1.2 xlarge.4.rr	rds.mysql.x1.2 xlarge.4	8	32
	rds.mysql.x1.2 xlarge.8.ha	rds.mysql.x1.2 xlarge.8.rr	rds.mysql.x1.2 xlarge.8	8	64
	rds.mysql.x1.4 xlarge.2.ha	rds.mysql.x1.4 xlarge.2.rr	rds.mysql.x1.4 xlarge.2	16	32
	rds.mysql.x1.4 xlarge.4.ha	rds.mysql.x1.4 xlarge.4.rr	rds.mysql.x1.4 xlarge.4	16	64
	rds.mysql.x1.4 xlarge.8.ha	rds.mysql.x1.4 xlarge.8.rr	rds.mysql.x1.4 xlarge.8	16	128
	rds.mysql.x1.8 xlarge.2.ha	rds.mysql.x1.8 xlarge.2.rr	rds.mysql.x1.8 xlarge.2	32	64
	rds.mysql.x1.8 xlarge.4.ha	rds.mysql.x1.8 xlarge.4.rr	rds.mysql.x1.8 xlarge.4	32	128
	rds.mysql.x1.8 xlarge.8.ha	rds.mysql.x1.8 xlarge.8.rr	rds.mysql.x1.8 xlarge.8	32	256
	rds.mysql.x1.1 6xlarge.2.ha	rds.mysql.x1.1 6xlarge.2.rr	rds.mysql.x1.1 6xlarge.2	64	128
	rds.mysql.x1.1 6xlarge.4.ha	rds.mysql.x1.1 6xlarge.4.rr	rds.mysql.x1.1 6xlarge.4	64	256
	rds.mysql.x1.1 6xlarge.8.ha	rds.mysql.x1.1 6xlarge.8.rr	rds.mysql.x1.1 6xlarge.8	64	512

regions.

	Instance Class	Specification Code for Primary/ Standby Instances	Specification Code for Read Replicas	Specification Code for Single Instances	vCPUs	Memo ry (GB)
	NOTE • The specifica	rds.mysql.x1.2 4xlarge.2.ha	rds.mysql.x1.2 4xlarge.2.rr	rds.mysql.x1.2 4xlarge.2	96	192
	tions supporte d for	rds.mysql.x1.2 4xlarge.4.ha	rds.mysql.x1.2 4xlarge.4.rr	rds.mysql.x1.2 4xlarge.4	96	384
	cloud SSDs and	rds.mysql.x1.2 4xlarge.8.ha	rds.mysql.x1.2 4xlarge.8.rr	rds.mysql.x1.2 4xlarge.8	96	768
	extreme SSDs are different.	rds.mysql.x1.3 2xlarge.2.ha	rds.mysql.x1.3 2xlarge.2.rr	rds.mysql.x1.3 2xlarge.2	128	256
	To use the dedicate	rds.mysql.x1.3 2xlarge.4.ha	rds.mysql.x1.3 2xlarge.4.rr	rds.mysql.x1.3 2xlarge.4	128	512
	d instance class (vCPU:M emory=1:2) supporte d for cloud SSDs, you need to contact customer service to apply for the required permissi on. • The 32 vCPUs 256 GB, 96 vCPUs 192 GB, 96 vCPUs 384 GB,	rds.mysql.x1.3 2xlarge.8.ha	rds.mysql.x1.3 2xlarge.8.rr	rds.mysql.x1.3 2xlarge.8	128	1024
Issue 25 (2023-07-	31) specific © tions are available only in certain	pyright © Huawei	Technologies Co.,	Ltd.		49

Table 8-4 Instance classes for ultra-high I/O (installed base operations)

Instance Class	vCPUs	Memory (GB)
General-enhanced	1	2
	1	4
	1	8
	2	4
	2	8
	2	16
	4	8
	4	16
	4	32
	8	16
	8	32
	8	64
	16	32
	16	64
	16	128
	32	64
	32	128
	32	256
	60	128
	60	256
	60	512
General-enhanced II	2	4
	2	8
	2	16
	4	8
	4	16
	4	32
	8	16

Instance Class	vCPUs	Memory (GB)
	8	32
	8	64
	16	32
	16	64
	16	128
	32	64
	32	128
	64	128
	64	256
	64	512

The DB instance specifications vary according to site requirements.

8.2 RDS for PostgreSQL Instance Classes

To learn about the DB engine versions supported by RDS for PostgreSQL, see **DB Engines and Versions**.

Table 8-5 lists the instance classes based on the x86 CPU architecture available to RDS for PostgreSQL. For detailed specifications of each instance class, see **Table 8-7** and **Table 8-8**.

 x86: general-purpose (recommended), dedicated (recommended), generalenhanced (installed base operations), and general-enhanced II (installed base operations)

Table 8-5 Instance classes

Instance Class	Description	Scenario	Constraints
General- purpose (recommen ded)	CPU resources are shared with other general-purpose DB instances on the same physical machine. CPU usage is maximized through resource overcommitment. This instance class is a costeffective option and suitable for scenarios where performance stability is not critical.	Suitable for scenarios that have high requirements on cost-effectiveness.	Table 8-6 lists the regions where this instance class is available.
Dedicated (recommen ded)	The instance has dedicated CPU and memory resources to ensure stable performance. The performance of a dedicated instance is never affected by other instances on the same physical machine. This instance class is good when performance stability is important.	Suitable for core database scenarios such as e-commerce, gaming, finance, government, and enterprise applications.	Table 8-6 lists the regions where this instance class is available.
General- enhanced and general- enhanced II	With a leading network acceleration engine and Data Plane Development Kit (DPDK) fast packet processing, this instance class provides higher network performance and computing power.	Suitable for websites and web applications that require high database computing and network performance.	These two instance classes are for installed base operations.

Table 8-6 Regions where general-purpose and dedicated instance classes are available

Instance Class	Region
General-purpose and	CN North-Beijing4 and CN North-Ulanqab1
dedicated	CN East-Shanghai1
	CN South-Guangzhou and CN South-Guangzhou- InvitationOnly

Instance Class	Region
	CN Southwest-Guiyang1
	AP-Bangkok and AP-Singapore
	CN-Hong Kong
	LA-Sao Paulo1, LA-Santiago, LA-Mexico City1, and LA-Mexico City2
	AF-Johannesburg

Table 8-7 Detailed specifications of general-purpose and dedicated instance classes

Instance Class	Specification Code for Primary/ Standby Instances	Specification Code for Read Replicas	Specification Code for Single Instances	vCPUs	Mem ory (GB)
General- purpose	rds.pg.n1.me dium.2.ha	rds.pg.n1.med ium.2.rr	rds.pg.n1.med ium.2	1	2
	rds.pg.n1.larg e.2.ha	rds.pg.n1.larg e.2.rr	rds.pg.n1.larg e.2	2	4
	rds.pg.n1.larg e.4.ha	rds.pg.n1.larg e.4.rr	rds.pg.n1.larg e.4	2	8
	rds.pg.n1.xlar ge.2.ha	rds.pg.n1.xlar ge.2.rr	rds.pg.n1.xlar ge.2	4	8
	rds.pg.n1.xlar ge.4.ha	rds.pg.n1.xlar ge.4.rr	rds.pg.n1.xlar ge.4	4	16
	rds.pg.n1.2xla rge.2.ha	rds.pg.n1.2xla rge.2.rr	rds.pg.n1.2xla rge.2	8	16
	rds.pg.n1.2xla rge.4.ha	rds.pg.n1.2xla rge.4.rr	rds.pg.n1.2xla rge.4	8	32
Dedicated NOTE	rds.pg.x1.larg e.2.ha	rds.pg.x1.large .2.rr	-	2	4
The specifications supported for cloud SSDs and extreme SSDs are different.	rds.pg.x1.larg e.4.ha	rds.pg.x1.large .4.rr	-	2	8
	rds.pg.x1.larg e.8.ha	rds.pg.x1.large .8.rr	-	2	16
	rds.pg.x1.xlar ge.2.ha	rds.pg.x1.xlarg e.2.rr	-	4	8

Instance Class	Specification Code for Primary/ Standby Instances	Specification Code for Read Replicas	Specification Code for Single Instances	vCPUs	Mem ory (GB)
	rds.pg.x1.xlar ge.4.ha	rds.pg.x1.xlarg e.4.rr	-	4	16
	rds.pg.x1.xlar ge.8.ha	rds.pg.x1.xlarg e.8.rr	-	4	32
	rds.pg.x1.2xla rge.2.ha	rds.pg.x1.2xlar ge.2.rr	-	8	16
	rds.pg.x1.2xla rge.4.ha	rds.pg.x1.2xlar ge.4.rr	-	8	32
	rds.pg.x1.2xla rge.8.ha	rds.pg.x1.2xlar ge.8.rr	-	8	64
	rds.pg.x1.4xla rge.2.ha	rds.pg.x1.4xlar ge.2.rr	-	16	32
	rds.pg.x1.4xla rge.4.ha	rds.pg.x1.4xlar ge.4.rr	-	16	64
	rds.pg.x1.4xla rge.8.ha	rds.pg.x1.4xlar ge.8.rr	-	16	128
	rds.pg.x1.8xla rge.2.ha	rds.pg.x1.8xlar ge.2.rr	-	32	64
	rds.pg.x1.8xla rge.4.ha	rds.pg.x1.8xlar ge.4.rr	-	32	128
	rds.pg.x1.16xl arge.2.ha	rds.pg.x1.16xl arge.2.rr	-	64	128
	rds.pg.x1.16xl arge.4.ha	rds.pg.x1.16xl arge.4.rr	-	64	256
	rds.pg.x1.16xl arge.8.ha	rds.pg.x1.16xl arge.8.rr	-	64	512

Table 8-8 Detailed specifications of general-enhanced and general-enhanced II instance classes

Instance Class	vCPUs	Memory (GB)
General-enhanced	1	2
	1	4
	2	4

Instance Class	vCPUs	Memory (GB)
	2	8
	2	16
	4	8
	4	16
	4	32
	8	32
	8	64
	16	64
	32	128
	60	128
	60	256
General-enhanced II	2	4
	2	8
	2	16
	4	8
	4	16
	4	32
	8	16
	8	32
	8	64
	16	32
	16	64
	16	128
	32	64
	32	128
	64	128
	64	256
	64	512

The DB instance specifications vary according to site requirements.

8.3 RDS for SQL Server Instance Classes

To learn about the DB engine versions supported by RDS for SQL Server, see **DB Engines and Versions**.

Table 8-9 lists the instance classes based on the x86 CPU architecture available to RDS for SQL Server. For detailed specifications of each instance class, see **Table 8-10**.

Table 8-9 Instance classes

Instance Class	Description	Scenario
General- purpose	CPU resources are shared with other general-purpose DB instances on the same physical machine. CPU usage is maximized through resource overcommitment. This instance class is a costeffective option and suitable for scenarios where performance stability is not critical.	Suitable for scenarios that have high requirements on costeffectiveness.
Dedicated	The instance has dedicated CPU and memory resources to ensure stable performance. The performance of a dedicated instance is never affected by other instances on the same physical machine. This instance class is good when performance stability is important.	Suitable for core database scenarios such as e-commerce, gaming, finance, government, and enterprise applications.

Table 8-10 Detailed specifications of general-purpose and dedicated instance classes

Instance Class	vCPUs	Memory (GB) ^a	Supported Editions
General-purpose	2	4	Microsoft SQL Server (only 2012 Standard Edition, 2012 Web Edition, 2014 Standard Edition, and 2016 Standard Edition)
	4	8	Microsoft SQL Server

Instance Class	vCPUs	Memory (GB) ^a	Supported Editions
	8	16	Microsoft SQL Server (only 2014 Standard Edition, 2016 Standard Edition, and 2017 Standard Edition)
	16	32	Microsoft SQL Server (only 2014 Standard Edition, 2016 Standard Edition, and 2017 Standard Edition)
Dedicated NOTE The specifications vary depending on the DB engine version.	2	8	Microsoft SQL Server (only 2017 Enterprise Edition, 2016 Enterprise Edition, 2014 Enterprise Edition, 2012 Enterprise Edition, 2008 R2 Enterprise Edition, 2017 Standard Edition, 2016 Standard Edition, 2014 Standard Edition, and 2012 Standard Edition)
	2	16	Microsoft SQL Server (only 2017 Enterprise Edition, 2016 Enterprise Edition, 2014 Enterprise Edition, 2012 Enterprise Edition, 2008 R2 Enterprise Edition, 2017 Standard Edition, 2016 Standard Edition, 2014 Standard Edition, and 2012 Standard Edition)
	4	16	Microsoft SQL Server
	4	32	Microsoft SQL Server
	8	32	Microsoft SQL Server
	8	64	Microsoft SQL Server
	16	64	Microsoft SQL Server
	16	128	Microsoft SQL Server (only 2017 Standard Edition, 2016 Standard Edition, 2016 Enterprise Edition, 2014 Standard Edition, 2012 Standard Edition, 2012 Enterprise Edition, and 2014 Enterprise Edition)
	24	192	Microsoft SQL Server

Instance Class	vCPUs	Memory (GB) ^a	Supported Editions
	32	128	Microsoft SQL Server (only 2017 Enterprise Edition, 2016 Enterprise Edition, 2014 Enterprise Edition, and 2012 Enterprise Edition)
	32	256	Microsoft SQL Server (only 2017 Enterprise Edition, 2016 Enterprise Edition, 2014 Enterprise Edition, and 2012 Enterprise Edition)
	60	256	Microsoft SQL Server (only 2017 Enterprise Edition, 2016 Enterprise Edition, 2014 Enterprise Edition, and 2012 Enterprise Edition)
	60	512	Microsoft SQL Server (only 2017 Enterprise Edition, 2016 Enterprise Edition, 2014 Enterprise Edition, and 2012 Enterprise Edition)

□ NOTE

a: The memory defined by an RDS for SQL Server instance class includes the memory occupied by instance management, database workloads, and the underlying OS (including the memory reserved for BIOS, kernel memory, and hypervisor memory). Therefore, the available memory of a DB instance is less than the memory defined in the instance class. RDS for SQL Server instances using cloud SSDs are built on ECSs. The ECS specifications used by each DB instance may be different, so the performance of each DB instance varies.

The DB instance specifications vary according to site requirements.

9 Typical Use Cases

9.1 Reducing Read Pressure with RDS Read/Write Splitting

RDS for MySQL, RDS for PostgreSQL, and RDS for SQL Server 2017 Enterprise Edition DB instances support read replicas to offload read traffic from primary DB instances.


RDS for MySQL primary instances and read replicas have independent connection addresses. A maximum of five read replicas can be created for each RDS for MySQL instance. For details about how to create a read replica, see **Creating a Read Replica**.

To offload read pressure on the primary DB instance, you can create one or more read replicas in the same region as the primary instance. These read replicas can process a large number of read requests and increase application throughput.

9.2 Storing Diverse Data Types with RDS and Other Services

RDS can work with Distributed Cache Service (DCS) for Memcached, GaussDB(for Redis), and OBS to store different types of data.

Figure 9-1 Storing diverse data types



10 Security

10.1 Shared Responsibilities

Huawei guarantees that its commitment to cyber security will never be outweighed by consideration of commercial interests. To address emerging cloud security challenges and pervasive cloud security threats and attacks, Huawei Cloud has built a comprehensive cloud service security assurance system for different regions and industries. This system is based on Huawei's unique software and hardware advantages, and on relevant laws, regulations, industry standards, and on the security ecosystem as a whole.

The shared responsibility model for Huawei Cloud and the tenants who use Huawei Cloud services is illustrated in Figure 10-1. Responsibilities are as follows:

- Huawei Cloud: Ensure the security of cloud services and provide secure clouds. Huawei Cloud's security responsibilities include ensuring the security of our IaaS, PaaS, and SaaS services, as well as the physical environments of the Huawei Cloud data centers where our IaaS, PaaS, and SaaS services operate. Huawei Cloud is responsible for not only the security functions and performance of our infrastructure, cloud services, and technologies, but also for the overall cloud O&M security and, in more widely speaking, the security compliance of our infrastructure and services.
- **Tenant**: Use the cloud securely. Tenants of Huawei Cloud are responsible for the secure and effective management of the tenant-customized configurations of cloud services including IaaS, PaaS, and SaaS. This includes but is not limited to virtual networks, the OSs of virtual machine hosts and guests, virtual firewalls, API Gateway, advanced security services, all types of cloud services, tenant data, identity accounts, and key management.

Huawei Cloud Security White Paper elaborates on the ideas behind and measures used to ensure Huawei Cloud security, including cloud security strategies, the shared responsibility model, compliance and privacy, security organizations and personnel, infrastructure security, tenant service and security, engineering security, O&M security, and ecosystem security.




Figure 10-1 Huawei Cloud shared security responsibility model

10.2 Identity Authentication and Access Control

Identity Authentication

When you access RDS, the system authenticates your identity using a password or IAM.

Password verification

To manage your instance, you need to use Data Admin Service (DAS) to log in to your instance. The login is successful only after your account and password are verified.

IAM verification

You can use Identity and Access Management (IAM) to provide fine-grained control over RDS permissions. IAM provides identity authentication, permissions management, and access control, helping you efficiently manage access to your Huawei Cloud resources. IAM users can use RDS resources only after their accounts and passwords are verified. For details, see Step 2: Create IAM Users and Log In.

Access Control

Permissions control

If you need to assign different permissions to different employees in your enterprise to access your instance resources, IAM is a good choice. For details, see **Permissions**.

VPCs and subnets

A VPC is a logically isolated, configurable, and manageable virtual network. It helps improve the security of cloud resources and simplifies network deployment. You can define security groups, virtual private networks (VPNs), IP address segments, and bandwidth for a VPC. This facilitates internal

network configuration and management and allows you to change your network in a secure and convenient manner.

A subnet provides dedicated network resources that are logically isolated from other networks for security.

For details, see **Creating a VPC**.

Security groups

A security group is a logical group that provides access control policies for the ECSs and RDS instances that have the same security protection requirements and are mutually trusted within a VPC. To ensure database security and reliability, you need to configure security group rules to allow only specific IP addresses and ports to access your RDS instances.

For details, see Configuring Security Group Rules.

10.3 Data Protection

RDS provides a series of methods and features to ensure data security and reliability.

Table 10-1 Methods for data security

Method	Description	Reference
Secure Sockets Layer (SSL)	RDS for MySQL and RDS for MariaDB instances support both non-SSL and SSL connections. SSL is recommended for enhanced security. RDS for PostgreSQL and RDS for SQL Server instances support only SSL connections to ensure data transmission security.	 RDS for MySQL: Configuring an SSL Connection RDS for MariaDB: Connecting to a DB Instance Through a Private Network RDS for PostgreSQL: Using psql CLI to Connect to an Instance Through a Private Network RDS for SQL Server: Connecting to an Instance Through a Private Network
Cross-AZ deploymen t	To ensure high availability, RDS allows you to deploy primary and standby DB instances across AZs. AZs are physically isolated but interconnected through an internal network.	 RDS for MySQL: Step 1: Buy a DB Instance RDS for MariaDB: Step 1: Buy a DB Instance RDS for PostgreSQL: Step 1: Buy a DB Instance

Method	Description	Reference
Deletion protection	RDS allows you to move unsubscribed yearly/monthly DB instances and deleted pay-per-use DB instances to the recycle bin. You can rebuild a DB instance that was deleted up to 7 days ago from the recycle bin.	 RDS for MySQL: Recycling a DB Instance RDS for PostgreSQL: Recycling a DB Instance RDS for SQL Server: Recycling a DB Instance
Cross- region backup	RDS can store backups in a different region from the DB instance for disaster recovery. If the DB instance ever fails, you can use backups in the other region to restore data to a new DB instance.	RDS for MySQL: Setting a Cross- Region Backup Policy

10.4 Audit and Logs

Audit

Cloud Trace Service (CTS) records operations on cloud resources in your account. You can use the logs generated by CTS to perform security analysis, track resource changes, audit compliance, and locate faults.

After you enable CTS and configure a tracker, CTS can record management and data traces of RDS for auditing.

For details about how to enable and configure CTS, see **Enabling CTS**.

- For details about RDS for MySQL management and data traces that can be tracked by CTS, see Key Operations Supported by CTS.
- For details about RDS for PostgreSQL management and data traces that can be tracked by CTS, see Key Operations Supported by CTS.
- For details about RDS for SQL Server management and data traces that can be tracked by CTS, see **Key Operations Supported by CTS**.
- For details about RDS for MariaDB management and data traces that can be tracked by CTS, see **Key Operations Supported by CTS**.

Logs

RDS for MySQL

 You can view database-level logs, including error logs and slow SQL query logs.

For details about error logs, see Viewing and Downloading Error Logs.

- Slow query logs record statements that exceed **long_query_time** (1s by default). You can view log details and statistics to identify statements that are executing slowly and optimize the statements.
 - For details, see Viewing and Downloading Slow Query Logs.
- You can view failover or switchover logs to evaluate the impact on your workloads.
 - For details, see Viewing Failover/Switchover Logs.
- If you enable SQL Audit, the system records all SQL operations in audit logs to audit operations such as adding, deleting, modifying, and querying data.
 For details, see Enabling the SQL Audit Function.

RDS for PostgreSQL

- Error logs contain logs generated while the database is running. They can help you analyze database problems.
 - For details, see Viewing and Downloading Error Logs.
- Slow query logs record statements that exceed **log_min_duration_statement**. You can view log details and statistics to identify statements that are executing slowly and optimize the statements.
 - For details, see Viewing and Downloading Slow Query Logs.

RDS for SQL Server

- System logs contain logs generated while the database is running. They can help you analyze database problems.
 - For details, see Viewing and Downloading System Logs.
- Slow query logs record statements that exceed **long_query_time** (1s by default). You can view log details to identify statements that are executing slowly and optimize the statements.
 - For details, see Viewing and Downloading Slow Query Logs.
- SQL Audit is enabled for RDS for SQL Server instances by default. The system records major change operations on services, databases, and tables in audit logs to audit operations such as adding, deleting, modifying, and querying data.
 - For details, see Viewing and Downloading Audit Logs.

RDS for MariaDB

- You can view database-level logs, including error logs and slow SQL query logs.
 - For details about error logs, see Viewing and Downloading Error Logs.
- Slow query logs record statements that exceed **long_query_time** (1s by default). You can view log details and statistics to identify statements that are executing slowly and optimize the statements.
 - For details, see Viewing and Downloading Slow Query Logs.

10.5 Resilience

 RDS for MySQL uses EVS disks to store data, providing three-copy storage and 99.999999% data durability. RDS for MySQL also provides features like cross-

- region replication, multi-AZ data redundancy, and intra-AZ anti-affinity, to quarantee reliability and availability of your instances.
- RDS for PostgreSQL uses EVS disks to store data, providing three copies and 99.999999% data durability. RDS for PostgreSQL also provides features like cross-region replication and intra-AZ anti-affinity, to guarantee reliability and availability of your instances.
- RDS for SQL Server uses EVS disks to store data, providing three copies and 99.999999% data durability. RDS for PostgreSQL also provides features like cross-region replication and intra-AZ anti-affinity, to guarantee reliability and availability of your instances.
- RDS for MariaDB uses EVS disks to store data, providing three-copy storage and 99.999999% data durability. RDS for MariaDB also provides features like cross-region replication, multi-AZ data redundancy, and intra-AZ anti-affinity, to guarantee reliability and availability of your instances.




Figure 10-2 Reliability architecture

10.6 Risk Monitoring

Monitoring Metrics

RDS works with Cloud Eye to monitor instances in your account in real time, reporting alarms and sending notifications based on your settings. You can get details about running metrics and storage usage of your instances in real time.

- For details about RDS for MySQL metrics and how to create alarm rules, see
 Configuring Displayed Metrics.
- For details about RDS for PostgreSQL metrics and how to create alarm rules, see Configuring Displayed Metrics.
- For details about RDS for SQL Server metrics and how to create alarm rules, see Configuring Displayed Metrics.

• For details about RDS for MariaDB metrics and how to create alarm rules, see Configuring Displayed Metrics.

Protection for Critical Operations

With critical operation protection enabled, to enhance the security of your data and configurations, the system requires your identity to be authenticated before critical operations like deleting an instance can be performed. For more information, see **Critical Operation Protection**.

10.7 Fault Recovery

RDS automatically creates backups for your DB instance during a backup window you specify. The backups are stored based on a preset retention period (1 to 732 days).

To restore instance data, you can choose one of the following methods:

RDS for MySQL

- Restoring a DB instance from backups
- Restoring a DB instance to a point in time
- Restoring a table to a point in time

RDS for PostgreSQL

- Restoring a DB instance from backups
- Restoring a DB instance to a point in time

RDS for SQL Server

- Restoring a DB instance from backups
- Restoring a DB instance to a point in time

RDS for MariaDB

- Restoring a DB instance from backups
- Restoring a DB instance to a point in time

Cross-Region Backup

RDS can store backups in a different region from the DB instance for disaster recovery. If the DB instance ever fails, you can use backups in the other region to restore data to a new DB instance.

If you enable cross-region backup, backups are automatically stored in the region you specify.

Multiple-AZ Deployment


An AZ is a physical region where resources have their own independent power supply and networks. AZs are physically isolated but interconnected through a private network. You can deploy primary and standby DB instances in a single AZ or across AZs to achieve failover and high availability.

10.8 Certificates

Compliance Certificates

Huawei Cloud services and platforms have obtained various security and compliance certifications from authoritative organizations, such as International Organization for Standardization (ISO), system and organization controls (SOC), and Payment card industry (PCI) compliance standards. These certifications are available for download.


Figure 10-3 Downloading compliance certificates



Resource Center

Huawei Cloud also provides the following resources to help users meet compliance requirements. For details, see **Resource Center**.

Figure 10-4 Resource center



1 1 Permissions

If you need to assign different permissions to personnel in your enterprise to access your RDS resources, Identity and Access Management (IAM) is a good choice for fine-grained permissions management. IAM provides identity authentication, permissions management, and access control, helping you to securely access your cloud resources.

With IAM, you can create IAM users and assign permissions to control their access to specific resources. For example, if you want some software developers in your enterprise to use RDS resources but do not want them to delete RDS instances or perform any other high-risk operations, you can create IAM users and grant permission to use RDS instances but not permission to delete them.

If your Huawei account does not require individual IAM users for permissions management, you can skip this section.

IAM is a free service. You only pay for the resources in your account. For more information about IAM, see IAM Service Overview.

RDS Permissions

New IAM users do not have any permissions assigned by default. You need to first add them to one or more groups and attach policies or roles to these groups. The users then inherit permissions from the groups and can perform specified operations on cloud services based on the permissions they have been assigned.

RDS is a project-level service deployed for specific regions. When you set **Scope** to **Region-specific projects** and select the specified projects in the specified regions, the users only have permissions for RDS instances in the selected projects. If you set **Scope** to **All resources**, the users have permissions for RDS instances in all region-specific projects. When accessing RDS instances, the users need to switch to the authorized region.

You can grant permissions by using roles and policies.

Roles: A coarse-grained authorization strategy provided by IAM to assign
permissions based on users' job responsibilities. Only a limited number of
service-level roles are available for authorization. Cloud services depend on
each other. When you grant permissions using roles, you also need to attach
any existing role dependencies. Roles are not ideal for fine-grained
authorization and least privilege access.

 Policies: A fine-grained authorization strategy that defines permissions required to perform operations on specific cloud resources under certain conditions. This type of authorization is more flexible and is ideal for least privilege access. For example, you can grant users only permission to manage database resources of a certain type. A majority of fine-grained policies contain permissions for specific APIs, and permissions are defined using API actions. For the API actions supported by RDS, see Permissions and Supported Actions.

Table 11-1 lists all the system-defined permissions for RDS.

Table 11-1 System-defined permissions for RDS

Role/Policy Name	Description	Туре	Dependencies
RDS FullAccess	Full permissions for Relational Database Service	System- defined policy	To purchase a yearly/monthly DB instance, configure the following actions:
			bss:order:updat e
			bss:order:pay
			To use storage autoscaling, configure the following IAM actions:
			• iam:agencie s:listAgencie s
			• iam:agencie s:createAge ncy
			 iam:permissi ons:listRoles ForAgencyO nProject
			 iam:permissi ons:grantRol eToGroupO nProject
			• iam:roles:list Roles
RDS ReadOnlyAcces s	Read-only permissions for Relational Database Service	System- defined policy	N/A

Role/Policy Name	Description	Туре	Dependencies
RDS ManageAccess	Database administrator permissions for all operations except deleting RDS resources	System- defined policy	N/A
RDS Administrator	Administrator permissions for RDS	System- defined role	Tenant Guest and Server Administrator roles, which must be attached in the same project as the RDS Administrator role

Table 11-2 lists the common operations supported by system-defined permissions for RDS.

Table 11-2 Common operations supported by system-defined permissions

Operation	RDS FullAccess	RDS ReadOnlyAcces s	RDS ManageAcces s	RDS Administrat or
Creating an RDS DB instance	√	x	√	√
Deleting an RDS DB instance	√	х	х	√
Querying an RDS DB instance list	√	√	√	√

Table 11-3 Common operations and supported actions

Operation	Actions	Remarks
Creating a DB instance	rds:instance:create rds:param:list	To select a VPC, subnet, and security group, configure the following actions:
		vpc:vpcs:list
		vpc:vpcs:get
		vpc:subnets:get
		vpc:securityGroups:get
		To create an encrypted instance, configure the KMS Administrator permission for the project.
		To purchase a yearly/ monthly DB instance, configure the following actions:
		bss:order:update
		bss:order:pay
Changing DB instance specifications	rds:instance:modifySpec	N/A
Scaling up storage space	rds:instance:extendSpace	N/A
Changing a DB instance type from single to primary/ standby	rds:instance:singleToHa	If the original single DB instance is encrypted, you need to configure the KMS Administrator permission in the project.
Rebooting a DB instance	rds:instance:restart	N/A
Deleting a DB instance	rds:instance:delete	N/A
Querying a DB instance list	rds:instance:list	N/A

Operation	Actions	Remarks
Querying DB instance details	rds:instance:list	If the VPC, subnet, and security group are displayed in the DB instance list, you need to configure vpc:*:get and vpc:*:list.
Changing a DB instance password	rds:password:update	N/A
Changing a database port	rds:instance:modifyPort	N/A
Changing a floating IP address	rds:instance:modifylp	To query the list of unused IP addresses, configure the following actions: vpc:subnets:get vpc:ports:get
Changing a DB instance name	rds:instance:modify	N/A
Changing a maintenance window	rds:instance:modify	N/A
Performing a manual switchover	rds:instance:switchover	N/A
Changing the replication mode	rds:instance:modifySynchroni- zeModel	N/A
Changing the failover priority	rds:instance:modifyStrategy	N/A
Changing a security group	rds:instance:modifySecurityGro up	N/A
Binding or unbinding an EIP	rds:instance:modifyPublicAcces s	To query public IP addresses, configure the following actions: vpc:publicIps:get vpc:publicIps:list
Modifying the recycling policy	rds:instance:setRecycleBin	N/A
Querying the recycling policy	rds:instance:list	N/A
Enabling or disabling SSL	rds:instance:modifySSL	N/A

Operation	Actions	Remarks
Enabling or disabling event scheduler	rds:instance:modifyEvent	N/A
Configuring read/ write splitting	rds:instance:modifyProxy	N/A
Applying for a private domain name	rds:instance:createDns	N/A
Migrating a standby DB instance to another AZ	rds:instance:create	Standby DB instance migration involves operations on the IP address in the subnet. For encrypted DB instances, you need to configure the KMS Administrator permission in the project.
Restoring tables to a specified point in time	rds:instance:tableRestore	N/A
Configuring TDE permission	rds:instance:tde	Only used for RDS for SQL Server DB instances.
Changing host permission	rds:instance:modifyHost	N/A
Querying hosts of the corresponding database account	rds:instance:list	N/A
Obtaining a parameter template list	rds:param:list	N/A
Creating a parameter template	rds:param:create	N/A
Modifying parameters in a parameter template	rds:param:modify	N/A
Applying a parameter template	rds:param:apply	N/A
Modifying parameters of a specified DB instance	rds:param:modify	N/A

Operation	Actions	Remarks
Obtaining the parameter template of a specified DB instance	rds:param:list	N/A
Obtaining parameters of a specified parameter template	rds:param:list	N/A
Deleting a parameter template	rds:param:delete	N/A
Resetting a parameter template	rds:param:reset	N/A
Comparing parameter templates	rds:param:list	N/A
Saving parameters in a parameter template	rds:param:save	N/A
Querying a parameter template type	rds:param:list	N/A
Setting an automated backup policy	rds:instance:modifyBackupPoli- cy	N/A
Querying an automated backup policy	rds:instance:list	N/A
Creating a manual backup	rds:backup:create	N/A
Obtaining a backup list	rds:backup:list	N/A
Obtaining the link for downloading a backup file	rds:backup:download	N/A
Deleting a manual backup	rds:backup:delete	N/A
Replicating a backup	rds:backup:create	N/A
Querying the restoration time range	rds:instance:list	N/A

Operation	Actions	Remarks
Restoring data to a new DB instance	rds:instance:create	To select a VPC, subnet, and security group, configure the following actions: vpc:vpcs:list vpc:vpcs:get vpc:subnets:get vpc:securityGroups:get
Restoring data to an existing or original DB instance	rds:instance:restoreInPlace	N/A
Obtaining the binlog clearing policy	rds:binlog:get	N/A
Merging binlog files	rds:binlog:merge	N/A
Downloading a binlog file	rds:binlog:download	N/A
Deleting a binlog file	rds:binlog:delete	N/A
Configuring a binlog clearing policy	rds:binlog:setPolicy	N/A
Obtaining a database backup file list	rds:backup:list	N/A
Obtaining a backup database list at a specified time point	rds:backup:list	N/A
Querying a database error log	rds:log:list	N/A
Querying a database slow log	rds:log:list	N/A
Downloading a database error log	rds:log:download	N/A
Downloading a database slow log	rds:log:download	N/A
Enabling or disabling the audit log function	rds:auditlog:operate	N/A
Obtaining an audit log list	rds:auditlog:list	N/A

Operation	Actions	Remarks
Querying the audit log policy	rds:auditlog:list	N/A
Obtaining the link for downloading an audit log	rds:auditlog:download	N/A
Obtaining a switchover log	rds:log:list	N/A
Creating a database	rds:database:create	N/A
Querying details about databases	rds:database:list	N/A
Querying authorized databases of a specified user	rds:database:list	N/A
Dropping a database	rds:database:drop	N/A
Creating a database account	rds:databaseUser:create	N/A
Querying details about database accounts	rds:databaseUser:list	N/A
Querying authorized accounts of a specified database	rds:databaseUser:list	N/A
Deleting a database account	rds:databaseUser:drop	N/A
Authorizing a database account	rds:databasePrivilege:grant	N/A
Revoking permissions of a database account	rds:databasePrivilege:revoke	N/A
Viewing a task center list	rds:task:list	N/A
Deleting a task from the task center	rds:task:delete	N/A
Submitting an order for a yearly/monthly DB instance	bss:order:update	To purchase a yearly/monthly DB instance, configure the following actions: bss:order:pay

Operation	Actions	Remarks
Managing a tag	rds:instance:modify	Tag-related operations depend on the tms:resourceTags:* permission.
Configuring autoscaling	rds:instance:extendSpace	To enable autoscaling, configure the following actions for the IAM users instead of your Huawei account: • iam:agencies:listAge ncies • iam:agencies:create Agency • iam:permissions:list RolesForAgencyOn-Project • iam:permissions:gra ntRoleToGroupOn-Project • iam:roles:listRoles • Security Administrator (system role)
Stopping or starting a DB instance	rds:instance:operateServer	N/A

12 Constraints

12.1 RDS for MySQL Constraints

The following tables show the constraints designed to ensure the stability and security of RDS for MySQL.

Specifications

Table 12-1 Specifications

Item	Constraints	Description
Storage space	Cloud SSD: 40 GB to 4,000 GB	To increase the upper limit of the storage space to 10 TB, contact
	• Extreme SSD: 40 GB to 4,000 GB	customer service.
Connections	A maximum of 100,000	The default maximum number of connections varies depending on the memory. For details, see What Is the Maximum Number of Connections to an RDS DB Instance?
IOPS	 Cloud SSD: a maximum of 50,000 Extreme SSD: a maximum of 128,000 	The input/output operations per second (IOPS) supported depends on the I/O performance of Elastic Volume Service (EVS) disks. For details, see the description about ultra-high I/O and extreme SSDs in Disk Types and Performance of <i>Elastic Volume Service Service Overview</i> .

Quotas

Table 12-2 Quotas

Item	Constraints	Description
Read replica	A maximum of 10 read replicas can be created for a DB instance.	For more information, see Introducing Read Replicas.
Tags	A maximum of 20 tags can be added for a DB instance.	For more information, see Managing Tags.
Free backup space	RDS provides free backup space of the same size as your purchased storage space.	After you pay for the storage space of your DB instance, you will get a backup space of the same size for free. For more information, see How Is RDS Backup Data Billed?
Retention period of automated backups	The default value is 7 days. The value ranges from 1 to 732 days.	For more information, see Configuring an Intra-Region Backup Policy.
Log retention period	 Error log details: 30 days Slow query log details: 30 days Original slow query logs: 30 days Slow query log statistics: 30 days Failover/switchover logs: 30 days SQL audit logs: The default value is 7 days. The value ranges from 1 to 732 days. 	For more information, see Log Management.

Naming

Table 12-3 Naming

Item	Constraints	
Instance name	4 to 64 characters long	
	 Must start with a letter. Only letters (case sensitive), digits, hyphens (-), and underscores (_) are allowed. 	

Item	Constraints		
Database name	 1 to 64 characters long Only letters, digits, hyphens (-), underscores (_), and dollar signs (\$) are allowed. The total number of hyphens (-) and dollar signs (\$) cannot exceed 10. (RDS for MySQL 8.0 does not support dollar signs (\$).) 		
Account name	 RDS for MySQL 5.6: The account name must be 1 to 16 characters long. Only letters, digits, hyphens (-), and underscores (_) are allowed. RDS for MySQL 5.7 and 8.0: The account name must be 1 to 32 characters long. Only letters, digits, hyphens (-), and underscores (_) are allowed. 		
Backup name	 4 to 64 characters long Must start with a letter. Only letters (case sensitive), digits, hyphens (-), and underscores (_) are allowed. 		
Parameter template name	 1 to 64 characters long Only letters (case sensitive), digits, hyphens (-), underscores (_), and periods (.) are allowed. 		

Security

Table 12-4 Security

Item	Constraints		
root permissions	Only the administrator account root is provided on the instance creation page. For details about the supported permissions, see root Permissions .		
	NOTE Running revoke , drop user , or rename user on root may cause service interruption. Exercise caution when running any of these statements.		
root password	8 to 32 characters long		
	 Must contain at least three types of the following characters: uppercase letters, lowercase letters, digits, and special characters (~!@\$#%^*=+?,()&). 		
	For more information, see Resetting the Administrator Password to Restore Root Access.		
Database port	1024 to 65535 (excluding 12017 and 33071, which are occupied by the RDS system)		
	For more information, see Changing a Database Port .		

Item	Constraints		
Disk encryption	If you enable disk encryption during instance creation, the disk encryption status and the key cannot be changed later.		
	For more information, see Performing a Server-Side Encryption .		
VPC	The VPC where a DB instance is located cannot be changed after the instance is created.		
Security group	By default, you can create a maximum of 100 security groups in your cloud account.		
	 By default, you can add up to 50 security group rules to a security group. For more information, see Configuring Security Group Rules. 		
	 One RDS DB instance can be associated with multiple security groups, and one security group can be associated with multiple RDS DB instances. 		
	 When creating a DB instance, you can select multiple security groups. For better network performance, you are advised to select no more than five security groups. For more information, see Changing a Security Group. 		
System account	To provide O&M services, the system automatically creates system accounts when you create RDS for MySQL DB instances. These system accounts are unavailable to you.		
	rdsAdmin: a management account with the highest permission. It is used to query and modify instance information, rectify faults, migrate data, and restore data.		
	• rdsRepl: a replication account, used to synchronize data from the primary instance to the standby instance or read replicas.		
	 rdsBackup: a backup account, used for backend backup. 		
	 rdsMetric: a metric monitoring account used by watchdog to collect database status data. 		
	rdsProxy: a database proxy account, used for authentication when the database is connected through the read/write splitting address. This account is automatically created when you enable read/write splitting.		

Item	Constraints
Instance parameter	To ensure the optimal performance of RDS, you can modify parameters in the parameter template you created as needed.
	For more information, see Suggestions on RDS for MySQL Parameter Tuning .

Instance Operations

Table 12-5 Instance operations

Item	Constraints
RDS for MySQL storage engine	Only the InnoDB storage engine is supported. MyISAM, FEDERATED, and MEMORY are not supported.
	For more information, see What Storage Engines Does RDS for MySQL Support?
Instance deployment	ECSs where DB instances are deployed are not directly visible to you. You can only access the DB instances through IP addresses and database ports.
Data migration	You can migrate data from DDM, GaussDB, GaussDB(for MySQL), self-managed MySQL databases, self-managed Oracle databases, or MySQL databases built on other clouds to RDS for MySQL, or from one RDS for MySQL instance to another RDS for MySQL instance.
	Data migration tools include Data Replication Service (DRS), mysqldump, and Data Admin Service (DAS). You are advised to use DRS because it is easy to use and can complete a migration task in minutes. DRS facilitates data transfer between databases, helping you reduce DBA labor costs and hardware costs.
	For more information, see Migration Solutions.
Primary/Standby replication	RDS for MySQL uses a primary/standby dual-node replication cluster. You do not need to set up replication additionally. The standby DB instance is not visible to you and therefore you cannot access it directly.
High CPU usage	If the CPU usage is high or close to 100%, data read/write and database access will become slow, and an error will be reported during data deletion.
	For details, see Identifying Why CPU Usage of RDS for MySQL DB Instances Is High and Providing Solutions.

Item	Constraints	
Full storage	There is not enough storage available for a DB instance and the instance becomes read-only, so applications cannot write any data to the instance.	
	For details, see What Should I Do If an RDS DB Instance Is Abnormal Due to Full Storage Space?	
Number of	RDS for MySQL supports a maximum of 500,000 tables.	
tables	If there are more than 500,000 tables, database backup or a minor version upgrade may fail.	
Rebooting a DB instance	DB instances cannot be rebooted through commands. They must be rebooted through the RDS console.	
Stopping or starting a DB instance	You can temporarily stop pay-per-use instances to save money. For more information, see Stopping an Instance . After the state of the state o	
mstarice	After stopping your instance, you can restart it to begin using it again.	
Viewing backups	You can download automated and manual backups for local storage. To download a backup, you can use OBS Browser+, the current browser, or the download URL.	
	For more information, see Downloading a Full Backup File .	
Log management	RDS for MySQL logging is enabled by default and cannot be disabled.	
	Binary logging is enabled for RDS for MySQL by default and uses row-based logging.	
	Read replicas do not provide binlogs.	
Recycle bin	RDS allows you to move unsubscribed yearly/monthly DB instances and deleted pay-per-use DB instances to the recycle bin. You can rebuild a DB instance that was deleted up to 7 days ago from the recycle bin.	
SQL standard	The ZEROFILL attribute has been deprecated and will be deleted in later versions.	

root Permissions

Table 12-6 root permissions

Permission	Level	Description	Supported
Select	Table	Query permissions	Yes
Insert	Table	Insert permissions	
Update	Table	Update permissions	

Permission	Level	Description	Supported
Delete	Table	Delete permissions	
Create	Database, table, or index	Permissions of creating databases, tables, or indexes	
Drop	Database or table	Permissions of deleting databases or tables	
Reload	Server managem ent	Permissions of running the following commands: flush-hosts, flush-logs, flush-privileges, flush-status, flush-tables, flush-threads, refresh, and reload	
Process	Server managem ent	Permissions of viewing processes	
Grant	Database, table, or stored program	Permissions of granting access control	
References	Database or table	Foreign key operation permissions	
Index	Table	Index permissions	
Alter	Table	Permissions of altering tables, such as adding fields or indexes	
Show_db	Server managem ent	Permissions of viewing database connections	
Create_tmp_table	Server managem ent	Permissions of creating temporary tables	
Lock_tables	Server managem ent	Permissions of locking tables	
Execute	Stored procedure	Permissions of executing storage procedures	
Repl_slave	Server managem ent	Replication permissions	
Repl_client	Server managem ent	Replication permissions	

Permission	Level	Description	Supported
Create_view	View	Permissions of creating views	
Show_view	View	Permissions of viewing views	
Create_routine	Stored procedure	Permissions of creating storage procedures	
Alter_routine	Stored procedure	Permissions of altering storage procedures	
Create_user	Server managem ent	Permissions of creating users	
Event	Database	Event triggers	
Trigger	Database	Triggers	
Super	Server managem ent	Permissions of killing threads	NO NOTE For details, see Why Does the Root User Not Have the Super Permission?
File	File on the server	Permissions of accessing files on database server nodes	No
Shutdown	Server managem ent	Permissions of shutting down databases	
Create_tablespace	Server managem ent	Permissions of creating tablespaces	

12.2 RDS for PostgreSQL Constraints

The following tables show the constraints designed to ensure the stability and security of RDS for PostgreSQL.

Specifications

Table 12-7 Specifications

Item	Constraints	Description
Storage space	 Cloud SSD: 40 GB to 4,000 GB Extreme SSD: 40 GB to 4,000 GB 	
Connections	The number of connections varies depending on the instance class. For details, see RDS for PostgreSQL Performance White Paper.	-
IOPS	 Cloud SSD: a maximum of 50,000 Extreme SSD: a maximum of 128,000 	The input/output operations per second (IOPS) supported depends on the I/O performance of Elastic Volume Service (EVS) disks. For details, see the description about ultra-high I/O and extreme SSDs in Disk Types and Performance of <i>Elastic Volume Service Service Overview</i> .

Quotas

Table 12-8 Quotas

Item	Constraints	Description	
Read replica	A maximum of five read replicas can be created for a DB instance.	For more information, see Introducing Read Replicas.	
Tags	A maximum of 20 tags can be added for a DB instance.	For more information, see Managing Tags.	
Free backup space	RDS provides free backup space of the same size as your purchased storage space.	After you pay for the storage space of your DB instance, you will get a backup space of the same size for free. For more information, see How Is RDS Backup Data Billed?	

Item	Constraints	Description
Retention period of automated backups	The default value is 7 days. The value ranges from 1 to 732 days.	For more information, see Configuring an Intra-Region Backup Policy.
Log query	 Error log records: 2,000 Slow query log records: 2,000 	For more information, see Log Management.

Naming

Table 12-9 Naming

Item	Constraints	
Instance name	 4 to 64 characters long Must start with a letter. Only letters (case sensitive), digits, hyphens (-), and underscores (_) are allowed. 	
Database name	 1 to 63 characters long Only letters, digits, and underscores (_) are allowed. It cannot start with pg or a digit, and must be different from RDS for PostgreSQL template database names. RDS for PostgreSQL template databases include postgres, template0, and template1. 	
Account name	 1 to 128 characters long Only letters, digits, hyphens (-), and underscores (_) are allowed. It must be different from system accounts. System accounts include rdsadmin, rdsuser, rdsbackup, and rdsmirror. 	
Backup name	 4 to 64 characters long Must start with a letter. Only letters (case sensitive), digits, hyphens (-), and underscores (_) are allowed. 	
Parameter template name	 1 to 64 characters long Only letters (case sensitive), digits, hyphens (-), underscores (_), and periods (.) are allowed. 	

Security

Table 12-10 Security

Item	Constraints
root password	 8 to 32 characters long Must contain at least three types of the following characters: uppercase letters, lowercase letters, digits, and special characters (~!@#%^*=+?,). For more information, see Resetting the Administrator Password to Restore Root Access.
Database port	2100 to 9500 For more information, see Changing a Database Port.
Disk encryption	If you enable disk encryption during instance creation, the disk encryption status and the key cannot be changed later. For more information, see Performing a Server-Side Encryption.
VPC	The VPC where a DB instance is located cannot be changed after the instance is created.
Security group	 By default, you can create a maximum of 100 security groups in your cloud account. By default, you can add up to 50 security group rules to a security group. For more information, see Configuring Security Group Rules. One RDS DB instance can be associated with multiple security groups, and one security group can be associated with multiple RDS DB instances. When creating a DB instance, you can select multiple security groups. For better network performance, you are advised to select no more than five security groups. For more information, see Changing a Security Group.

Item	Constraints	
System account	To provide O&M services, the system automatically creates system accounts when you create RDS for PostgreSQL DB instances. These system accounts are unavailable to you.	
	 rdsAdmin: a management account with the highest permission. It is used to query and modify instance information, rectify faults, migrate data, and restore data. 	
	 pg_execute_server_program: an account that allows executing programs on the database server as the user the database runs as with COPY and other functions which allow executing a server-side program. 	
	 pg_read_all_settings: an account that reads all configuration variables. 	
	 pg_read_all_stats: an account that reads all pg_stat_* views and uses various extension-related statistics. 	
	 pg_stat_scan_tables: an account that executes monitoring functions that may take ACCESS SHARE locks on tables, potentially for a long time. 	
	 pg_signal_backend: an account that signals another backend to cancel a query or terminate its session. 	
	 pg_read_server_files: an account that allows reading files from any location the database can access on the server with COPY and other file-access functions. 	
	 pg_write_server_files: an account that allows writing to files in any location the database can access on the server with COPY and other file-access functions. 	
	 pg_monitor: an account that reads and executes various monitoring views and functions. This role is a member of pg_read_all_settings, pg_read_all_stats, and pg_stat_scan_tables. 	
	 rdsRepl: a replication account, used to synchronize data from the primary instance to the standby instance or read replicas. 	
	 rdsBackup: a backup account, used for backend backup. 	
	rdsMetric: a metric monitoring account used by watchdog to collect database status data.	
Instance parameter	To ensure the optimal performance of RDS, you can modify parameters in the parameter template you created as needed.	
	For more information, see Suggestions on RDS for PostgreSQL Parameter Tuning.	

Instance Operations

Table 12-11 Instance operations

Item	Constraints	
Instance deployment	ECSs where DB instances are deployed are not directly visible to you. You can only access the DB instances through IP addresses and database ports.	
Data migration	You can migrate data from self-managed PostgreSQL databases, PostgreSQL databases built on other clouds, self-managed Oracle databases, RDS for MySQL, self-managed MySQL databases, or MySQL databases built on other clouds to RDS for PostgreSQL, or from one RDS for PostgreSQL instance to another RDS for PostgreSQL instance.	
	Data migration tools include Data Replication Service (DRS), pg_dump, and Data Admin Service (DAS). You are advised to use DRS because it is easy to use and can complete a migration task in minutes. DRS facilitates data transfer between databases, helping you reduce DBA labor costs and hardware costs.	
	For more information, see Migration Solutions.	
Primary/Standby replication	RDS for PostgreSQL uses a primary/standby dual-node replication cluster. You do not need to set up replication additionally. The standby DB instance is not visible to you and therefore you cannot access it directly.	
High CPU usage	If the CPU usage is high or close to 100%, data read/write and database access will become slow, and an error will be reported during data deletion.	
	For details, see High CPU Usage of RDS for PostgreSQL DB Instances .	
Rebooting a DB instance	DB instances cannot be rebooted through commands. They must be rebooted through the RDS console.	
Stopping or starting a DB instance	You can temporarily stop pay-per-use instances to save money. For more information, see Stopping an Instance .	
	After stopping your instance, you can restart it to begin using it again.	
Viewing backups	You can download automated and manual backups for local storage. To download a backup, you can use OBS Browser+, the current browser, or the download URL.	
	For more information, see Downloading a Full Backup File .	
Log management	RDS for PostgreSQL logging is enabled by default and cannot be disabled.	

Item	Constraints
Recycle bin	RDS allows you to move unsubscribed yearly/monthly DB instances and deleted pay-per-use DB instances to the recycle bin. You can rebuild a DB instance that was deleted up to 7 days ago from the recycle bin.

12.3 RDS for SQL Server Constraints

RDS for SQL Server only supports DB instances under the License Included model and does not support "bring your own license" (BYOL). After a DB instance is created, it contains the Microsoft SQL Server software license.

To ensure data security, there are certain constraints on using RDS for SQL Server.

RDS for SQL Server DB instances are classified into three types: single, primary/standby, and cluster. Different types support different functions. For details, see **Function Comparison**.

Specifications

Table 12-12 Specifications

Item	Constraints	Description
vCPUs and memory	RDS for SQL Server supports Web, Standard, and Enterprise editions. Standard Edition supports only instance classes with vCPUs less than 24 or memory less than 128 GB. Web Edition supports only instance classes with vCPUs less than 16 or memory less than 16 or memory less than 64 GB.	For details about other function differences among different editions, see official documentation.
Storage space	 Cloud SSD: 40 GB to 4,000 GB Extreme SSD: 40 GB to 4,000 GB 	If you need a larger storage space, submit a service ticket to contact customer service.

Item	Constraints	Description
IOPS	 Cloud SSD: a maximum of 50,000 Extreme SSD: a maximum of 128,000 	The input/output operations per second (IOPS) supported depends on the I/O performance of Elastic Volume Service (EVS) disks. For details, see the description about ultra-high I/O and extreme SSDs in Disk Types and Performance of <i>Elastic Volume Service Service Overview</i> .

Quotas

Table 12-13 Quotas

Item	Constraints	Description
Number of databases	A maximum of 100 (can be increased)	-
Number of database accounts	Unlimited	-
Read replica	A maximum of five read replicas can be created for a DB instance.	For more information, see Managing a Read Replica.
Tags	A maximum of 20 tags can be added for a DB instance.	For more information, see Managing Tags.
Free backup space	RDS provides free backup space of the same size as your purchased storage space.	After you pay for the storage space of your DB instance, you will get a backup space of the same size for free. For more information, see How Is RDS Backup Data Billed?
Retention period of automated backups	The default value is 7 days. The value ranges from 1 to 732 days.	For more information, see Configuring an Intra-Region Backup Policy.
Audit logs	The maximum size of an audit log file is 50 MB. Up to 50 audit log files can be displayed.	For more information, see Log Management.

Naming

Table 12-14 Naming

Item	Constraints
Instance name	 4 to 64 characters long Must start with a letter. Only letters (case sensitive), digits, hyphens (-), and underscores (_) are allowed.
Database name	 1 to 64 characters long Only letters, digits, hyphens (-), underscores (_), and periods (.) are allowed. It cannot start or end with an RDS for SQL Server system database name. RDS for SQL Server system databases include master, msdb, model, tempdb, resource, rdsdistribution, and rdsadmin.
	 Databases cannot be created for a DB instance that is being restored or whose instance class is being changed. Databases with HA relationships can be renamed only after the replication relationships are removed.
Account name	 1 to 128 characters long Only letters, digits, hyphens (-), and underscores (_) are allowed. It must be different from system accounts. System accounts include rdsadmin, rdsuser, rdsbackup, and rdsmirror.
Backup name	 4 to 64 characters long Must start with a letter. Only letters (case sensitive), digits, hyphens (-), and underscores (_) are allowed.
Parameter template name	 1 to 64 characters long Only letters (case sensitive), digits, hyphens (-), underscores (_), and periods (.) are allowed.

Security

Table 12-15 Security

Item	Constraints
rdsuser roles	The administrator account of RDS for SQL Server is rdsuser, which has roles processadmin, public, and dbcreator but does not have the following roles:
	bulkadmin
	diskadmin
	securityadmin
	serveradmin
	sysadmin
rdsuser password	8 to 32 characters long
	 Must contain at least three types of the following characters: uppercase letters, lowercase letters, digits, and special characters (~!@#\$%^*+?,).
	For more information, see Resetting the Administrator Password .
Database port	RDS for SQL Server instances can use port 1433 (default) or ports 2100 to 9500 (excluding 5355 and 5985). For RDS for SQL Server 2017 and 2019 Enterprise, Standard, and Web editions, ports 5050, 5353, and 5986 cannot be used, either.
	For more information, see Changing a Database Port.
Disk encryption	If you enable disk encryption during instance creation, the disk encryption status and the key cannot be changed later.
	For more information, see Performing a Server-Side Encryption .
VPC	The VPC where a DB instance is located cannot be changed after the instance is created.

Item	Constraints	
Security group	By default, you can create a maximum of 100 security groups in your cloud account.	
	 By default, you can add up to 50 security group rules to a security group. For more information, see Configuring Security Group Rules. 	
	 One RDS DB instance can be associated with multiple security groups, and one security group can be associated with multiple RDS DB instances. 	
	 When creating a DB instance, you can select multiple security groups. For better network performance, you are advised to select no more than five security groups. For more information, see Changing a Security Group. 	
System account	To provide O&M services, the system automatically creates system accounts when you create RDS for SQL Server DB instances. These system accounts are unavailable to you.	
	rdsadmin: an account that has the sysadmin role and is used to query DB instance information, monitor instance status, rectify faults, migrate data, and restore data.	
	rdsmirror: a primary/standby replication account, used to create mirroring endpoints.	
	• rdsbackup : a backup account, used for backend backup.	
	Mike: a Windows system account of RDS for SQL Server. It is used to initialize SQL statements during the DB instance initialization, including creating the rdsadmin database and related accounts.	
Instance parameter	To ensure the optimal performance of RDS, you can modify parameters in the parameter template you created as needed.	
	For more information, see Modifying RDS for SQL Server Instance Parameters.	

Instance Operations

Table 12-16 Instance operations

Item	Constraints
Instance deployment	ECSs where DB instances are deployed are not directly visible to you. You can only access the DB instances through IP addresses and database ports.

Item	Constraints
Data migration	You can migrate data from on-premises SQL Server databases or SQL Server databases built on other clouds to RDS for SQL Server, or from an RDS for SQL Server instance to another RDS for SQL Server instance.
	Data migration tools include Data Replication Service (DRS) and Data Admin Service (DAS). You are advised to use DRS because it is easy to use and can complete a migration task in minutes. DRS facilitates data transfer between databases, helping you reduce DBA labor costs and hardware costs.
	RDS for SQL Server does not support database import to system databases master or msdb .
	For more information, see Migration Solutions.
High CPU usage	If the CPU usage is high or close to 100%, data read/write and database access will become slow, and an error will be reported during data deletion.
	For details, see High CPU Usage of RDS for SQL Server Instances .
Rebooting a DB instance	DB instances cannot be rebooted through commands. They must be rebooted through the RDS console.
Stopping or starting a DB	You can temporarily stop pay-per-use instances to save money. For more information, see Stopping an Instance .
instance	After stopping your instance, you can restart it to begin using it again.
Viewing backups	You can download backups for local storage. To download a backup, you can use OBS Browser+ or the download URL. For more information, see Downloading a Backup File .
Log management	RDS for SQL Server logging is enabled by default and cannot be disabled.
Recycle bin	RDS allows you to move unsubscribed yearly/monthly DB instances and deleted pay-per-use DB instances to the recycle bin. You can rebuild a DB instance that was deleted up to 7 days ago from the recycle bin.

Functions

Table 12-17 Functions

Item	Single	Primary/Standby	Cluster
Maximum number of databases	100 (can be increased)	100 (can be increased)	100 (can be increased)

Item	Single	Primary/Standby	Cluster
Number of database accounts	Unlimited	Unlimited	Unlimited
Creation of user, LOGIN, or database	Supported	Supported	Supported
Database-level DDL trigger	Supported	Supported	Supported
Database permission authorization	Supported	Supported	Supported
KILL permission	Supported	Supported	Supported
LinkServer	Supported	Supported	Supported
Distributed transaction	Supported	Supported	Supported
SQL Profiler	Supported	Supported	Supported
Tuning Adviser	Supported	Supported	Supported
Change Data Capture (CDC)	Supported	Supported	Supported
Change tracking	Supported	Supported	Supported
Windows domain account login	Supported	Supported	Supported
Email	Supported	Supported	Supported
SQL Server Integration Services (SSIS)	Supported	Supported	Supported
SQL Server Analysis Services (SSAS)	Not supported	Not supported	Not supported
SQL Server Reporting Services (SSRS)	Supported	Supported	Supported
R Services	Not supported	Not supported	Not supported
Common Language Runtime (CLR)	SAFE supported	SAFE supported	SAFE supported
Asynchronous communication	Not supported	Not supported	Not supported
Publications & Subscriptions	Supported	Supported	Supported
Policy management	Not supported	Not supported	Not supported
Private domain name	Supported	Supported	Supported

Item	Single	Primary/Standby	Cluster
SQL Agent job	Supported	Supported	Supported

Other Constraints

RDS for SQL Server does not support synchronization of service-level objects such as jobs and dblinks between the primary and standby DB instances. You need to create service-level objects on the standby instance. For details, see **Using DAS to Create and Configure Agent Jobs and Dblinks on the Primary and Standby DB Instances**.

13 Billing

Huawei Cloud RDS allows you to pay only for what you use. There is no minimum fee.

RDS DB instances created in a Dedicated Computing Cluster (DCC) support payper-use billing and yearly/monthly billing.

Billing Items

You will be billed for Huawei Cloud RDS DB instances, database storage, and additionally used backup storage.

Table 13-1 RDS billing items

Billing Item	Description	
Instance class	Yearly/monthly and pay-per-use billing modes are available.	
Database storage	The billing mode of instance class is the same as that of storage for the same instance.	
Backup storage (optional)	RDS provides free backup storage of the same size as your purchased database storage. If the backup storage usage exceeds your purchased database storage, tiered pricing starts.	
Public network traffic	RDS DB instances are accessible from both private and public networks. Only the traffic from public networks is billed.	

For pricing details, see **Product Pricing Details**. You can use the price calculator to estimate the cost for your RDS usage.

Billing Modes

RDS provides the following two billing modes:

Yearly/Monthly: This billing mode offers a larger discount than pay-per-use and is recommended for users who can predict long-term resource usage.

• Pay-per-use (hourly): You can pay only for the resources you actually consume.

Specification Changes

- Modifying RDS DB instance specifications: You can modify RDS DB instance specifications based on service requirements. After the modifications are complete, you are charged based on the new instance specifications.
- Scaling up storage space: You can scale up storage space based on service requirements. After scaling the storage space, you are charged based on the new storage space. Storage space can only be scaled up, not down. The minimum increment is 10 GB.

14 Related Services

The following figure shows the relationship between RDS and other services.

OBS

Cloud Eye

DB monitoring

Drivate network

RDS

OS records

CTS

DAS

DRS

Figure 14-1 Relationship between RDS and other services

Table 14-1 Related services

Service Name	Description
Elastic Cloud Server (ECS)	Enables you to access RDS DB instances through an internal network. You can then access applications faster and you do not need to pay for public network traffic.

Service Name	Description
Virtual Private Cloud (VPC)	Isolates your networks and controls access to your RDS DB instances.
Object Storage Service (OBS)	Stores automated and manual backups of your RDS DB instances.
Cloud Eye	Monitors RDS resources in real time and reports alarms and warnings promptly.
Cloud Trace Service (CTS)	Records operations on cloud service resources for query, audit, and backtrack.
Distributed Database Middleware (DDM)	Connects to multiple RDS for MySQL DB instances and allows you to access distributed databases.
Data Replication Service (DRS)	Smoothly migrates databases to the cloud.
Data Admin Service (DAS)	Provides a visualized GUI interface for you to connect to and manage cloud databases.

A Change History

Released On	Description
2023-07-31	This issue is the twenty-fifth official release, which incorporates the following changes:
	Optimized RDS for MySQL Constraints.
	Optimized RDS for PostgreSQL Constraints.
	Optimized RDS for SQL Server Constraints.
2022-11-15	This issue is the twenty-fourth official release, which incorporates the following change:
	Added Security.
2022-07-30	This issue is the twenty-third official release, which incorporates the following changes:
	 Supported RDS for PostgreSQL 14. Added RDS for SQL Server 2019.
2022-01-17	This issue is the twenty-second official release, which incorporates the following change: Added Functions of RDS for SQL Server Versions.
2021-12-06	This issue is the twenty-first official release, which incorporates the following change: Optimized RDS for MySQL Instance
	Classes and RDS for PostgreSQL Instance Classes.

Released On	Description
2021-10-26	This issue is the twentieth official release, which incorporates the following changes: Added Permissions.
2021-08-26	This issue is the nineteenth official release, which incorporates the following changes: Added the Cloning status in DB Instance Statuses .
2021-07-21	This issue is the eighteenth official release, which incorporates the following changes:
	 Supported extreme SSDs for RDS for PostgreSQL.
	 Added extreme SSDs in RDS for PostgreSQL Instance Classes.
2021-06-17	This issue is the seventeenth official release, which incorporates the following changes:
	 Added instance statuses in DB Instance Statuses, including Changing instance class, Stopping, Stopped, and Starting.
2021-05-18	This issue is the sixteenth official release, which incorporates the following changes:
	Added extreme SSD in DB Instance Storage Types.
	 Added extreme SSD for dedicated instance classes in RDS for MySQL Instance Classes.
	Added general-purpose and dedicated instance classes in RDS for PostgreSQL Instance Classes.
2021-04-23	This issue is the fifteenth official release, which incorporates the following changes:
	Added cloud SSD in DB Instance Storage Types.
	Added the general-purpose and dedicated instance classes in RDS for MySQL Instance Classes.

Released On	Description
2021-04-19	This issue is the fourteenth official release, which incorporates the following changes:
	 Added the kernel version updates for MySQL 8.0, MySQL 5.7, and MySQL 5.6.
	Added description for Ultra-high I/ O : The ultra-high I/O storage type is supported only with general- enhanced and general-enhanced II DB instances.
	 Divided "DB Instance Classes" into RDS for MySQL Instance Classes, RDS for PostgreSQL Instance Classes, and RDS for SQL Server Instance Classes.
	 Supported PostgreSQL 13 in DB Engines and Versions.
2020-12-15	This issue is the thirteenth official release, which incorporates the following change:
	Added the kernel version updates for MySQL 8.0, MySQL 5.7, and MySQL 5.6.
2020-11-16	This issue is the twelfth official release, which incorporates the following change:
	Added the status "Available (synchronizing data)" to Microsoft SQL Server read replicas.
2020-04-30	This issue is the eleventh official release, which incorporates the following change:
	Added RDS for SQL Server cluster edition.
2020-03-06	This issue is the tenth official release, which incorporates the following change:
	Supported PostgreSQL 12.

Released On	Description
2019-12-15	This issue is the ninth official release, which incorporates the following change: Added the change history from 2019-10-15 to 2019-12-15 for RDS for MySQL kernel version description.
2019-10-31	This issue is the eighth official release, which incorporates the following change: Added section DB Instance Storage Types.
2019-10-12	This issue is the seventh official release, which incorporates the following change: Added RDS for MySQL kernel description.
2019-09-12	This issue is the sixth official release, which incorporates the following changes: Supported Kunpeng general computing-plus DB instances. Supported general-enhanced II DB instances. Supported MySQL 8.0. Supported RDS for SQL Server 2017 Standard Edition and 2017 Web Edition.
2019-01-08	This issue is the fifth official release, which incorporates the following change: Added RDS for SQL Server 2012.
2018-06-30	This issue is the fourth official release, which incorporates the following change: Added descriptions of RDS DB engines.
2018-06-15	 This issue is the third official release, which incorporates the following changes: Increased the backup retention period to 732 days. Supported 1 vCPU 2 GB and 1 vCPU 4 GB instance classes for RDS for PostgreSQL DB instances.

Released On	Description
2018-06-01	This issue is the second official release, which incorporates the following changes:
	Supported DSS.
	Supported a maximum of 4,000 GB of storage space when you create or scale up a DB instance.
	Supported creating yearly/monthly DB instances in batches.
	Supported PostgreSQL 10.
	• Supported Microsoft SQL Server 2008 R2 SP3 Enterprise Edition.
2018-05-04	This issue is the first official release.