

Database Security Service (DBSS)

Quick Start

Issue 01
Date 2025-07-09



Copyright © Huawei Cloud Computing Technologies Co., Ltd. 2025. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Cloud Computing Technologies Co., Ltd.

Trademarks and Permissions



HUAWEI and other Huawei trademarks are the property of Huawei Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei Cloud and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Huawei Cloud Computing Technologies Co., Ltd.

Address: Huawei Cloud Data Center Jiaoxinggong Road
Qianzhong Avenue
Gui'an New District
Gui Zhou 550029
People's Republic of China

Website: <https://www.huaweicloud.com/intl/en-us/>

Contents

1 Purchasing and Enabling DBSS..... 1

2 Getting Started with Common Practices..... 9

1 Purchasing and Enabling DBSS

Database Security Service (DBSS) is an intelligent database security service. Based on the big data analytics technologies, it can audit your databases, detect SQL injection attacks, and identify high-risk operations.

The section describes how to purchase the professional edition to manage one database and enable DBSS. You can use the default audit rules to detect abnormal behavior through multi-dimensional analysis, real-time alarms, and reports.

Operation Process

Procedure	Description
Preparation	You need to register a HUAWEI ID and top up your account.
Step 1: Buy Starter Edition DBSS	Set the configuration items, such as the subnet, security group, and required duration, and purchase DBSS of the starter edition.
Step 2: Add a Database	Add a database. You can select agent-free or agent-installed based on the database type.
Step 3: Enabling Database Audit	Enable database audit and verify the audit result.
Related Operations	Customize audit rules and view audit results and monitoring information.

Preparation

- Before purchasing DBSS, create a Huawei account and subscribe to Huawei Cloud. For details, see [Registering a Huawei ID and Enabling Huawei Cloud Services](#) and [Real-Name Authentication](#).

If you have enabled Huawei Cloud and completed real-name authentication, skip this step.

- Ensure that your account has sufficient balance.

Step 1: Buy Starter Edition DBSS

Step 1 Log in to the management console.

Step 2 Click  and choose **Security & Compliance > Database Security Service**. The **Dashboard** page is displayed.

Step 3 In the upper right corner, click **Buy Database Audit**.

Step 4 On the DBSS purchase page, complete the following configurations.

Table 1-1 Database audit instance parameters

Module	Parameter	Example Value	Description
Basic settings	Service Type	Database Audit Service	The value is fixed at Database Audit Service .
	Billing Mode	Yearly/Monthly	Only the yearly/monthly mode is available.
	Region	CN East-Shanghai1	Select the region where the instance is located. Regions are geographic areas isolated from each other. Resources are region-specific and cannot be used across regions through internal network connections. For low network latency and quick resource access, select the nearest region.
	AZ Type	General	Only general AZs are supported.
	AZ	Randomly assign	You can select random allocation or specify an AZ.
Edition	Edition	Starter - Database Audit Starter Edition	You can select Starter, Basic, Professional, or Advanced Edition. For details about the specifications parameters of each edition, see Purchasing DBSS .

Module	Parameter	Example Value	Description
Network Configuration	VPC	default_vpc	<p>You can select an existing VPC, or click View VPC to create one on the VPC console.</p> <p>NOTE</p> <ul style="list-style-type: none"> Select the VPC of the node (application or database side) where you plan to install the agent. For more information, see How Do I Determine Where to Install an Agent? To change the VPC of a DBSS instance, unsubscribe from it and purchase a new one. <p>For more information about VPC, see <i>Virtual Private Cloud User Guide</i>.</p>
	Subnet	default_subnet	You can select a subnet configured in the VPC or create a subnet on the VPC console.
	Security Group	default	<p>You can select an existing security group in the region or create a security group on the VPC console. Once a security group is selected for an instance, the instance is protected by the access rules of this security group.</p> <p>For more information about security groups, see <i>Virtual Private Cloud User Guide</i>.</p>
Advanced Settings	Name	DBSS-test	Instance name
	Remarks	-	You can add instance remarks.
	Enterprise Project	default	<p>This parameter is provided for enterprise users. An enterprise project groups cloud resources, so you can manage resources and members by project. The default project is default.</p> <p>Select an enterprise project from the drop-down list. For more information about enterprise project, see Enterprise Management User Guide.</p>
	Tag	-	<p>(Optional) Identifier of the database audit instance. Adding tags helps you better identify and manage your database instances. A maximum of 50 tags for each instance</p> <p>If you have configured tag policies for DBSS, you need to add tags to your DBSS instances based on the tag policies. If a tag does not comply with the policies, DBSS instance may fail to be created. Contact your organization administrator to learn more about tag policies.</p>

Module	Parameter	Example Value	Description
	Required Duration	1	Select the validity period of DBSS. After you select Auto-renew , the system automatically renews the instance upon expiry if your account balance is sufficient. You can continue to use the instance.

Step 5 Confirm the configuration and click **Next**.

For any doubt about the pricing, click **Pricing details** to understand more.

Step 6 On the **Details** page, read the *Database Security Service Statement*, select **I have read and agree to the Database Security Service Statement**, and click **Submit**.

Step 7 On the displayed page, select a payment method.

Step 8 After you pay for your order, you can view the creation status of your instances.

----End

Step 2: Add a Database

Databases audited by DBSS support agent-free installation and agent installation. [Table 1-2](#) lists the types and versions of databases that support agent-free installation. [Table 1-3](#) lists the types and versions of databases that support agent installation. You can enable database audit without installing an agent or by installing an agent based on the database type and version.

Adding a Database Without Installing an Agent

Table 1-2 Agent-free database types and versions

Database Type	Supported Edition
GaussDB for MySQL	All editions are supported by default.
PostgreSQL NOTICE If the size of an SQL statement exceeds 4 KB, the SQL statement will be truncated during auditing. As a result, the SQL statement is incomplete.	<ul style="list-style-type: none">• 14 (14.4 or later)• 13 (13.6 or later)• 12 (12.10 or later)• 11 (11.15 or later)• 9.6 (9.6.24 or later)• 9.5 (9.5.25 or later)
RDS for SQLServer	All editions are supported by default.
RDS for MySQL	<ul style="list-style-type: none">• 5.6 (5.6.51.1 or later)• 5.7 (5.7.29.2 or later)• 8.0 (8.0.20.3 or later)

Database Type	Supported Edition
GaussDB(DWS)	<ul style="list-style-type: none">8.2.0.100 or later
RDS for MariaDB	All editions are supported by default.

Step 1 In the navigation tree on the left, choose **Databases**.

Step 2 In the **Instance** drop-down list, select the instance whose database is to be added.

Step 3 Click **Add Database**.

Step 4 In the displayed dialog box, set the database parameters.

Step 5 Click **OK**. A database whose **Audit Status** is **Disabled** is added to the database list.

----End

Adding a Database By Installing an Agent

Table 1-3 Type and version of the database where the agent is to be installed

Database Type	Edition
MySQL	<ul style="list-style-type: none">5.0, 5.1, 5.5, 5.6, and 5.78.0 (8.0.11 and earlier)8.0.308.0.338.0.358.1.08.2.0
Oracle (The Oracle database uses closed-source protocol and has complex adaptation versions. If you need to audit the Oracle database, contact customer service.)	<ul style="list-style-type: none">11g 11.1.0.6.0, 11.2.0.1.0, 11.2.0.2.0, 11.2.0.3.0, and 11.2.0.4.012c 12.1.0.2.0, 12.2.0.1.019c
PostgreSQL	<ul style="list-style-type: none">7.48.0, 8.1, 8.2, 8.3, and 8.49.0, 9.1, 9.2, 9.3, 9.4, 9.5, and 9.610.0, 10.1, 10.2, 10.3, 10.4, and 10.511121314

Database Type	Edition
SQLServer	<ul style="list-style-type: none"> • 2008 • 2012 • 2014 • 2016 • 2017
GaussDB(for MySQL)	MySQL 8.0
DWS	<ul style="list-style-type: none"> • 1.5 • 8.1
DAMENG	DM8
KINGBASE	V8
SHENTONG	V7.0
GBase 8a	V8.5
GBase 8s	V8.8_3.3.0
Gbase XDM Cluster	V8.0
Greenplum	V6.0
HighGo	V6.0
GaussDB	<ul style="list-style-type: none"> • 1.3 Enterprise Edition • 1.4 Enterprise Edition • 2.8 Enterprise Edition • 3.223 Enterprise Edition
MongoDB	V5.0
DDS	4.0
Hbase (Supported by CTS 23.02.27.182148 and later versions)	<ul style="list-style-type: none"> • 1.3.1 • 2.2.3
Hive (Supported by CTS 23.02.27.182148 and later versions)	<ul style="list-style-type: none"> • 1.2.2 • 2.3.9 • 3.1.2 • 3.1.3
MariaDB	10.6
TDSQL	10.3.17.3.0
Vastbase	G100 V2.2

Database Type	Edition
TiDB	<ul style="list-style-type: none"> • V4 • V5 • V6 • V7 • V8


Step 1 Add a database.

1. In the navigation tree on the left, choose **Databases**.
2. In the **Instance** drop-down list, select the instance whose database is to be added.
3. Click **Add Database**.
4. In the displayed dialog box, set the database parameters.
5. Click **OK**. A database whose **Audit Status** is **Disabled** is added to the database list.

Step 2 Add an agent.

1. In the navigation tree on the left, choose **Databases**.
2. In the **Instance** drop-down list, select the instance whose agent is to be added.
3. In the **Agent** column of the desired database, click **Add**.
4. In the displayed dialog box, select an add mode.
5. Click **OK**.

Step 3 Download and install an agent.

1. In the navigation tree on the left, choose **Databases**.
2. In the **Instance** drop-down list, select the instance whose agent is to be downloaded.
3. Click  in the lower part of the database list to expand the agent details. Locate the target agent and click **Download Agent** in the **Operation** column. The agent installation package will be downloaded.
4. Install an agent.
 - a. Upload the downloaded agent installation package **xxx.tar.gz** to the node (for example, using WinSCP).
 - b. Log in to the node as user **root** using SSH through a cross-platform remote access tool (for example, PuTTY).
 - c. Run the following command to access the directory where the agent installation package **xxx.tar.gz** is stored:

```
cd Directory_containing_agent_installation_package
```
 - d. Run the following command to decompress the installation package **xxx.tar.gz**:

```
tar -xvf xxx.tar.gz
```

- e. Run the following command to switch to the directory containing the decompressed files:

```
cd Decompressed_package_directory
```

- f. Run the following command to install the agent:

```
sh install.sh
```

- g. Run the following command to view the running status of the agent program:

```
service audit_agent status
```

If the following information is displayed, the agent is running properly:

```
[root@ecs-test ~]# service audit_agent status
audit agent is running.
[root@ecs-test ~]#
```

----End

Step 3: Enabling Database Audit

Step 1 Enable database audit.

1. In the navigation tree on the left, choose **Databases**.
2. Select a database audit instance from the **Instance** drop-down list.
3. In the database list, click **Enable** in the **Operation** column of the database you want to audit.

The **Audit Status** of the database is **Enabled**. You do not need to restart the database.

Step 2 Verify the audit result.


1. Run an SQL statement (for example, **show databases**) in the target database.
2. In the navigation tree on the left, choose **Data Reports**. The **Data Reports** page is displayed.
3. In the **Instance** drop-down list, select the instance that audits the target database.
4. Click the **Statements** tab.
5. Click  on the right of **Time**, select the start time and end time, and click **Submit**. The SQL statement entered in [Figure 1-1](#) is displayed in the list.

Figure 1-1 Viewing SQL statements

No.	SQL Statements	Client IP Address	Database IP Ad...	Database U...	Risk Sev...	Rule	Operation T...	Generated	Operation
1	select * from adventurewor...	192.168.0.140	192.168.0.78	--	--	FULL_A...	SELECT	2020/03/26 23:59:59 GMT+08:...	Details

----End

Related Operations

To effectively audit the database, you can customize audit rules and view audit results and monitoring information. This helps you locate internal violations and improper operations and ensure data asset security. For details, see [Configuring Audit Rules](#) , [Viewing Audit Results](#) , and [Viewing Monitoring Information](#) .

2 Getting Started with Common Practices

After configuring DBSS, you can view common practices to better use DBSS.

Table 2-1 Common practices

Practice		Description
Auditing a Database	Auditing an ECS Database	Database audit is deployed in out-of-path mode. The database audit agent is deployed on the database or application server to obtain access traffic, upload traffic data to the audit system, receive audit system configuration commands, and report database monitoring results, implementing security audit on databases built on ECS or BMS.
	Auditing an RDS Database (with Agent Installed) Auditing an RDS Database (Agent-free)	DBSS can audit the security of relational database instances. (Applications connected to this DB instance are deployed on ECS.) DBSS can audit certain types of relational databases without installing agents.
	Container-based database audit agent	For easier O&M, you can deploy the database audit agent in a large number of containerized applications or databases in batches. This makes configuration quicker and easier.
Checking a Database	Database Reduction Detection	Database audit provides a preconfigured rule to check audit logs for data security risks, such as SQL statements used for data breach. You can learn the execution duration, number of affected rows, and database information of the SQL statements.

Practice		Description
	Slow SQL Detection	Database audit provides a preconfigured rule to check for slow SQL statements, whose response time recorded in audit logs is greater than 1 second. You can learn the execution duration, number of affected rows, and database information of the slow SQL statements, and optimize the statements accordingly.
	Dirty database table check	Configure a rule to detect operations on dirty tables. You can configure unnecessary databases, tables, and columns as dirty tables. Programs that access the dirty tables will be marked as suspicious programs. In this way, you can detect the SQL statements that access dirty tables and detect data security risks in a timely manner.
DJCP MLPS	DBSS for DJCP Compliance Items	DBSS provides you with one-stop solutions, helping you quickly and cost-effectively complete security modifications and meet security compliance requirements.
Configuring Database Audit	Configuring Oracle RAC Cluster Audit	When using DBSS for an Oracle RAC cluster, each node in the cluster is regarded as an independent database and requires an agent to forward network traffic.
	Configuring Database Audit Instance Rules	DBSS allows you to trace attackers based on various types of information, including the source IP address, user identity, application, access time, requested database, original SQL statement, and operations.