Data Security Center

Getting Started

Issue 04

Date 2024-10-30





Copyright © Huawei Cloud Computing Technologies Co., Ltd. 2024. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Cloud Computing Technologies Co., Ltd.

Trademarks and Permissions

HUAWEI and other Huawei trademarks are the property of Huawei Technologies Co., Ltd. All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei Cloud and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Huawei Cloud Computing Technologies Co., Ltd.

Address: Huawei Cloud Data Center Jiaoxinggong Road

Qianzhong Avenue Gui'an New District Gui Zhou 550029

People's Republic of China

Website: https://www.huaweicloud.com/intl/en-us/

i

Contents

1	Classification and Grading of Data Assets on the Cloud	. 1
2	Getting Started with Common Practices	11

Classification and Grading of Data Assets on the Cloud

Data asset classification and grading involve categorizing data based on identification rules and assigning it to different levels according to its sensitivity, importance, and potential impact of leakage. This ensures data is protected appropriately to its significance and impact, while also meeting compliance requirements.

DSC offers a sensitive data identification function and defines 10 sensitivity levels for refined data management. It assists enterprises or organizations in monitoring the flow of sensitive data, formulating corresponding data security policies, and quickly identifying and addressing issues when data leakage or other security events occur.

This section describes how to quickly classify and grade cloud data assets (DSC Standard Edition), including purchasing DSC, authorizing the database, creating a sensitive data identification task, and viewing the classification and grading result.

Procedure

Procedure	Description
Step 1: Purchase DSC and authorize DSC to access your cloud assets.	Purchase DSC and choose the version specifications (using the standard edition as an example) and the extension package. Complete the cloud asset authorization to streamline access policy permissions between other cloud services and DSC.
Step 2: Authorize DSC to access database assets for data identification.	Sensitive data identification, data masking, and database watermark injection/extraction can only be performed once the database and big data assets are authorized. Upon completion of database authorization, DSC can access the database to retrieve data for sensitive data identification and masking.

Procedure	Description
Step 3: Create a sensitive data identification task.	Create an identification task to identify sensitive data of assets and classify and grade data based on the selected identification template.
Step 4: View the classification and grading result.	View the classification and grading result to implement protection for data assets.

Preparations

- Before purchasing DSC, create a Huawei account and subscribe to Huawei Cloud. For details, see Registering a HUAWEI ID and Enabling HUAWEI CLOUD Services and Real-Name Authentication.
 - If you have enabled Huawei Cloud services and completed real-name authentication, skip this step.
- 2. Make sure that your account has sufficient balance, or you may fail to pay to your DSC orders.
- 3. Make sure your account has DSC permissions assigned. For details, see **Creating a User Group and Assigning DSC Permissions**.

Table 1-1 DSC system permissions

Policy	Description	Туре	Dependency	
DSC DashboardReadOn lyAccess	Read-only permissions for the overview page of DSC	System- defined policy	None	
DSC FullAccess	All permissions for DSC	System- defined policy	To purchase a yearly/monthly RDS DB instance, you need to configure the following actions: bss:order:update bss:order:pay	
DSC ReadOnlyAccess	Read-only permissions for Data Security Center	System- defined policy	None	

Step 1: Purchase DSC and Authorize DSC to Access Your Cloud Assets

Step 1 Log in to the management console.

- **Step 2** Click in the upper left corner and select a region or project.
- Step 3 In the navigation tree on the left, click . Choose Security & Compliance > Data Security Center .
- **Step 4** If you are a first-time user, click **Buy DSC**.
- **Step 5** On the **Buy DSC** page, set the purchase parameters listed in **Figure 1-1** and complete the payment.

Table 1-2 Parameters for purchasing an instance

Parameter	Example Value	Description
Edition and specification s	Standard	The standard edition supports the asset map, sensitive data identification, and data risk detection functions. If data masking and watermark injection/extraction are required, upgrade the edition by referring to section Upgrading Edition and Specifications.
OBS expansion package	1	One OBS expansion package offers 1 TB (1024 GB) of OBS storage.
Database expansion package	1	One database expansion package supports the addition of one database (RDS, DWS, self-built databases on ECS, DLI, Elasticsearch, and self-built big data on ECS). For details about the supported database types and versions, see section Constraints.
Required duration	1 month	Select the required duration from one month to three years.




Figure 1-1 Parameters for purchasing an instance

Step 6 After the purchase is complete, return to the console and go to the **Asset Map** page. In the upper left corner of the page, click **Modify** next to **Cloud Asset Authorization** to perform authorization, as shown in **Figure 1-2**.

After you agree to the authorization, DSC will create agency polycies to access your cloud assets based on your choice. For details about the agency polycies, see **Allowing or Disallowing Access to Cloud Assets**.

To stop authorization, ensure that your assets have no ongoing tasks. DSC will delete your authorization information and assets and all related data. Exercise caution when performing this operation.

Asset Authorization Status Operation

OBS

Authorized

Database

Authorized

Big Data

Authorized

MRS

Authorized

Authorized

Asset Map

Authorized

Authorized

Authorized

Figure 1-2 Authorizing access to assets

----End

Step 2: Authorize DSC to Access Database Assets

DSC can automatically discover cloud assets and add self-built data assets. After connecting to DSC and authorizing DSC to access to cloud assets, you can delegate and manage your assets in the asset center.

Sensitive data identification, data masking, and database watermark injection and extrration can be performed only after databases and big data assets are authorized.

- Step 1 Log in to the management console.
- **Step 2** Click in the upper left corner and select a region or project.
- Step 3 In the navigation tree on the left, click —. Choose Security & Compliance > Data Security Center.
- **Step 4** In the navigation tree on the left, choose **Asset Management > Asset Center**. The **Asset Center** page is displayed.
- **Step 5** On the asset type menu, choose **Database < RDS**. The **Databases** tab page is displayed.
- **Step 6** Click the **Database Instances** tab. In the **Operation** column of the target database instance, click **Authorize** and enter information according to **Figure 1-3**.


Read-only permission: Only the sensitive data identification function can be used.

Read and Write permission: The sensitive data identification and data masking functions can be used.



DSC cannot scan and mask sensitive data in MySQL databases within RDS instances where SSL has been enabled.

Figure 1-3 Authorizing databases



Step 7 After the authorization is complete, click the **Databases** tab to view the connection status of the authorized database.

Figure 1-4 Connection status



After the asset authorization is complete, the **Connection Status** of the asset is **Checking**, which means DSC is checking the database connectivity.

DSC can access the added database normally if the **Connection Status** of the database is **Succeeded**.

----End

Step 3: Create a Sensitive Data Identification Task.

DSC identifies sensitive asset data based on the data type and the identification template selected during the creation of the identification task, and then generates an identification result.

- **Step 1** Log in to the management console.
- **Step 2** Click in the upper left corner and select a region or project.
- Step 3 In the navigation tree on the left, click . Choose Security & Compliance > Data Security Center .

- **Step 4** In the navigation pane on the left, choose **Sensitive Data Identification** > **Identification Task**.
- **Step 5** In the upper left corner of the task list, click **Create Task**.
- **Step 6** In the displayed dialog box, set required parameters based on **Table 1-3**.

Table 1-3 Parameters for creating a task

Parameter	Example Value	Description
Task Name	Test task_01	You can customize the task name. The task name must meet the following requirements: Contain 4 to 255 characters. Consist of letters, digits, underscores (_), and hyphens (-). The name must start with a letter. Be unique.
Data Type	Database > pg-0530	 Type of data to be identified. You can select multiple types. OBS: DSC is authorized to access your Huawei Cloud OBS assets and identify sensitive data in the assets. For details about how to add OBS assets, see Adding OBS Assets. Database: DSC identifies sensitive data of authorized database assets. For details about how to authorize database assets, see Authorizing Access to a Database Asset. Big Data: The DSC identifies sensitive data of authorized big data assets. For details about how to authorize big data source assets, see . MRS: DSC identifies sensitive data of authorized MRS assets. For details about authorized MRS assets, see . LTS: DSC will identify sensitive data of authorized LTS assets. For details about how to add a log stream, see Adding a Log Stream.
Identificatio n Template	Huawei Cloud Data Security Classifying and Grading Template	You can select a built-in or custom template. DSC displays data by level and category based on the template you select. For details about how to add a template, see Adding an Identification Template.

Parameter	Example Value	Description
Identificatio n Period	Once	Set the execution policy of the data identification task.
		Once: The task will be executed once at a specified time.
		Daily: The task is executed at a fixed time every day.
		Weekly: The task is executed at a specified time every week.
		Monthly: The task is executed at a specified time every month.
When to Execute	Now	This parameter is displayed when Identification Period is set to Once.
		Now: Select the option and click OK , the system executes the data identification task immediately.
		As scheduled: The task will be executed at a specified time.
(Optional) Topic	None	Select an existing topic from the drop- down list or click View Topic to create a topic for receiving alarm notifications.
		 If no notification topic is configured, you can view the identification result in the identification task list. For details, see Identification Results.




Figure 1-5 Parameters for creating a task

Step 7 Click **OK**. A message is displayed indicating the task is created successfully. ----**End**

Step 4: View the Classification and Grading Result

- Step 1 Log in to the management console.
- **Step 2** Click in the upper left corner of the management console and select a region or project.
- Step 3 In the navigation tree on the left, click . Choose Security & Compliance > Data Security Center .
- **Step 4** In the navigation pane on the left, choose **Sensitive Data Identification** > **Identification Task**.
- **Step 5** Click **Identification Result** in the **Operation** column of the target task. The result details page is displayed.

Testask 01 V Database V Ad Assets V Ad Asset V Ass

Figure 1-6 Identification result details

Step 6 In the row containing the desired scan object, click View Classification and Grading Result Details in the Operation column. The Classification and Grading Result Details dialog box is displayed.

View the result details and sample data. For details about how to download the identification result, see .

----End

Related Operations

To protect sensitive information and privacy data after classification and grading and prevent unauthorized access or leakage, you can mask data and add watermarks to the data using the professional edition. For details about how to upgrade to the professional edition, see **Upgrading Edition and Specifications**.

- For details about how to mask data, see **Data Masking**. The masked data can be used for development and test, data sharing, and data research.
- For details about how to add data watermarks, see **Data Watermarking**. A data watermark uniquely identifies an asset to protect the copyright of the asset, helping you track the data leakage source.

2 Getting Started with Common Practices

After you have enabled DSC, you can apply the common practices described in this section to your services.

Table 2-1 Common Practices

Practices	Description	
How Do I Prevent Personal Sensitive Data From Being Disclosed During Development and Testing?	DSC provides the static data masking function. You can create masking rules to mask large-scale data in batches. When sensitive data in the production environment is to be delivered to the development, test, or outgoing environment, you can use this function to mask the data.	
	Static data masking applies to the following scenarios: Development and test Data sharing Data Research	
Best Practices of OBS Data Security Protection	This section describes how to use the Data Security Center (DSC) to identify, classify, and protect sensitive data stored in OBS.	