

# Volume Backup Service

## Quick Start

Issue 01  
Date 2018-11-19



**Copyright © Huawei Technologies Co., Ltd. 2020. All rights reserved.**

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Technologies Co., Ltd.

## **Trademarks and Permissions**



HUAWEI and other Huawei trademarks are trademarks of Huawei Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

## **Notice**

The purchased products, services and features are stipulated by the contract made between Huawei and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

---

# Contents


---

<b>1 Operation Procedure.....</b>	<b>1</b>
<b>2 Creating a VBS Backup.....</b>	<b>2</b>
<b>3 Change History.....</b>	<b>7</b>

# 1 Operation Procedure

Figure 1-1 shows the process for VBS related operations.

Figure 1-1 Operation procedure flowchart



**NOTE**

Creating VBS backups includes the creation of manual backup tasks and automatic backup tasks.

To restore an EVS disk using its backup data, you can restore the backup data to the original disk or use the backup data to create a new disk.

# 2 Creating a VBS Backup

You can create backups for your EVS disks to protect the disk data through the VBS console or the EVS console.

## Precautions

An EVS disk can be backed up only when its status is **Available** or **In-use**. If you have performed operations such as expanding, attaching, detaching, or deleting an EVS disk, refresh the page first to ensure the completion of the operation and then determine whether to back up the disk.


## Create a VBS Backup (Method 1)

**Step 1** Log in to the management console.


**Step 2** Click **Service List**. Under **Storage**, click **Volume Backup Service**.


**Step 3** On the VBS page, click **Create Backup**.

**Step 4** From the EVS disk list on the left, click  to select the EVS disks you want to back up. Then they appear in the **Selected Disks** list on the right. See [Figure 2-1](#).

You can click  in the **Operation** column to delete EVS disks that do not need to be backed up.

**Figure 2-1** Selecting a disk



Disks: All Statuses (3)					Selected Disks: (1)				
Name	Status	ECS/BMS	Capacity (GB)		Name	Status	ECS/BMS	Capacity (GB)	Operation
<input type="checkbox"/>	dd-volume-0001	In-use	dd	100					
<input type="checkbox"/>	dd	In-use	dd	40					
<input checked="" type="checkbox"/>	volume-de7f	Available	--	10	volume-de7f	Available	--	10	

 **NOTE**

The system will identify whether the selected EVS disk is encrypted. If it is encrypted, its backup data will be stored in encrypted mode.

In earlier versions, backup data of encrypted EVS disks is stored in non-encrypted mode. In the current version, newly generated backup data is stored in encrypted mode; however, historical non-encrypted backups will remain unchanged.

**Step 5** Confirm that the EVS disks selected for backup are correct. Then in the **Configure Backup** area below, set **Auto Backup** or **Immediate Backup** or both. See [Figure 2-4](#).

**Figure 2-2** Configuring backup schemes

Backup Configuration

**Auto backup**  
 The selected disks will be associated with and automatically backed up according to the backup policy.  
 This will disassociate the disks from any previously configured backup policy.

\* Backup Policy

**Back up now**  
 The selected disks will be backed up immediately.

Encrypted  Backups of 0 disks will be encrypted.

\* Name

Description   
 0/64

Tag    
 To comply with best practices, it is recommended that you use the predefined tag function provided by TMS to add tags to your resources. [View Predefined Tag](#).

You can add 10 more tags for the backup.

 **NOTE**

**Auto Backup:** The selected EVS disks will be associated with the backup policy. If the policy is enabled, the EVS disks will be automatically backed up according to the backup policy. If the selected EVS disks have been associated with another backup policy, they will be disassociated from that backup policy first and then associated with the new backup policy.

**Immediate Backup:** backs up the selected EVS disks at once.

- Select **Auto Backup**: In the **Backup Policy** drop-down list, select an existing one. You can also click **Create Policy** to create a new one. For details, see [Data Backup Using a Backup Policy](#).
- Select **Immediate Backup**: Enter the backup name and description. [Table 2-1](#) describes the parameters.

**Table 2-1** Parameter description

Parameter	Description	Example Value
Name	The name can only contain letters, digits, underscores (_), and hyphens (-). It cannot contain special characters or start with <b>auto</b> . If you select only one EVS disk to back up, the backup name ranges from 1 to 64 characters. If you select more than one EVS disk to back up, the backup name ranges from 1 to 59 characters.	disk01_backup
Description	The description consists of 0 to 64 characters and cannot contain a greater-than sign (>) or less-than sign (<).	for_test

**Step 6** Add tags to the backup.

A tag is represented in the form of a key-value pair. Tags are used to identify, classify, and search for cloud resources. Tags are used to filter and manage backup resources only. A backup can have a maximum of 10 tags.

**Table 2-2** describes parameters of a tag.

**Table 2-2** Parameter description

Parameter	Description	Example Value
Key	Each tag of a backup has a unique key. The key of a tag is user-definable or is selected from those of existing tags in Tag Management Service (TMS). The naming rules for a tag key are as follows: <ul style="list-style-type: none"> <li>It ranges from 1 to 36 Unicode characters.</li> <li>It cannot be empty, cannot start or end with spaces, or contain ASCII (0-31) characters or the following special characters: =*&lt;&gt;\, /</li> </ul>	Key_0001
Value	The values of tags can be repetitive and can be blank. The naming rules for a tag value are as follows: <ul style="list-style-type: none"> <li>It ranges from 0 to 43 Unicode characters.</li> <li>It can be an empty string. It cannot start or end with spaces, or contain non-printable ASCII (0-31) characters or the following special characters: =*&lt;&gt;\, /</li> </ul>	Value_0001

**Step 7** Click **Next**.

**Step 8** Confirm the VBS backup information and click **Submit**.

**Step 9** Switch back to the VBS backup list.

You can refresh the page after 10 seconds to view the backup creation status. When the **Status** of the backup changes to **Available**, the VBS backup has been successfully created.

----End


## Create a VBS Backup (Method 2)

**Step 1** Log in to the management console.


**Step 2** Click **Service List**. Under **Storage**, click **Volume Backup Service**.


**Step 3** Locate the row that contains the target EVS disk. Click **More** in the **Operation** column and select **Back Up**.

**Step 4** From the EVS disk list on the left, click  to select the EVS disks you want to back up. Then they appear in the **Selected Disks** list on the right. See [Figure 2-3](#).

You can click  in the **Operation** column to delete EVS disks that do not need to be backed up.

**Figure 2-3** Selecting a disk



Disks: <span>All Statuses (3)</span> <span>Name</span> <span>Q</span> <span>↻</span>					Selected Disks: (1) <span>Name</span> <span>Q</span>					
<input type="checkbox"/>	Name	Status	ECS/BMS	Capacity (GB)	<input type="checkbox"/>	Name	Status	ECS/BMS	Capacity (GB)	Operation
<input type="checkbox"/>	dd-volume-0001	In-use	dd	100	<input type="checkbox"/>	volume-de7f	Available	--	10	
<input type="checkbox"/>	dd	In-use	dd	40						
<input checked="" type="checkbox"/>	volume-de7f	Available	--	10						

### NOTE

The system will identify whether the selected EVS disk is encrypted. If it is encrypted, its backup data will be stored in encrypted mode.

In earlier versions, backup data of encrypted EVS disks is stored in non-encrypted mode. In the current version, newly generated backup data is stored in encrypted mode; however, historical non-encrypted backups will remain unchanged.

**Step 5** Confirm that the EVS disks selected for backup are correct. Then in the **Configure Backup** area below, set **Auto Backup** or **Immediate Backup** or both. See [Figure 2-2](#).



**Figure 2-4** Configuring backup schemes

Backup Configuration

**Auto backup**  
 The selected disks will be associated with and automatically backed up according to the backup policy.  
 This will disassociate the disks from any previously configured backup policy.

\* Backup Policy

**Back up now**  
 The selected disks will be backed up immediately.

Encrypted  Backups of 0 disks will be encrypted.

\* Name

Description   
 0/64

Tag    
 To comply with best practices, it is recommended that you use the predefined tag function provided by TMS to add tags to your resources. [View Predefined Tag](#).

You can add 10 more tags for the backup.

**NOTE**

**Auto Backup:** The selected EVS disks will be associated with the backup policy and will be automatically backed up according to the backup policy. If the selected EVS disks have been associated with another backup policy, they will be disassociated from that backup policy first and then associated with the new backup policy.

**Immediate Backup:** backs up the selected EVS disks at once.

- Select **Auto Backup:** In the **Backup Policy** drop-down list, select an existing one. You can also click **Create Policy** to create a new one. For details, see [Data Backup Using a Backup Policy](#).
- Select **Immediate Backup:** Enter the backup name and description. [Table 2-1](#) describes the parameters.

**Step 6** Add tags to the VBS backup. [Table 2-2](#) describes the parameters.

A tag is represented in the form of a key-value pair. Tags are used to identify, classify, and search for cloud resources. Tags are used to filter and manage backup resources only. A backup can have a maximum of 10 tags.

**Step 7** Click **Next**.

**Step 8** Confirm the VBS backup information and click **Submit**.

**Step 9** Switch back to the VBS backup list.

You can refresh the page after 10 seconds to view the backup creation status. When the **Status** of the backup changes to **Available**, the VBS backup has been successfully created.

----**End**

# 3 Change History

---

Release Date	What's New
2018-11-19	This issue is the first official release.