

Simple Message Notification

FAQ

Issue 01
Date 2025-11-28



Copyright © Huawei Technologies Co., Ltd. 2025. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Technologies Co., Ltd.

Trademarks and Permissions



HUAWEI and other Huawei trademarks are trademarks of Huawei Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Security Declaration

Vulnerability

Huawei's regulations on product vulnerability management are subject to the *Vul. Response Process*. For details about this process, visit the following web page:

<https://www.huawei.com/en/psirt/vul-response-process>

For vulnerability information, enterprise customers can visit the following web page:

<https://securitybulletin.huawei.com/enterprise/en/security-advisory>

Contents

1 Product Consulting	1
1.1 What Are the Advantages of SMN?.....	1
1.2 What Protocols Does SMN Support?.....	1
1.3 What Are the Requirements for an SMN Topic Name?.....	2
1.4 What Are Most Frequently Asked Questions About Creating, Publishing, and Subscribing to a Topic in SMN?.....	2
1.5 How Do I Obtain My Account ID?.....	3
2 Billing	4
2.1 How Is SMN Billed?.....	4
3 Message Sending	6
3.1 What Are the Limitations on SMS Messages?.....	6
3.2 Does SMN Ensure That Messages Are Received by Subscription Endpoints?.....	7
3.3 Why Do Subscribers Fail to Receive Messages After I Publish Messages to a Topic?.....	8
3.4 What Can I Do When Pictures in an Email Message Cannot Be Displayed?.....	9
3.5 Does SMN Always Use the Same Phone Number or Sender Name to Send SMS Messages?.....	11
3.6 How Does a DingTalk, Internal DingTalk, Lark, or WeCom Chatbot Obtain Subscription Endpoints?..	11

1 Product Consulting

1.1 What Are the Advantages of SMN?

SMN has the following advantages:

- It does not require many development and maintenance resources, reducing your message notification costs.
- It is highly reliable and scalable.
- It can be quickly deployed and is easy to use.

1.2 What Protocols Does SMN Support?

SMN supports the following protocols:

- Email: Messages are sent to subscribers' email addresses by email.
- SMS: Messages are sent to subscribers' phone numbers by SMS message.
- HTTP or HTTPS: Messages are sent to subscription URLs by HTTP or HTTPS request. SMN only supports public network URLs and public IP addresses.
- FunctionGraph (function): Messages are used as payload to call functions.
- Voice notification: Messages are converted into voice messages and sent to the subscribed phone numbers. Only cloud services can send voice messages. Users cannot directly send voice messages.

Voice subscriptions are available only in some regions of the Chinese mainland. **Voice notification** is not supported in Hong Kong (China), Macao (China), Taiwan (China), Xinjiang, Xizang, or regions outside China.

- DingTalk chatbot: Messages are sent to a DingTalk group through a DingTalk chatbot.
- WeCom chatbot: Messages are sent to a WeCom group through a WeCom chatbot.
- Lark chatbot: Messages are sent to a Lark group through a Lark chatbot.

 NOTE

- Voice notification, DingTalk chatbot, WeCom chatbot, and Lark chatbot are in the open beta test (OBT). To use these protocols, submit a service ticket to apply for the OBT.
- After the OBT is enabled, your token will be invalid. You need to log in to the console again to use the token. When calling an API, you need to obtain a new token.
- The number of WeCom, DingTalk, and Lark messages that can be sent is limited, and the recipient system may be faulty. As a result, messages may fail to be sent. In this case, SMN does not ensure successful message delivery.

1.3 What Are the Requirements for an SMN Topic Name?

- A topic name can up to 255 characters, including letters, digits, hyphens (-), and underscores (_).
- Each topic name in an account must be unique.
- The topic name is the unique identifier of the topic, and it cannot be modified once created. SMN assigns a unique URN to the topic, including the service name (SMN), region name, project ID, and topic name. When you call an API to create a topic, a topic URN will be returned. The topic URN will be used whenever a publisher or subscriber performs operations relating to the topic.

1.4 What Are Most Frequently Asked Questions About Creating, Publishing, and Subscribing to a Topic in SMN?

How Many Topics Can I Create?

By default, you can create 3,000 topics.

How Many Subscriptions Can Be Added to a Topic?

By default, 10,000 subscriptions can be added to a topic.

How Many Messages Can Be Published to a Topic?

There is no limit on the number of messages that can be published to a topic.

How Many Message Templates Can I Create?

By default, you can create 100 message templates.

Can I Add Subscriptions Using Multiple Protocols to a Topic?

Yes. A topic supports HTTP, HTTPS, email, and SMS subscriptions.

Can a Topic Creator Change Subscription Protocols in a Topic?

No. A topic creator cannot change subscription protocols after subscriptions are added to the topic.

Can I Change a Subscription Endpoint for a Topic?

No. You cannot change a subscription endpoint once it is added to a topic. If needed, you can delete the endpoint and add a new one.

Can I Delete a Published Message?


No. You cannot delete a message once it is published.

Will a Subscriber Receive the Same Message Multiple Times?

A subscriber will only receive a message once. SMN re-sends a message only when there is a network or device failure.

1.5 How Do I Obtain My Account ID?

1. Log in to the [management console](#).
2. Move your cursor over the username in the upper right corner and select **My Credentials** from the drop-down list.
3. On the **API Credentials** page, view **Account ID**.



2 Billing

2.1 How Is SMN Billed?

You only pay for what you use with no minimum fee.

Billing Items

You pay based on the number of message notifications and downstream Internet traffic. For details, see [Product Pricing Details](#).

Table 2-1 SMN billing items

Billing Item	Description
Messages	<ul style="list-style-type: none">• SMS: You are billed based on the number of SMS messages sent under each topic in each region every month.• Email: You are billed based on the number of emails sent under each topic in each region every month.• HTTP/HTTPS: You are billed based on the number of requests sent under each topic in each region every month. You are billed once for each 1 million requests every month.• FunctionGraph: You are billed based on the number of function calls, but SMN messages to FunctionGraph are free.
Downstream Internet traffic	When your notifications incur Internet traffic, the first 1 GB is free for each month, and extra traffic will be billed per GB according to the Huawei Cloud standard traffic fee.

Cost Elements in Different Scenarios

SMN is billed based on downstream Internet traffic and notification messages.

The costs for sending different types of messages relate to different elements:

- SMS: SMS notifications
- Email: Email notifications+Downstream Internet traffic
- HTTP or HTTPS: HTTP or HTTPS notifications+Downstream Internet traffic

Renewal

For details, see [Renewal Management](#).

Expiration and Overdue Payment

For details, see [Service Suspension and Resource Release](#) and [Payment and Repayment](#).

3 Message Sending

3.1 What Are the Limitations on SMS Messages?

- The following table describes the rules for calculating the number of characters in an SMS message.

SMS Type	Character Counting Rule	Remarks
International SMSs (sent to mobile numbers outside the Chinese mainland)	SMSs in English: <ul style="list-style-type: none">GSM-7 characters are used for counting.If an SMS contains 160 characters or less, it is counted as one SMS. If an SMS contains more than 160 characters, every 153 characters are counted as one SMS.	<ul style="list-style-type: none">If an SMS contains 158 English characters or less, it is counted as one SMS. If an SMS contains 164 (153 + 11) characters, it is counted as two SMSs. If an SMS contains 320 (153 + 153 + 14) characters, it is counted as three SMSs.For example, if an SMS template contains variable $\\$ \{NUM_8\}$ set to 123456, that variable is counted as six characters.
	SMSs in other languages: <ul style="list-style-type: none">Each Unicode character, such as a letter, digit, punctuation (full-width and half-width), and space, is counted as one character.If an SMS contains 70 characters or less, it is counted as one SMS. If an SMS contains more than 70 characters, every 67 characters are counted as one SMS.	

SMS Type	Character Counting Rule	Remarks
Chinese Mainland SMSs (sent to Chinese mainland mobile numbers)	<ul style="list-style-type: none">Each Unicode character, such as a letter, digit, punctuation (full-width and half-width), and space, is counted as one character.Length of an SMS = The number of characters in an SMS template + The number of characters in the signatureIf an SMS contains 70 characters or less, it is counted as one SMS. If an SMS contains more than 70 characters, every 67 characters are counted as one SMS.	<ul style="list-style-type: none">Each letter and digit in a signature is counted as a character. For example, [HUAWEI] is counted as eight characters.For example, if an SMS template contains variable \$ {NUM_8} set to 123456, that variable is counted as six characters.

For details, see [SMS Length Calculation](#) in *Message & SMS User Guide*.

- Special characters such as square brackets ([]) are not allowed in SMS messages sent to mobile numbers in the Chinese mainland. For details, see [Template and Variable Specifications](#) in *Message & SMS User Guide*.

3.2 Does SMN Ensure That Messages Are Received by Subscription Endpoints?

SMN pushes messages to subscription endpoints asynchronously, which does not ensure the timeliness of message delivery. If your service requires quasi-real-time message delivery, exercise caution whether to use SMN.

If a subscription endpoint is accessible, it will receive all messages delivered by SMN.

If an endpoint is inaccessible, SMN saves the undelivered message in a message queue and tries to deliver it six more times. If the message still fails to be delivered, SMN discards it and does not send the information to the publisher that the message delivery failed.

The interval for re-sending an undelivered message varies depending on the length of the message queue.

 **NOTE**

The timeout period for SMN to send a message to an HTTP/HTTPS endpoint is 5s. If the response duration exceeds 5s, SMN considers that the connection times out and fails to send the message.

If a message fails to be sent to an endpoint for multiple times within a specified period, the endpoint will be added to a blacklist. SMN does not send messages to blacklisted subscription endpoints.

5 to 10 minutes after the subscription endpoint is added to the blacklist, the endpoint will be automatically removed. After the removal, SMN sends messages to the subscription endpoint again.

SMN retries only when the HTTP/HTTPS subscription endpoint returns 500 or other 5xx server errors.

3.3 Why Do Subscribers Fail to Receive Messages After I Publish Messages to a Topic?

If you have verified that the subscription endpoints are normal, the most possible reason is that the subscribers have not confirmed their subscriptions or the confirmation messages and messages published have been blocked.

Check whether the message is blocked and processed as a junk message.

If the problem persists, contact technical support.

SMS Message

- Confirmation messages
Check whether the messages have been blocked.
- Notification messages
Check whether the subscription has been confirmed or whether the message has been blocked.

Email

Check whether the message is categorized as a junk mail.

If not, add email addresses with the following suffixes to the whitelist.

- @info.huaweicloud.com
- @mail01.huawei.com
- @mail01.smn.huaweicloud.com
- @mail01.huaweicloud-smn.com
- @mail02.huaweicloud-smn.com

Due to reasons such as disaster recovery or traffic adjustment, the email address changes dynamically. Therefore, a specific email address cannot be provided.

 **NOTE**

SMN has preset some blacklisted email addresses (honeypot email addresses). To protect the SMN email sending system, if you create subscriptions with email addresses similar to those blacklisted ones, SMN will not send emails to these email addresses. Do not use an email address that contains fields indicating the administrator, such as **support**, **master**, **admin**, or **service**.

Note: Honeypot emails are intentionally created email accounts that can only be identified by scanners. Typically, no emails are sent to these accounts. However, if an email is sent to any of these addresses, both the sender and the source IP address of the sender's mailbox will be flagged and blocked.

Voice Notification Protocol

Add the following numbers to your whitelist to avoid blocking your voice calls:


- +862153290044
- +862160386878
- +862160381506

3.4 What Can I Do When Pictures in an Email Message Cannot Be Displayed?


To protect your privacy, some mailboxes do not automatically download pictures from the Internet by default. If pictures in an email cannot be displayed, you need to enable automatic picture download.

The following uses Outlook 2019 as an example to describe how to enable automatic picture download. Procedures are as follows:

1. Open Outlook and click **File** in the upper left corner.
2. Click **Options**.
The **Options** page is displayed.
3. Click **Trust Center** and **Settings**.
The **Trust Center** page is displayed.



4. On the **Automatic Download** tab, deselect **Don't download pictures automatically in standard HTML email messages or RSS items** and click **OK**.



 NOTE

For other types of mailboxes, search for **How Do I Enable Automatic Picture Download** through your browser.

3.5 Does SMN Always Use the Same Phone Number or Sender Name to Send SMS Messages?

Yes. The phone number or sender name SMN uses to send SMS messages does not usually change. It changes only when the carrier changes the communication channel.

3.6 How Does a DingTalk, Internal DingTalk, Lark, or WeCom Chatbot Obtain Subscription Endpoints?

When adding a subscription over a DingTalk, internal DingTalk, Lark, or WeCom chatbot, perform the following steps to obtain the subscription endpoint:

- **DingTalk chatbot**
Open DingTalk, go to a DingTalk group and click the Group Settings icon in the upper right corner. When you add a robot, select **Custom**. After the robot is created, obtain its webhook URL. (DingTalk no longer allows new users to create custom chatbots. For details, see the DingTalk development document. SMN allows you to add subscriptions to existing custom chatbots.)
- **Internal DingTalk chatbot:**
On the DingTalk group **Settings** page, select **Bot** and click **Add Robot**. On the **Robot Management** page, select the robot you created. After adding the robot, go to the robot page again to obtain the webhook address of the internal DingTalk robot.

 NOTE

DingTalk APIs have restrictions on as traffic and the number of API calls, so SMN cannot ensure that all messages can be sent to DingTalk. For details, see the DingTalk development document.

- **Lark chatbot**
Open Lark on PC. Locate a group chat. In the group settings, choose **BOTS**, click **Add Bot**, and select **Custom Bot**. After the bot is added, obtain its webhook URL. SMN allows you to add the Lark domain names (**open.larksuite.com** and **open.feishu.cn**) as subscription endpoints.
- **WeCom chatbot**
Locate a WeCom group chat and click the group settings icon in the upper right corner. Add a group robot. After the robot is added, obtain its webhook URL.

Data Privacy Statement

- The SMN service encrypts and saves the subscription endpoint information of the DingTalk, internal DingTalk, Lark, and WeCom chatbots entered by users

in the database so that SMN can send messages to DingTalk, Lark, and WeCom groups, as well as to the internal DingTalk chatbot.

- SMN does not use the subscription endpoint information for other purposes except sending group messages.
- After a user deletes a subscription endpoint, SMN permanently deletes the subscription endpoint information from the database.