

Tag Management Service

User Guide

Issue 01
Date 2025-02-13



Copyright © Huawei Cloud Computing Technologies Co., Ltd. 2025. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Cloud Computing Technologies Co., Ltd.

Trademarks and Permissions



HUAWEI and other Huawei trademarks are the property of Huawei Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei Cloud and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Contents

1 Resource Tags	1
1.1 Overview	1
1.2 Searching for Resources	1
1.3 Creating a Key	2
1.4 Adding Resource Tags	3
1.5 Modifying Resource Tags	5
1.6 Deleting Resource Tags	6
1.7 Adding a Tag to Multiple Resources	7
2 Predefined Tags	9
2.1 Overview	9
2.2 Creating Predefined Tags	9
2.3 Searching for Predefined Tags	10
2.4 Deleting Predefined Tags	10
2.5 Importing and Exporting Predefined Tags	11
3 Permissions Management	13
3.1 Creating a User and Granting Permissions	13
3.2 Custom Policies	14
4 Recording TMS Operations Using CTS	17
4.1 Supported TMS Operations	17
4.2 Viewing CTS Traces in the Trace List	18
5 Quotas	22

1 Resource Tags

1.1 Overview

TMS allows you to customize tags to classify your resources. You can batch manage tags in a list view.

For example, you can specify a region to view all resource tags and predefined tags or you can add a tag to multiple resources at a time. You can add a tag to 500 resources at most each time.

This section describes how to query resources by tag, create tag keys, add a tag to multiple cloud resources, and update, modify, or delete resource tags.

Constraints and Limitations

- Up to 10 tags can be specified to query for resources at a time.
- To search for specified tags, entering a key is mandatory but entering a value is optional.
- Each resource supports up to 10 key-value pairs.
- For each resource, each tag key must be unique, and each tag key can have only one tag value.
- A tag key can contain a maximum of 36 characters, including digits, letters, underscores (_), and hyphens (-).
- A tag value can contain a maximum of 43 characters, including digits, letters, underscores (_), periods (.), and hyphens (-).
- Up to 500 resources can be tagged at a time.


1.2 Searching for Resources

Before adding tags, you must search for available cloud resources. Cloud resource tags will be displayed on the TMS console where you can manage them, including adding, deleting, and modifying tags.

TMS provides the following search options:


- **Region**
- **Resource Type**
- (Optional) **Resource Tag**
 - You can search for up to 10 tags at a time.
 - To search for specified tags, entering a key is mandatory but entering a value is optional.
 - When you specify the search criteria, the cloud resources you want to search for must meet all of the key criteria and at least one of the value criteria.
- **(Optional)** Search for resources that are not tagged.
 - You can search for resources that are not tagged.

Searching for Cloud Resources

1. Log in to the management console.
2. In the upper left corner of the page, click , and then click **Management & Governance > Tag Management Service**.
3. Select the **Tag Management** tab.
4. Set the resource search criteria.
5. Click **Search**.

The target resources are displayed in the **Search Result** list.
6. **(Optional)** In the search box above the search result list, enter a resource name to search for a resource. Fuzzy search is supported and the resource name is case-insensitive.

When there are too many resources listed or you need to locate some resources, you can use this function for quick search.
7. **(Optional)** Click **Reset**.

You can reset the search criteria to search for cloud resources.
8. **(Optional)** In the upper right part of the **Search Result** area, click .


The resource list is refreshed and the list refresh time is updated.

1.3 Creating a Key

To add tags with the same tag key to multiple resources, you can use the tag key creation function.

After being created, the tag key is displayed in the list and all default statuses in the key column are **Not tagged**. You can add a tag value to a cloud resource in the list to make the tag take effect.


Creating a Key

1. Log in to the management console.
2. In the upper left corner of the page, click , and then click **Management & Governance > Tag Management Service**.

3. Select the **Tag Management** tab.
4. Set the resource search options.
For details, see [Searching for Cloud Resources](#).
5. Click **Search**.
6. Click **Create Key** in the upper left corner of the list displayed.
7. Specify a key.
A tag key can contain a maximum of 36 characters, including digits, letters, underscores (_), hyphens (-), and at signs (@).
8. Click **OK**.
After the key is created, a column with the key as the header will be added to the list.
If you create a key but do not add any values, it will be invalid and will be deleted from the list after you refresh the page.

Follow-up Procedure


To add a tag to a resource when a tag key has been created, perform the following steps:


1. In the **Search Result** list, click **Edit**.
The tag list enters the editable state.
2. Click + in the row that contains the target resource.
3. Enter a tag value.
4. Click .
After the resource tag is modified, the cloud resources can be managed based on the new tag.

1.4 Adding Resource Tags

On the TMS console, you can add one or more tags to a single or multiple resources. You can add up to 10 key and value pairs to each resource.




Adding a Tag Value to a Resource

1. Log in to the management console.
2. In the upper left corner of the page, click , and then click **Management & Governance > Tag Management Service**.
3. Select the **Tag Management** tab.
4. Set the resource search options.
For details, see [Searching for Cloud Resources](#).
5. Click **Search**.
6. Click **Edit** above the list to make the key columns editable.
7. (Optional) Set tag key display
If tag keys to be modified are not displayed in the list, perform the following steps:

- a. In the right corner of the search result area, click .
- b. Select target tag keys from the drop-down list.
You are advised to display no more than 10 keys.

 **NOTE**

For details about how to create a tag key, see [Creating a Key](#).


8. Locate the target resource, and click  in the tag key column.
In the tag key column, resources that have not been tagged, **Not tagged** is displayed and the  icon is also displayed.
 9. Enter a tag value as needed or leave it blank.
 10. Click .
- Then you can use added tags to manage resources.

 **NOTE**

To add tag values for more resources, repeat the preceding steps. To add tag key and value pairs, select a target resource in the list, click **Manage Tag** above the list to add tags as needed. For details, see [Adding Tags to Multiple Resources](#).

Adding Tags to Multiple Resources

The following procedure shows how to add tags to multiple resources.

1. Log in to the management console.
2. In the upper left corner of the page, click , and then click **Management & Governance > Tag Management Service**.
3. Select the **Tag Management** tab.
4. Set the resource search options.
For details, see [Searching for Cloud Resources](#).
5. Click **Search**.
6. Select target resources and click **Manage Tag** above the list.
7. In the **Add Tag** area, add keys and values as needed. You can add only keys and leave the values empty.

You can also directly select existing tags from the drop-down list.

 **NOTE**





To add different tag values to different resources, see [Adding a Tag Value to a Resource](#).

8. Click **OK**.
Then you can use added tags to manage resources.

1.5 Modifying Resource Tags

Modifying a Tag Value for a Resource

The following procedure shows how to modify a tag value for a resource.

1. Log in to the management console.
2. In the upper left corner of the page, click , and then click **Management & Governance > Tag Management Service**.
3. Select the **Tag Management** tab.
4. Set the resource search criteria.
For details, see [Searching for Cloud Resources](#).
5. Click **Search**.
6. Click **Edit** in the upper part of the **Search Result** area so that you can edit tag values in the list.
7. (Optional) Set the key display list.
If the key of the tag to be modified is not displayed in the list, perform the following steps:
 - a. In the right corner of the search result area, click .
 - b. Select target keys from the drop-down list.
You are advised to display no more than 10 keys.
8. Click  in the row that contains the target resource.
9. Modify the tag value.
10. Click .

After the resource tag is modified, you can manage the resource with the new tag.

NOTE

To modify more tag values for a resource, repeat the preceding steps. You can also select the target resource in the list and click **Manage Tag** above the list to modify tag values. For details, see [Modifying Tag Values for Multiple Resources](#).


Modifying Tag Values for Multiple Resources

The following procedure shows how to modify tag values for multiple resources.

NOTICE

Exercise caution when modifying tags in batches. After a tag value is modified, this modification applies to all resources that you selected and the modification cannot be undone.

1. Log in to the management console.

2. In the upper left corner of the page, click , and then click **Management & Governance > Tag Management Service**.
3. Select the **Tag Management** tab.
4. Set the resource search criteria.
For details, see [Searching for Cloud Resources](#).
5. Click **Search**.
6. Select target resources in the list and click **Manage Tag** above the list.
7. In the **Edit Tag** area, set new values as needed.
You can modify values for all tag keys that are listed.

 **NOTE**




To set different values for different resources, see [Modifying a Tag Value for a Resource](#).

8. Click **OK**.
Then you can use the modified tags to manage resources.

1.6 Deleting Resource Tags

Deleting a Tag for a Resource

The following procedure shows how to delete a tag for a resource.

1. Log in to the management console.
2. In the upper left corner of the page, click , and then click **Management & Governance > Tag Management Service**.
3. Select the **Tag Management** tab.
4. Set the resource search criteria.
For details, see [Searching for Cloud Resources](#).
5. Click **Edit** in the upper part of the **Search Result** area so that you can edit tag values in the list.
6. (Optional) Set the key display list.
If the key of the tag to be deleted is not displayed in the list, perform the following steps:
 - a. In the right corner of the search result area, click .
 - b. Select target keys from the drop-down list.
You are advised not to select more than 10 keys.
7. Click  in the row that contains the resource to be deleted.
After a resource tag is deleted, resources cannot be managed based on the deleted tag.

 **NOTE**

To delete multiple tags of a resource, repeat the preceding steps. You can also select the target resource in the list and click **Manage Tag** above the list to delete one or more tags. For details, see [Deleting Tags for Multiple Resources](#).


Deleting Tags for Multiple Resources

The following procedure shows how to delete tags for multiple resources.

NOTICE

Exercise caution when deleting tags in batches.

After you delete tags based on the following procedure, the tags will be deleted from all resources that are attached with the same tag key, and the deletion cannot be undone.


1. Log in to the management console.
2. In the upper left corner of the page, click , and then click **Management & Governance > Tag Management Service**.
3. Select the **Tag Management** tab.
4. Set the resource search criteria.
For details, see [Searching for Cloud Resources](#).
5. Click **Search**.
6. Select one or more target resources.
7. Click **Manage Tag** above the list.
8. In the **Edit Tag** area, locate a target tag and click **Delete** in the **Operation** column.
All tags of the target resources are displayed in the **Edit Tag** area. You can delete tags as needed.
9. Click **OK**.

You can no longer manage related resources based on deleted tags.

1.7 Adding a Tag to Multiple Resources

On the TMS console, you can search for all tags in a specified region. You can add a tag to up to 500 resources at a time.

Searching for Tags

1. Log in to the management console.
2. In the upper left corner of the page, click , and then click **Management & Governance > Tag Management Service**.
3. Select the **Resource Tagging** tab.
4. Select one or more regions.
Search results are displayed in the **Search Result** list.
5. In the search box above the tag list, select specific keys or values or both to narrow down the results.

Tagging Resources

You can use the searched tags to tag resources.

1. In the **Search Result** area, locate a target tag and click **Tag Resource** in the **Operation** column.
2. Select a region.
3. Select a resource type.
4. Specify **Tagged by**.
 - **ID**: Enter one or more resource IDs. Up to 500 resource IDs can be entered.
 - **List**: Select one or more resources in the resource list. Up to 100 resources can be selected at the same time.

If you need to tag more resources, you can repeat the resource tagging procedure.

5. Click **OK**.

2 Predefined Tags

2.1 Overview

TMS allows you to create tags in advance and attach created tags to resources as needed. You can also import or export tags in batches.


This section describes how to search for, create, delete, import, or export predefined tags.

Constraints and Limitations

- Predefined tags cannot be identical. Either their keys or values must be different. If you create a predefined tag that is identical to an existing predefined tag, the existing predefined tag will be overwritten.
- Up to 500 predefined tags can be created for each account.
- A tag key can contain a maximum of 36 characters, including digits, letters, underscores (_), and hyphens (-).
- A tag value can contain a maximum of 43 characters, including digits, letters, underscores (_), periods (.), and hyphens (-).
- A null value cannot be included in a predefined tag.

2.2 Creating Predefined Tags

You can create tags in advance, and then attach them to your resources.

1. Log in to the management console.
2. In the upper left corner of the page, click . Select **Management & Governance > Tag Management Service**.
3. Click **Predefined Tags**.
4. In the upper right corner of the displayed page, click **Create Tag**.
The **Create Tag** dialog box is displayed.
5. Configure **Key** and **Value**.

6. Click **OK**.


The predefined tag is created and displayed on the top of the list.

Follow-up Procedure


When tagging resources, you can directly select a predefined tag without the need to enter a key and value pair.

For example, you can select the tag key **Usage** from the left box and then its value from the right as shown in [Figure 2-1](#).


Figure 2-1 Example



2.3 Searching for Predefined Tags

1. Log in to the management console.
2. In the upper left corner of the page, click . Select **Management & Governance > Tag Management Service**.
3. Click **Predefined Tags**.
4. In the text box, enter a tag value or a tag key to search for tags.
The search result is displayed in the list.

2.4 Deleting Predefined Tags

1. Log in to the management console.
2. In the upper left corner of the page, click . Select **Management & Governance > Tag Management Service**.
3. Click **Predefined Tags**.
4. Select the tags you need to delete.
5. Click **Delete** above the predefined tag list.
6. In the displayed **Delete Tag** dialog box, click **OK**.
The predefined tags have been deleted.

NOTE

You can also click **Delete** in the **Operation** column to delete a specific tag.

2.5 Importing and Exporting Predefined Tags

Constraints and Limitations

You can only import CSV files that use UTF-8 encoding.

Tag files or templates downloaded with Internet Explorer 9 cannot be imported to TMS via other browsers, and vice versa those downloaded with other browsers cannot be imported to TMS via Internet Explorer 9.

If duplicate tags exist between the current environment and the imported file, the tags of the current environment will be overwritten after the import.

When you edit imported tags, the following rules need to be followed:

- You can create up to 500 predefined tags for each account.
- A tag key can contain a maximum of 36 characters, including digits, letters, underscores (_), and hyphens (-).
- A tag value can contain a maximum of 43 characters, including digits, letters, underscores (_), periods (.), and hyphens (-).


NOTICE

If you edit a CSV file with Excel and then import the file to TMS, the tags will be garbled. To edit a CSV file, open it with notepad.

Importing Predefined Tags

You can batch import tags to TMS, and then attach them to your resources.


To import predefined tags, perform the following steps:

1. Log in to the management console.
2. In the upper left corner of the page, click . Select **Management & Governance > Tag Management Service**.
3. Click **Predefined Tags**.
4. Click **Download template (CSV file)** in the message that is displayed above the list.
5. Fill in the template by referring to the format of existing tags.
6. Click **Import** and select the target file.
7. Click **OK**.

The predefined tags are imported successfully and displayed in the predefined tag list.

Exporting Predefined Tags

To export predefined tags for editing, perform the following steps:

1. Log in to the management console.
2. In the upper left corner of the page, click . Select **Management & Governance > Tag Management Service**.
3. Click **Predefined Tags**.
4. You can export predefined tags in either of the following ways:
 - a. Click **Export All**.
The .csv file is generated, and all predefined tags are exported.
 - b. Select the predefined tags to be exported and click **Export**.
The .csv file is generated, and selected predefined tags are exported.

3 Permissions Management

3.1 Creating a User and Granting Permissions

This section describes how to use [IAM](#) to implement fine-grained permissions control for your TMS resources. With IAM, you can:

- Create IAM users for employees based on your organizational structure. Each IAM user has their own security credentials for accessing TMS resources.
- Grant users only the permissions required to perform a given task based on their job responsibilities.
- Entrust an account or a cloud service to perform operations for your TMS resources.

If your Huawei Cloud account does not need individual IAM users, skip this section.


[Figure 3-1](#) shows the process flow for granting permissions.

Prerequisites

Before granting permissions, learn about the TMS permissions and select the permissions as required. For details about the system-defined permissions supported by TMS, see [TMS Permissions](#). To grant permissions for other services, you can see [system-defined permissions](#).

Flowchart

Figure 3-1 Granting TMS permissions



1. On the IAM console, **create a user group and assigning permissions**. Here, TMS ReadOnlyAccess permissions are used as an example.
2. **Create an IAM user and add it to the created user group**.
3. **Log in** and verify permissions.
The created user logs in to the console and verifies permissions as described below:
 - Choose **Service List > Tag Management Service**. In the navigation pane on the left, click **Predefined Tags**. In the upper right corner of the displayed page, click **Create Tag**. If a message appears indicating that you have insufficient permissions to perform the operation, and if you can view existing predefined tags in the **Predefined Tags** page, the **TMS ReadOnlyAccess** policy is in effect.
 - Choose another service from **Service List**. If a message appears indicating that you have insufficient permissions to access the service, the **TMS ReadOnlyAccess** policy is in effect.

3.2 Custom Policies

You can create custom policies to supplement predefined policies for TMS. For the actions supported by custom policies, see **TMS API Actions**.

You can create a custom policy in either of the following ways:

- Visual editor: Select cloud services, actions, resources, and request conditions. This does not require knowledge of policy syntax.
- JSON: Create a JSON policy or edit an existing one.

For details, see [Creating a Custom Policy](#). The following lists examples of custom policies for TMS.

Example Custom Policies

- Example 1: Granting permission to view predefined tags

```
{
  "Version": "1.1",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [
        "tms:predefineTags:list"
      ]
    }
  ]
}
```

- Example 2: Granting permission to deny predefined tag deletion

"Deny" permissions should be used together with "Allow" permissions. If "Deny" and "Allow" permissions are both assigned, the "Deny" permissions take precedence over the "Allow" permissions.

Assume that you want to grant the **TMS FullAccess** permissions to a user but do not want them to delete predefined tags. You can create a custom policy for denying predefined tag deletion, and attach this policy together with the **TMS FullAccess** policy to the user. As an explicit deny in any policy overrides any allows, the user can perform all operations on these predefined tags excepting deleting them. The following shows an example policy for denying predefined tag deletion.

```
{
  "Version": "1.1",
  "Statement": [
    {
      "Effect": "Deny",
      "Action": [
        "tms:predefineTags:delete"
      ]
    }
  ]
}
```

- Example 3: Creating a custom policy containing multiple actions.

A custom policy can contain actions of one or more services. To grant permissions of multiple services in a policy, ensure that the services are all of the same level (global or project).

The following shows an example policy that contains multiple actions.

```
{
  "Version": "1.1",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [
        "tms:predefineTags:create",
        "tms:predefineTags:delete"
      ]
    }
  ],
}
```

```
"Effect": "Allow",  
"Action": [  
  "obs:bucket:ListAllMyBuckets",  
  "obs:bucket:ListBucket"  
]  
}  
]
```

4 Recording TMS Operations Using CTS

4.1 Supported TMS Operations

Scenario

With Cloud Trace Service (CTS), you can record operations associated with TMS for later query, audit, and backtrack operations.

Prerequisites

You have enabled CTS.

Supported TMS Operations

Table 4-1 TMS operations supported by CTS

Operation	Resource Type	Trace Name
Creating Predefined Tags	predefineTag	addPredefineTag
Deleting Predefined Tags	predefineTag	deletePredefineTag
Modifying Predefined Tags	predefineTag	modifyPredefineTag
Creating Resource Tags	application	createResourceTag
Deleting Resource Tags	application	deleteResourceTag

Operation	Resource Type	Trace Name
Adding a Tag to Multiple Resources NOTE After a tag is batch added to multiple resources on the Resource Tagging tab of TMS console, the batchCreateResourceTags trace will be generated in CTS. For details, see Adding a Tag to Multiple Resources .	resourceTag	batchCreateResourceTags
Batch Removing Tags NOTE You can perform this operation by calling an API. Currently, TMS console does not support this operation.	resourceTag	batchDeleteResourceTags

4.2 Viewing CTS Traces in the Trace List

Scenarios

After you enable CTS and the management tracker is created, CTS starts recording operations on cloud resources. After a data tracker is created, the system starts recording operations on data in Object Storage Service (OBS) buckets. Cloud Trace Service (CTS) stores operation records (traces) generated in the last seven days.





This section describes how to query or export operation records of the last seven days on the CTS console.

- [Viewing Real-Time Traces in the Trace List of the New Edition](#)
- [Viewing Real-Time Traces in the Trace List of the Old Edition](#)




Constraints

- Traces of a single account can be viewed on the CTS console. Multi-account traces can be viewed only on the **Trace List** page of each account, or in the OBS bucket or the **CTS/system** log stream configured for the management tracker with the organization function enabled.
- You can only query operation records of the last seven days on the CTS console. To store operation records for longer than seven days, you must configure transfer to OBS or Log Tank Service (LTS) so that you can view them in OBS buckets or LTS log groups.
- After performing operations on the cloud, you can query management traces on the CTS console one minute later and query data traces five minutes later.
- These operation records are retained for seven days on the CTS console and are automatically deleted upon expiration. Manual deletion is not supported.

Viewing Real-Time Traces in the Trace List of the New Edition

1. Log in to the management console.
2. Click  in the upper left corner and choose **Management & Governance > Cloud Trace Service**. The CTS console is displayed.
3. Choose **Trace List** in the navigation pane on the left.
4. On the **Trace List** page, use advanced search to query traces. You can combine one or more filters.
 - **Trace Name:** Enter a trace name.
 - **Trace ID:** Enter a trace ID.
 - **Resource Name:** Enter a resource name. If the cloud resource involved in the trace does not have a resource name or the corresponding API operation does not involve the resource name parameter, leave this field empty.
 - **Resource ID:** Enter a resource ID. Leave this field empty if the resource has no resource ID or if resource creation failed.
 - **Trace Source:** Select a cloud service name from the drop-down list.
 - **Resource Type:** Select a resource type from the drop-down list.
 - **Operator:** Select one or more operators from the drop-down list.
 - **Trace Status:** Select **normal**, **warning**, or **incident**.
 - **normal:** The operation succeeded.
 - **warning:** The operation failed.
 - **incident:** The operation caused a fault that is more serious than the operation failure, for example, causing other faults.
 - **Enterprise Project ID:** Enter an enterprise project ID.
 - **Access Key:** Enter a temporary or permanent access key ID.
 - Time range: Select **Last 1 hour**, **Last 1 day**, or **Last 1 week**, or specify a custom time range within the last seven days.
5. On the **Trace List** page, you can also export and refresh the trace list, and customize columns to display.
 - Enter any keyword in the search box and press **Enter** to filter desired traces.
 - Click **Export** to export all traces in the query result as an .xlsx file. The file can contain up to 5,000 records.
 - Click  to view the latest information about traces.
 - Click  to customize the information to be displayed in the trace list. If **Auto wrapping** is enabled () , excess text will move down to the next line; otherwise, the text will be truncated. By default, this function is disabled.
6. For details about key fields in the trace structure, see [Trace Structure](#) and [Example Traces](#).
7. (Optional) On the **Trace List** page of the new edition, click **Go to Old Edition** in the upper right corner to switch to the **Trace List** page of the old edition.

Viewing Real-Time Traces in the Trace List of the Old Edition

1. Log in to the management console.
2. Click  in the upper left corner and choose **Management & Governance > Cloud Trace Service**. The CTS console is displayed.
3. Choose **Trace List** in the navigation pane on the left.
4. Each time you log in to the CTS console, the new edition is displayed by default. Click **Go to Old Edition** in the upper right corner to switch to the trace list of the old edition.
5. Set filters to search for your desired traces. The following filters are available.
 - **Trace Type, Trace Source, Resource Type, and Search By:** Select a filter from the drop-down list.
 - If you select **Resource ID** for **Search By**, specify a resource ID.
 - If you select **Trace name** for **Search By**, specify a trace name.
 - If you select **Resource name** for **Search By**, specify a resource name.
 - **Operator:** Select a user.
 - **Trace Status:** Select **All trace statuses, Normal, Warning, or Incident**.
 - **Time range:** Select **Last 1 hour, Last 1 day, or Last 1 week**, or specify a custom time range within the last seven days.
6. Click **Query**.
7. On the **Trace List** page, you can also export and refresh the trace list.
 - Click **Export** to export all traces in the query result as a CSV file. The file can contain up to 5,000 records.
 - Click  to view the latest information about traces.
8. Click  on the left of a trace to expand its details.

Trace Name	Resource Type	Trace Source	Resource ID	Resource Name	Trace Status	Operator	Operation Time	Operation
createDockerConfig	dockerlogcmd	SWR	-	dockerlogcmd	normal		Nov 16, 2023 10:54:04 GMT+08:00	View Trace

```

request
trace_id
code 200
trace_name createDockerConfig
resource_type dockerlogcmd
trace_rating normal
api_version
message createDockerConfig, Method POST URI=/v2/management/ultrasecret, Reason:
source_ip
domain_id
trace_type ApiCall
        
```

9. Click **View Trace** in the **Operation** column. The trace details are displayed.

5 Quotas

What Is Quota?

Quotas are the limits put on resources to prevent waste. Each service has their own quotas. For example, you are allowed to create up to 500 predefined tags. You can request for an increase in quota if the existing quota does not meet your service requirements.

How Do I View My Quotas?



1. Log in to the management console.
2. Click  in the upper left corner and select the desired region and project.
3. In the upper right corner of the page, choose **Resources > My Quotas**.
The **Service Quota** page is displayed.

Figure 5-1 My Quotas




4. View the used and total quota of each type of resources on the displayed page.
If a quota cannot meet service requirements, apply for a higher quota.

How Do I Apply for a Higher Quota?

1. Log in to the management console.

- In the upper right corner of the page, choose **Resources > My Quotas**.
The **Service Quota** page is displayed.

Figure 5-2 My Quotas



- Click **Increase Quota** in the upper right corner of the page.

Figure 5-3 Increasing quota

The image shows a screenshot of the 'Service Quota' page. At the top right, there is a red button labeled 'Increase Quota'. Below the header, there is a table with the following columns: Service, Resource Type, Used Quota, and Total Quota. The table lists various services and their associated resource types and quotas.

Service	Resource Type	Used Quota	Total Quota
Auto Scaling	AS group	0	
	AS configuration	0	
Image Management Service	Image	0	
Cloud Container Engine	Cluster	0	
FunctionGraph	Function	0	
	Code storage(MB)	0	
Elastic Volume Service	Disk	3	
	Disk capacity(OB)	120	
	Snapshots	4	
Storage Disaster Recovery Service	Protection group	0	
	Replication pair	0	
Cloud Server Backup Service	Backup Capacity(OB)	0	
	Backup	0	
Scalable File Service	File system	0	
	File system capacity(OB)	0	
	Domain name	0	
CDN	File URL refreshing	0	
	Directory URL refreshing	0	
	URL prefetching	0	

- On the **Create Service Ticket** page, configure parameters as required.
In the **Problem Description** area, fill in the content and reason for adjustment.
- After all necessary parameters are configured, select **I have read and agree to the Ticket Service Protocol and Privacy Statement** and click **Submit**.